


CATALOGUE 2025

We present our **new catalogue of automotive tools and equipment**, designed to meet the needs of the most demanding professionals. You'll find a wide range of high-quality products, from hand and power tools to diagnostic and lifting equipment. Including our latest innovations.
Trust in our experience and quality to equip your workshop with the best solutions.

TOOLHUB

www.thetoolhub.co.uk

CATALOGUE**2025**





TOOLHUB
Comprehensive Solutions for Automotive Tools and Equipment

With over 20 years of experience in the industry, Toolhub®, has established itself as a leader in the distribution of automotive tools and equipment. Our experience and commitment to quality allow us to offer our customers high-performance products and a comprehensive service that ranges from pre-sales consulting to robust after-sales support..

A Complete and Cutting-Edge Catalogue

Toolhub® offers you a comprehensive catalogue of automotive tools and equipment, carefully selected to meet the needs of the most demanding professionals. From hand tools to engine timing tools, we have everything you need to equip your shop and increase your sales.

Specialized Advice and Personalized Attention

We have a team of experts who will provide you with personalized advice on product selection, sales strategies, and marketing. In addition, our after-sales service guarantees prompt and efficient response to any questions or issues.

Quality and Competitive Prices

Our products, under the UK and European registered trademark Toolhub®, are synonymous with quality and durability. We work directly with manufacturers to guarantee the best prices, allowing you to maximize your profit margins.

01 HAND TOOLS

ROLLER CABINET	08
COMBINATION WRENCHES	9
DOUBLE OPEN ENDED - RING WRENCHES	10
COMBINATION RATCHET WRENCHES	11
WRENCH	12
SOCKET SET	13
SOCKET SET - RATCHET WRENCHES	14
RATCHET WRENCHES	15
BREAKER BARS - ADAPTORS	16
EXTENSION BARS - WOBBLE BARS - SOCKET SETS	17-18
SOCKET SETS - INDIVIDUAL SOCKETS	19-21
SOCKET SETS - INDIVIDUAL TORX SOCKETS	22
IMPACT SOCKET SET - INDIVIDUAL IMPACT SOCKET SET	23-25
SOCKET SETS - INDIVIDUAL SOCKETS-BIT SETS - SOCKET BIT SETS	26-28
IMPACT SOCKET BIT SET	29
SCREWDRIVERS	30
VDE SREWDRIVERS - IMPACT - PRECISION	31
ALLEN, TORX & RIBE KEYS	32
PLIERS - WATER PUMP - CIRCLIP PLIERS	33-35
HAMMER - BOLT CUTTER - PIPE WRENCH - CUTTERS	36-37
PRYBAR / STUD EXTRACTOR - MAGNETIC TOOLS – MIRRORS	38-39
RIVETERS- PULLERS - EXTRACTORS	40-41
STUD & SCREW EXTRACTORS - TAP & DIE SETS - HELICOIL	42-43
TWIST DRILL BIT SET - OIL CAN - GLOVES	44-45
WIRE BRUSH - CALIPERS - TOOL BAG	46
TORQUE WRENCHES -	47-48

02 LIGHTING

RECHARGEABLE LED WORKLIGHT - WOOL BEANIE	50-51
BONNET WORKLIGHTS - WARNING BEACONS – SPOTLIGHTS	52-53

03 ENGINE TOOLS

OIL FILTER	54-57
OIL SUMP - ENGINE OIL & SUMP	58-59
FLUIDS - DRAIN PANS	60
DIESEL INJECTORS	61-65
DIESEL FUEL PUMP - DIESEL INJECTION - FUEL SYSTEM	66-69
DIESEL FILTER - FUEL TANK SENDER	70-71
DIESEL COMPRESSION TESTERS	72
DIESEL GLOW PLUGS	73
PETROL INJECTION - SPARK PLUG SOCKETS	74-75
DIAGNOSIS - PETROL ENGINES- SENSORS - EXHAUST PIPE	76-77
TURBO SYSTEM- VALVE	78-79
ENGINE BLOCK - VALVE SPRING COMPRESSORS - PISTON & VALVE TOOLS	80 - 81
ENGINE BLOCK - CYLINDER TOOLS - ATF	82-84
GEARBOX - CLUTCH	85-87
CRANKSHAFT - COOLING SYSTEM	88-90
TURBO AND COOLING PLIERS	91
AIR CONDITIONING - AD BLUE- DIAGNOSIS	92-95

04 BRAKES

BRAKE BLEEDERS	97
BRAKE BLEEDING - ACCESSORIES	98
BRAKE REWIND – MEASURING	99
BRAKE FLARING	100
BRAKE CALIPER	101
VARIOUS	102

05 SUSPENSION

COIL SPRINGS	104
SUSPENSION & STEERING	105
BALL JOINTS	106-107
STEERING	108
WHEEL HUB	109-110
BEARINGS	111
SILENT BLOCKS	112-113

06 WHEELS

WHEEL NUT & HUB SOCKETS	115
IMPACT SOCKET SETS	115
INDIVIDUAL IMPACT SOCKETS	117
LOCKING WHEEL NUT REMOVAL	118-119
LOCKING WHEEL NUT & DAMAGED NUT REMOVAL	120
TYRES	121-122

07 ELECTRICAL SYSTEM

MULTIMETER - WIRE STRIPPER	124
SOLDERING - TESTER - RELAY PLIERS	125
TERMINAL	126
VDE SCREWDRIVER - HEAT SHRINK - TERMINAL	127
ALTERNATOR – MEMORY SAVER	128
VARIOUS	129

08 ENGINE TIMING TOOLS

BMW / BMW MINI	131-138
VAG GROUP	139-149
MERCEDES	147 - 153
FORD	154 - 160
JAGUAR - LAND ROVER	166-167
VOLVO	168-172
PSA	173-176
HYUNDAI - KIA	177
OPEL - VAUXHALL - CHEVROLET - SUZUKI	178-183
RENAULT - DACIA - NISSAN	184-186
SUBARU - HONDA	187
UNIVERSAL	186

09 HGV & COMMERCIAL VEHICLES

ENGINE TOOLS	189-191
ENGINE TOOLS - CRANKSHAFT	192
CRANKSHAFT - BRAKES	193
VALVES - INJECTORS	194
INJECTION - ENGINE OIL	195
RADIATOR - TURBO - GEARBOX	196-197
SPRINGS	198
KNEE JOINTS	199
BALL JOINTS - TRANSMISSION - DIFFERENTIAL	200
DIFFERENTIAL - BEARINGS - BUSHINGS	201
HUB SOCKETS BPW	202
HUB PULLER - BPW - MAN	203
HUB SOCKETS - MAN - MERCEDES - SCANIA	204
HUB SOCKETS- SCANIA - IVECO - SAF - VOLVO - ROR	205
BUSHING SOCKET	206-207
INDIVIDUAL IMPACT SOCKETS - IMPACT SOCKET SET	208-209

10 BODYSHOP

BODY JACKS - CLAMPS - DENT TOOLS	211
DENT REMOVAL TOOLS	212
TRIM & CLIP TOOLS	213
RADIO REMOVAL – VARIOUS	214
PLASTIC WELDING - TRIM CLIP & DOOR TOOLS	215
WINDSCREEN TOOLS	216
HEADLIGHTS - LEVER - BODYWORK- CLEANING - POLISHING - JUGS	217-218

11 CORDLESS POWER TOOLS & PNEUMATIC TOOLS

CORDLESS POWER WRENCH - BATERIES	220-221
ELECTRIC GREASE GUN	222
PNEUMATIC IMPACT WRENCH - PNEUMATIC SAW - MICRO GRINDER	223-224

12 GARAGE EQUIPMENT

ROLLER CABINET	226
FLOOR JACK - TROLLEY JACKS - AXLE STANDS – WHEEL DOLLY	227-228
CREEPERS - SEATS	229
ENGINE SUPPORTS - STANDS - GEARBOX JACK	230
ENGINE CRANES - PRESSES	231
SAND BLASTERS - PARTS WASHERS - PROTECTORS	232
MOTORCYCLE TOOLS	233
HOSE REELS – SERVICE CARTS - JERRY CANS	234

13 LUBRICATIONS

ATF	236
AD BLUE - SYRINGES - OIL CANS	237
SYRINGES	238
FLUIDS - DRAIN PANS - FLUID EXTRACTORS - DRUMS	239

14 RUBBER ELEVATOR LIFT PADS

RUBBER ELEVATOR - LIFT PADS	242 - 244

15 CONSUMABLE ITEMS

O-RINGS - WASHERS - LYNCH PINS	246
COPPER WASHERS	247
FUSES - CABLE TIES	248
GREASE NIPPLES - SPRINGS - TERMINALS - HEAT SHRINK TUBING - BRANCH CONNECTORS	249
CIRCLIPS - PINS - HOSE CLAMPS	250
FIXINGS - WOODRUFF KEYS - RIVETS	251

16 TRIM CLIPS

TRIM CLIPS	253-268

17 INDEX


ITEM NUMBER INDEX	269 -275

Key to Icons

Chrome Molybdenum	Chrome Vanadium	ADBLUE	Petrol Engine	Disesel Engine
Professional Tool	Timing Belt	Timing ChaiN	Impact Tool	New Item
Hex	XZN	Security XZN	Torx	Security Torx
Torx Plus	Ribe	Ball End Hex	Slotted	Philips
Pozi	Stainless Steel	Size in Inches	Height	Magnetic
1/2" Dr.	1/4" Dr.	3/4" Dr.	3/8" Dr.	1" Dr.
Movement Sensor	LED	Batery	USB Cable	Time
IP Protection	Folding design 180° rotation	Hook 360°	Batteries Included	Mains Cable
Material Washable	Bluetooth	Headphones Bluetooth	Fall Height	UV & SMD

Disclaimer:
We reserve the right to make changes to technical specifications, product prices, and/or promotions without prior notice. The validity of the features and prices of the promotions is subject to stock availability.
The information provided about the products is for guidance only and does not constitute an exhaustive description.

UK
Tool Hub Ltd
Building D Dorset Business Park
Blandford Forum DT11 9AS
Tel. +44 01258 446242
www.thetoolhub.co.uk



Quality Guarantee

Toolhub® Quality Commitment: Guarantee of Excellence and Trust.
At Toolhub®, customer satisfaction and trust are fundamental pillars. Therefore, every product we offer is backed by our exclusive Seal of Quality. This seal is a tangible guarantee that our products have passed rigorous verification processes and strict quality controls, meeting the highest standards set for our manufacturers.

Certified Excellence and Comprehensive Warranty
Our Toolhub® Quality Seal represents our firm commitment to excellence. It is complemented by a comprehensive warranty that covers any material or manufacturing defects for a period of one year from the date of purchase.

Total Satisfaction Guarantee
Toolhub® stands behind the quality of all its products and is committed to offering effective solutions in case of any issues. If an item presents a defect covered by our warranty, Toolhub® will repair, replace, or refund the full purchase price, thus ensuring complete customer satisfaction.

CATALOGUE**2025**


HAND

Ref.11011


ROLLER CABINET 7 DRAWERS WITH TOOLS.

205 PC



TOOL MODULES INCLUDED

Socket Set 108 PC
1/2" 1/4" Eva Module



Combination& Double Ring
Offset Spanner Eva Module



Screwdrivers & Hammer
Eva Module



Pliers, Saw, Torx & Allen Key
Eva Module



Ref.11016

ROLLER CABINET 7 DRAWERS EMPTY



Does not include any Tools modules

INDIVIDUAL EVA MODULES

Ref.11012
Socket Set 108 PC
1/2" 1/4" Eva Module



Ref.11013
Combination& Double Ring
Offset Spanner Eva Module



Ref.11014
Screwdrivers & Hammer
Eva Module




Ref.11015
Pliers, Saw, Torx & Allen Key
Eva Module



Ref.10083 COMBINATION WRENCH SET

25 PC SET



- Drop forged from high quality chrome vanadium steel, heat treated and tempered.·
- Satin finsh with triple layer of chrome for corrosion resistance.

Sizes:
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm

Ref.10084 COMBINATION WRENCH SET

6 PC SET



Sizes:
34, 36 ,38, 41, 46, 50mm

Ref.10081 COMBINATION WRENCH SET

10 PC SET



Sizes:
6, 7, 8, 10, 12, 13, 14, 15, 17, 19mm

Ref.10082 COMBINATION WRENCH SET

15 PC SET



Sizes:
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm

Ref.10191 COMBINATION WRENCH SET


12 PC SET

INCHES



Sizes:
1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"

INDIVIDUAL COMBINATION WRENCHES



Reference	Type	Length (mm)
10085	COMBINATION WRENCH 6mm	111
10086	COMBINATION WRENCH 7mm	121
10087	COMBINATION WRENCH 8mm	125
10088	COMBINATION WRENCH 9mm	128
10089	COMBINATION WRENCH 10mm	131
10090	COMBINATION WRENCH 11mm	142
10091	COMBINATION WRENCH 12mm	152
10092	COMBINATION WRENCH 13mm	160
10093	COMBINATION WRENCH 14mm	173
10094	COMBINATION WRENCH 15mm	183
10095	COMBINATION WRENCH 16mm	195
10096	COMBINATION WRENCH 17mm	208
10097	COMBINATION WRENCH 18mm	219
10098	COMBINATION WRENCH 19mm	231
10099	COMBINATION WRENCH 20mm	240
10100	COMBINATION WRENCH 21mm	251

Reference	Type	Length (mm)
10101	COMBINATION WRENCH 22mm	264
10102	COMBINATION WRENCH 23mm	273
10103	COMBINATION WRENCH 24mm	287
10104	COMBINATION WRENCH 25mm	297
10105	COMBINATION WRENCH 26mm	297
10106	COMBINATION WRENCH 27mm	308
10107	COMBINATION WRENCH 28mm	330
10108	COMBINATION WRENCH 30mm	342
10109	COMBINATION WRENCH 32mm	356
10110	COMBINATION WRENCH 34mm	387
10111	COMBINATION WRENCH 36mm	411
10112	COMBINATION WRENCH 38mm	440
10113	COMBINATION WRENCH 41mm	451
10114	COMBINATION WRENCH 46mm	474
10115	COMBINATION WRENCH 50mm	585

Ref.10116 DOUBLE OPEN ENDED WRENCH SET



8 PC SET



Sizes
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Ref.10117 DOUBLE OPEN ENDED WRENCH SET




12 PC SET



- Drop forged from high quality chrome vanadium steel, heat treated and tempered.
- Satin finsh with triple layer of chrome for corrosion resistance.

Sizes
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm

INDIVIDUAL DOUBLE OPEN ENDED WRENCHES



Reference	Type	Length (mm)
10118	DOUBLE OPEN ENDED WRENCH 6x7mm	110
10119	DOUBLE OPEN ENDED WRENCH 8x9mm	125
10120	DOUBLE OPEN ENDED WRENCH 10x11mm	137
10121	DOUBLE OPEN ENDED WRENCH 12x13mm	153
10122	DOUBLE OPEN ENDED WRENCH 14x15mm	163
10123	DOUBLE OPEN ENDED WRENCH 16x17mm	175

Reference	Type	Length (mm)
10124	DOUBLE OPEN ENDED WRENCH 18x19mm	190
10125	DOUBLE OPEN ENDED WRENCH 20x22mm	209
10126	DOUBLE OPEN ENDED WRENCH 21x23mm	221
10127	DOUBLE OPEN ENDED WRENCH 24x27mm	250
10128	DOUBLE OPEN ENDED WRENCH 25x28mm	250
10129	DOUBLE OPEN ENDED WRENCH 30x32mm	277

Ref.10130 RING WRENCH SET



8 PC SET



Sizes
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Ref.10131 RING WRENCH SET




12 PC SET



- Drop forged from high quality chrome vanadium steel, heat treated and tempered.
- Satin finsh with triple layer of chrome for corrosion resistance.

Sizes
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm

INDIVIDUAL RING WRENCHES



Reference	Type	Length (mm)
10132	RING WRENCH 6x7mm	119
10133	RING WRENCH 8x9mm	138
10134	RING WRENCH 10x11mm	162
10135	RING WRENCH 12x13mm	187
10136	RING WRENCH 14x15mm	214
10137	RING WRENCH 16x17mm	219

Reference	Type	Length (mm)
10138	RING WRENCH 18x19mm	252
10139	RING WRENCH 20x22mm	291
10140	RING WRENCH 21x23mm	294
10141	RING WRENCH 24x27mm	341
10142	RING WRENCH 25x28mm	374
10143	RING WRENCH 30x32mm	402

Ref.10145 COMBINATION RATCHET WRENCH SET



20 PC SET



- Wrenches drop forged from high quality chrome vanadium steel, hardend and tempered.
- 72 tooth ratchet mechanism.
- Satin finsh with triple layer of chrome for corrosion resistance.

Length
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

Ref.10144 COMBINATION RATCHET WRENCH SET



14 PC SET



Length
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

INDIVIDUAL COMBINATION RATCHET WRENCHES



Reference	Type	Length (mm)
10146	COMBINATION RATCHET WRENCH 6mm	126
10147	COMBINATION RATCHET WRENCH 7mm	134
10148	COMBINATION RATCHET WRENCH 8mm	140
10149	COMBINATION RATCHET WRENCH 9mm	150
10150	COMBINATION RATCHET WRENCH 10mm	160
10151	COMBINATION RATCHET WRENCH 11mm	166
10152	COMBINATION RATCHET WRENCH 12mm	172
10153	COMBINATION RATCHET WRENCH 13mm	179
10154	COMBINATION RATCHET WRENCH 14mm	192
10155	COMBINATION RATCHET WRENCH 15mm	210

Reference	Type	Length (mm)
10156	COMBINATION RATCHET WRENCH 16mm	210
10157	COMBINATION RATCHET WRENCH 17mm	226
10158	COMBINATION RATCHET WRENCH 18mm	238
10159	COMBINATION RATCHET WRENCH 19mm	247
10160	COMBINATION RATCHET WRENCH 21mm	293
10161	COMBINATION RATCHET WRENCH 22mm	293
10162	COMBINATION RATCHET WRENCH 24mm	335
10163	COMBINATION RATCHET WRENCH 27mm	359
10164	COMBINATION RATCHET WRENCH 30mm	405
10165	COMBINATION RATCHET WRENCH 32mm	425

Ref.10167 FLEXI-HEAD COMBINATION RATCHET WRENCH SET



14 PC SET



- Wrenches drop forged from high quality chrome vanadium steel, hardend and tempered.
- 72 tooth ratchet mechanism.
- Satin finsh with triple layer of chrome for corrosion resistance.
- Flexible head for better access.

Length
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Ref.10166 FLEXI-HEAD COMBINATION RATCHET WRENCH SET



7 PC SET



Length
8, 10, 12, 13, 14, 17, 19mm

INDIVIDUAL FLEXI-HEAD COMBINATION RATCHET WRENCHES



Ref.	Type	Length (mm)
10168	Wrench 6mm	124
10169	Wrench 7mm	134
10170	Wrench 8mm	138
10171	Wrench 9mm	150
10172	Wrench 10mm	158
10173	Wrench 11mm	166
10174	Wrench 12mm	172

Ref.	Type	Length (mm)
10175	Wrench 13mm	181
10176	Wrench 14mm	192
10177	Wrench 15mm	202
10178	Wrench 16mm	210
10179	Wrench 17mm	227
10180	Wrench 18mm	238
10181	Wrench 19mm	248

Ref.10202 COMBINATION RATCHET WRENCH SOCKET ADAPTOR SET



3 PC SET

1/2" 1/4" 3/8"

- Converts a combination ratchet wrench into a ratchet wrench::
- 14mm - 1/4" Dr.
- 14mm - 3/8" Dr.
- 19mm - 1/2".Dr.

Ref.11111 DOUBLE ENDED FLEXIBLE HEAD RATCHET WRENCH SET

6 PC SET



Sizes
8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 18, 17 x 19mm

Ref.11110 DOUBLE ENDED LONG RING WRENCH

6 PC SET



Sizes
8 x 10, 11 x 13, 12 x 14, 15 x 17, 16 x 18, 19 x 21mm


INDIVIDUAL DOUBLE ENDED FLEXIBLE HEAD RATCHET WRENCH



	Reference	Sizes	Length
01	11108	8 x 9	23cm
02	11035	10 x 11	30cm
03	11036	12 x 13	32.5cm
04	11037	14 x 15	37cm
05	11038	16 x 18	41cm
06	11109	17 x 19	41cm

Ref.10183 U-WRENCH SET


5 PC SET 12





Sizes
8x10, 11x13, 14x15, 17x19, 21x22mm.

Ref.10184 FLARE NUT WRENCH SET



6 PC SET 6



Sizes
8x9, 10x11, 12x13, 14x15, 17x19, 22x24mm.

Ref.10293 DOUBLE ENDED TORX WRENCH SET





4 PC SET

Sizes
E6 x E8, E10 x E12, E14 x E18, E20 x E24

Ref.10182 S-WRENCH SET

5 PC SET 12





Sizes
8x10, 11x13, 14x15, 17x19, 21x22mm.

INDIVIDUAL FLARE NUT WRENCHES




6

Ref.	Type	Length (mm)
10185	Individual Flare nut 8x9	144
10186	Individual Flare nut 10x11	165
10187	Individual Flare nut 12x13	175
10188	Individual Flare nut 14x15	195
10189	Individual Flare nut 17x19	214
10190	Individual Flare nut 22x24	252

Ref.9941 LINE RATCHET WRENCH SET

6 PC SET 12





Sizes
10mm, 11mm, 13mm, 17mm, 19mm, 22mm

Ref.9537 CROWSFOOT WRENCH SET - 1/2" DR

11 PC SET

CM Chrome Molybdenum 1/2"



Sizes
20, 21, 22, 23, 24, 25, 26,27, 28, 30, 32mm

Ref.9538 CROWSFOOT WRENCH SET - 3/8" DR

10 PC SET

CM Chrome Molybdenum 3/8"



Sizes
10, 11, 12, 13, 14, 15, 16, 17, 18 , 19mm

Ref.9062 SOCKET SET - 1/4", 3/8" & 1/2" DR.

Complete socket set made of chrome vanadium steel with three 72 tooth ratchet wrenches and a large selection of sockets, bits and accessories.

218 PC SET

1/2" 1/4" 3/8"

CV Chrome Vanadium



Quantity	Detail
12	Combination wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
3	72 tooth ratchet wrenches: 1/4", 3/8", & 1/2" Dr.
13	Standard sockets 1/4" Dr: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm.
7	Deep sockets 1/4" Dr: 4, 5, 6, 7, 8, 9, 10mm.
5	Torx sockets 1/4" Dr: E4, E5, E6, E7, E8
30	Socket bits 1/4" Dr. (Slotted, Philips, Pozi, Torx, Torx Security, Hex).
1	Spinner handle 1/4" Dr.
2	Extension bars 1/4" Dr: 50 and 100mm.
1	Sliding T-bar 1/4" Dr: 100mm.
10	Standard sockets 3/8" Dr: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
6	Deep sockets 3/8" Dr: 10, 11, 12, 13, 14, 15mm
6	Torx sockets 3/8" Dr: E10, E11, E12, E14, E16, E18.
1	Spark plug socket 3/8" Dr: 18mm.
1	Extension bar 3/8" Dr: 125mm.
15	Standard sockets 1/2" Dr: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm.
5	Deep sockets 1/2" Dr: 14, 15, 17, 19 & 22mm
3	Torx sockets 1/2" Dr: E10, E11, E12, E14, E16, E18, E20, E24.
2	Spark plug sockets 1/2" Dr: 16 & 21mm.
2	Bit sockets 1/2" Dr: T55, T60.
1	Sliding T-bar 1/2" Dr: 250mm.
1	Extension bar 1/2" Dr: 125mm.
3	Universal joints: 1/4", 3/8" & 1/2" Dr.
30	8mm hex drive bits (Slotted, PH, Pozi, Torx, Security Torx, Hex, XZN & Ribe).
2	8mm bit adaptors: 3/8" and 1/2" Dr.
44	6mm hex drive bits
1	Screwdriver handle for 6mm hex drive bits.
1	Adaptor: 6mm M x 1/4" F
1	Adaptor: 1/4"M x 6mm F
7	Hex keys: 1.27, 1.5, 2.0, 2.5, 3, 4 and 5mm.

Ref.9023 SOCKET SET - 1/4" & 1/2" DR.

Socket set made from chrome vanadium steel with two 72 teeth ratchet wrenches and a large selection of sockets, bits and accessories.

108 PC SET

CV Chrome Vanadium

1/2"

1/4"



Cantidad	Details
2	72 tooth ratchet wrenches: 1/4" and 1/2" Dr
13	Standard sockets 1/4" Dr: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14mm
8	Deep sockets 1/4" Dr: 6, 7, 8, 9,10, 11, 12, 13mm
5	Torx sockets 1/4" Dr: E4, E5, E6, E7 & E8
18	Bit sockets 1/4" Dr: (Slotted, Philips, Pozi, Torx, Hex.)
1	Spinner handle 1/4" Dr
1	Sliding T-bar 1/4" Dr: 100mm
2	Extension bars 1/4" Dr: 50 and 100mm.
17	Standard sockets 1/2" Dr: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
5	Deep sockets 1/2" Dr: 14, 15, 16, 17, 18, 19, 20, 21, 22mm
8	Torx sockets 1/2" Dr: E10, E11, E12, ..., E24.
2	Spark plug sockets 1/2" Dr: 16 and 21mm.
1	Sliding T-bar 1/2" Dr: 250mm.
1	Extension bar 1/2" Dr: 125mm.
2	Universal joints: 1/4" and 1/2" Dr
17	8mm Hex drive bits: (Slotted, Philips, Pozi, Torx and Hex).
1	Bit adaptor: 8mm Hex drive.
3	Hex keys: 1.5, 2.0 and 2.5mm.

Ref.0035 SOCKET SET - 1/4"DR.

Socket set with 72 tooth ratchet handle and a range of sockets, socket bits and accessories.

46 PC SET

CV Chrome Vanadium

1/4"



Socket bits

Slotted: 4, 5.5, 7mm.
Philips: 1, 2, 3
Pozi: 1, 2, 3
Torx: T8, T10, T15, T20,T25, T30, T40
Hex: 3, 4, 5, 6, 7, 8mm

Socket sizes

4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

Ref.11012 SOCKET SET 108 PCS 1/2" 1/4" EVA MODULE.

108 PC SET

CV Chrome Vanadium

1/2"

1/4"



Ref.10976 3/4" DR. SOCKET SET - 6 POINT



21 PC SET

6 | 3/4"

Socket Size
19, 21, 22, 23, 24, 26, 27, 30, 32, 33, 36, 38, 41, 46, 48, 50mm.
Extention Bars
10, 20, 39.5cm
Ratchet Wrench
44.5cm

Ref.10977 3/4" DR. SOCKET SET - 12 POINT



21 PC SET

12 | 3/4"

Socket Size
19, 21, 22, 23, 24, 26, 27, 30, 32, 33, 36, 38, 41, 46, 48, 50mm.
Extention Bars
10, 20, 39.5cm
Ratchet Wrench
44.5cm

Ref.10978 1" DR. SOCKET SET - 6 POINT



6 | 1"

Socket Size
38, 41, 46, 50, 54 ,55 ,58 ,60 ,63 ,65 ,67 ,70, 71 ,75 ,77 ,80mm
Extention Bars
8, 21,5, 41cm
Ratchet Wrench
53cm

Ratchet head detaches from the handle.
Supplied in Iron case.

Ref.10979 1" DR. SOCKET SET - 12 POINT



12 | 1"

Socket Size
38, 41, 46, 50, 54 ,55 ,58 ,60 ,63 ,65 ,67 ,70, 71 ,75 ,77 ,80mm
Extention Bars
8, 21,5, 41cm
Ratchet Wrench
53cm

Ratchet head detaches from the handle.
Supplied in Iron case.

72 TEETH RATCHET WRENCHES

CV Chrome Vanadium | CM Chrome Molybdenum | PROFESSIONAL | 1/2" | 1/4" | 3/8"



New range of professional ratchet wrenches made from chrome vanadium steel, hardened and tempered with a chrome polished finish.
Ratchet mechanism made from chrome molybdenum steel with 72 teeth which provide a smooth and precise movement with 5 degrees between teeth.
Offset handle with rubber coated ergonomic antislip grip and quick release button.

Reference	Drive	Length mm
10216	1/4" Dr.	152mm
10217	3/8" Dr.	190mm
10218	1/2" Dr.	250mm

108 TOOTH RATCHET WRENCHES

CV Chrome Vanadium | CM Chrome Molybdenum | PROFESSIONAL | 1/2" | 1/4" | 3/8"



New range of professional ratchet wrenches made from chrome vanadium steel, hardened and tempered with a chrome polished finish.
108 tooth racthet mechanism made from chrome molybdenum steel gives ultrasmooth movement with only 3.33 degrees between each tooth for work where precision is required.
Features a compact head design which allows access in reduced space, ergonomic antislip handles and quick release button for quick and easy release of socket or accessory.


Reference	Type	Drive	Length mm
10213	Standard	1/4" Dr.	132mm
10214	Standard	3/8" Dr.	190mm
10215	Standard	1/2" Dr.	255mm

RATCHETS 72 TEETH



	Reference	Drive	Length
01	10981	1/4" Dr.	152mm
02	10982	3/8" Dr.	190mm
03	10983	1/2" Dr.	250mm

EXTENDABLE RATCHETS



	Reference	Drive	Length
01	11023	1/4" Dr.	17cm - 22cm
02	11024	3/8" Dr.	21.5cm - 31.5cm
03	11025	1/2" Dr.	32.5cm - 44.5cm

Ref.9587 SWIVEL HEAD RATCHET WRENCH WITH ADJUSTABLE HANDLE 1/4 DR.

1/4"



- 72 teeth reversible ratchet.
- Swivel head.
- Flexible handle allows use at various angles and as a T-handle.
- **Length:** 120mm

Ref.3981 SHORT SWIVEL HEAD RATCHET WRENCH - 1/4" DR

1/4"




- 72 tooth ratchet.

Sizes:
Length: 114 mm

Ref.9912 LOW PROFILE RATCHET EXTENSION

1/4" 3/8"



Includes
2 socket adaptors: 1/4" & 3/8" Dr.

Maximum torque:
161 Nm (118.7 ft lb)

108 TOOTH RATCHET WRENCHES

New range of professional ratchet wrenches made from chrome vanadium steel, hardened and tempered with a chrome polished finish.
108 tooth racthet mechanism made from chrome molybdenum steel gives ultrasmooth movement with only 3.33 degrees between each tooth for work where precision is required.
Features a compact head design which allows access in reduced space, ergonomic antislip handles and quick release button for quick and easy release of socket or accessory.

1/4" 3/8"
CV Chrome Vanadium
CM Chrome Molybdenum



Reference	Type	Drive	Length mm
10211	Stubby	1/4" Dr.	85mm
10212	Stubby	3/8" Dr.	102mm

Ref.9461 LOW PROFILE RATCHET WRENCH

1/4" 3/8"



Size
Length: 140mm

Ref.9725 STUBBY RATCHET WRENCH & BIT DRIVER - 1/4" DR

1/4"



- Stubby ratchet with 72 teeth ratchet mechanism for precise work in reduced spaces.
- With bit driver in head for 1/4"dr. bits.

Ref.9726 STUBBY RATCHET WRENCH - 3/8" DR

3/8"



- Stubby ratchet with 72 teeth ratchet mechanism for precise work in reduced spaces.

T-HANDLE RATCHET DRIVER



	Ref.	Length	Drive
01	10069	240mm - 72 Tooth	3/8" Dr.
02	10070	240mm - 72 Tooth	1/4" Dr.

Ref.9124 BREAKER BAR - 1/2" DR.

CV Chrome Vanadium | CM Chrome Molybdenum | 1/2"



Professional quality breaker bar made from chrome vanadium steel, hardened and tempered, with chrome molybdenum knuckle.

REPLACEMENT	
Ref	**Type**
9124-K	Replacement knuckle 9124

Sizes
Length: 600 mm

Ref.9727 BREAKER BAR - 3/4"DR.

CV Chrome Vanadium | CM Chrome Molybdenum | 3/4"



Professional quality breaker bar made from chrome vanadium steel, hardened and tempered, with chrome molybdenum knuckle.

REPLACEMENT	
Ref	**Type**
9727-K	Replacement knuckle 9727

Sizes
Length: 1016 mm

Ref.9728 BREAKER BAR - 1" DR.

CV Chrome Vanadium | CM Chrome Molybdenum | 1"



Professional quality breaker bar made from chrome vanadium steel, hardened and tempered, with chrome molybdenum knuckle.

REPLACEMENT	
Ref	**Type**
9728-K	Replacement knuckle 9728

Sizes
Length: 1016 mm

SPARE KNUCKLES



	Ref.	Type	Size
01	**9124-K**	Replacement knuckle	1/2" DR.
02	**9727-K**	Replacement knuckle	3/4" DR.
03	**9728-K**	Replacement knuckle	1" DR.

Ref.10305 SOCKET REDUCER / ADAPTOR SET

4 PC SET

1/2" | 1/4" | 3/8"



Sizes
1/4" Dr.M - 3/8" Dr.H
3/8" Dr.M - 1/4" Dr.H
3/8" Dr.M - 1/2" Dr.H
1/2" Dr.M - 3/8" Dr.H

REDUCERS / ADAPTORS



	Ref.	Size
01	**9395**	1/4" Dr. Male 3/8" Dr. Female
02	**9396**	3/8" Dr. Male 1/4" Dr. Female
03	**9397**	3/8" Dr. Male 1/2" Dr. Female
04	**9398**	1/2" Dr. Male 3/8" Dr. Female

UNIVERSAL JOINTS



	Ref.	Drive
01	**9286**	1/4" Dr.
02	**9328**	3/8" Dr.
03	**9390**	1/2" Dr.

IMPACT REDUCERS / ADAPTORS



	Ref.	Drive
01	**9215**	1/2" Dr. Female - 3/4" Male 48mm
02	**9212**	3/4" Female - 1/2" Dr. Male 58mm
03	**9213**	3/4" Female - 1" Dr. Male 63mm
04	**9214**	1" Dr. Female - 3/4" Male 70mm

Ref.10443 1/4" DR. EXTENSION BAR SET

4 PC SET | 1/4"



Sizes
50mm - 100mm - 150mm - 225mm

Ref.10446 1/4" DR. WOBBLE BAR SET

4 PC SET | 1/4"



Sizes
50mm - 100mm - 150mm - 225mm

EXTENSION BAR 1/4" DR.

CV Chrome Vanadium | 1/4"



	Ref.	Drive	Length
01	10436	1/4" Dr.	50mm
02	10437	1/4" Dr.	100mm
03	10438	1/4" Dr.	150mm
04	10439	1/4" Dr.	225mm

Ref.10444 3/8" DR. EXTENSION BAR SET

3 PC SET | 3/8"



Sizes
75mm - 150mm - 225mm

Ref.10447 3/8" DR. WOBBLE BAR SET

3 PC SET | 3/8"



Sizes
75mm - 150mm - 225mm

EXTENSION BAR 3/8" DR.

CV Chrome Vanadium | 3/8"



Ref.	Length
10440	75mm
10441	225mm
10442	150mm

Ref.10445 1/2" DR. EXTENSION BAR SET

3 PC SET | 1/2"



Sizes
75mm - 150mm - 225mm

Ref.10448 1/2" DR. WOBBLE BAR SET


3 PC SET | 1/2"



Sizes
75mm - 150mm - 225mm

EXTENSION BAR 1/2" DR.

CV Chrome Vanadium | 1/2"



	Ref.	Drive	Length
01	10432	1/2" Dr.	75mm
02	10433	1/2" Dr.	225mm
03	10434	1/2" Dr.	150mm
05	10434-A	1/2" Dr.	40mm

EXTRA LONG EXTENSION BAR 3/8" DR



	Ref.	Length	Drive
01	11361	450mm	3/8" Dr.
02	11362	610mm	3/8" Dr.

EXTRA LONG EXTENSION BAR 1/2" DR



	Ref.	Length	Drive
01	11363	450mm	1/2" Dr.
02	11364	610mm	1/2" Dr.

Ref.10435 1/4" DR. SPINNER HANDLE

CV Chrome Vanadium | 1/4"



Sizes
1/4" Dr. **Length:** 150mm

Ref.9284 FLEXIBLE EXTENSION BAR – 1/4" DR.

CV Chrome Vanadium | 1/4"



Sizes
1/4" Dr. **Length:** 150mm Flexible

SLIDING T-BAR EXTENSION BARS

CV Chrome Vanadium | 1/4" | 1/2"

01



02



Ref.	Drive	Length
9285	1/4" Dr.	100mm
9389	1/2" Dr.	240mm

Ref.9715 ARTICULATED JOINT SLIDING T-BAR NUT DRIVER SET

11 PC SET

Wrenches manufactured from chrome vanadium steel and supplied in a robust storage pouch.





Sliding T-bar and articulated joint.

Sizes
8 - 10 - 11 - 12 - 13 -14 - 15 - 16 - 17-18 - 19mm

Measurements
Length: 340mm Width of T-bar: 200mm

Ref.9536 GO-THRU PIPE WRENCH SET

16 PC SET



Sizes
8, 9, 10 11, 12, 13, 14, 17, 19, 21mm


Extension Bars
1/4" Dr. 100mm 3/8" Dr. 150mm 1/2" Dr. 230mm

Universal Joints
1/4" Dr. - 3/8" Dr. - 1/2" Dr.

Ref.9762 UNIVERSAL SOCKET – 1/2" DR.







It is a universal socket that instantly adjusts to hold hex nuts, eye bolts, hooks, lag bolts, headed pins, and much more!....
The socket contains 54 highly durable hardened spring steel pins.
When you place a fastener, the centre pins retract and the outer pins go around the fastener.
To rotate the fastener, the torque is transmitted by the outer pins to the socket walls, making this socket an ideal choice for heavy duty personnel or professional use.

Capacity: 9 - 21mm



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, read y to be saved and viewed without an internet connection.



Wide range of individual sockets

Introducing a complete range of individual metric sockets, constructed from high-quality chrome-vanadium steel to ensure superior performance.
Each socket undergoes a heat treatment and tempering process that maximizes its strength and durability.
Additionally, they feature a polished chrome finish that provides excellent corrosion protection. The selection includes 1/4", 3/8", and 1/2" drive sizes, covering a metric range from 4 mm to 32 mm.
For maximum versatility, all sizes are available in both Standard and deep lengths, and are offered with 6-point and 12-point profiles.

INDIVIDUAL SOCKETS - 1/4" DR.

Ref.	Drive	Type	Size	Points
10461	1/4" Dr.	Short	4mm	6
10462	1/4" Dr.	Short	4.5mm	6
10463	1/4" Dr.	Short	5mm	6
10464	1/4" Dr.	Short	5.5mm	6
10465	1/4" Dr.	Short	6mm	6
10466	1/4" Dr.	Short	7mm	6
10467	1/4" Dr.	Short	8mm	6
10468	1/4" Dr.	Short	9mm	6
10469	1/4" Dr.	Short	10mm	6
10470	1/4" Dr.	Short	11mm	6
10471	1/4" Dr.	Short	12mm	6
10472	1/4" Dr.	Short	13mm	6
10473	1/4" Dr.	Short	14mm	6
10474	1/4" Dr.	Short	4mm	12
10475	1/4" Dr.	Short	4.5mm	12
10476	1/4" Dr.	Short	5mm	12
10477	1/4" Dr.	Short	5.5mm	12
10478	1/4" Dr.	Short	6mm	12

Ref.	Drive	Type	Size	Points
10479	1/4" Dr.	Short	7mm	12
10480	1/4" Dr.	Short	8mm	12
10481	1/4" Dr.	Short	9mm	12
10482	1/4" Dr.	Short	10mm	12
10483	1/4" Dr.	Short	11mm	12
10484	1/4" Dr.	Short	12mm	12
10485	1/4" Dr.	Short	13mm	12
10486	1/4" Dr.	Short	14mm	12
10487	1/4" Dr.	Deep	4mm	6
10488	1/4" Dr.	Deep	4.5mm	6
10489	1/4" Dr.	Deep	5mm	6
10490	1/4" Dr.	Deep	5.5mm	6
10491	1/4" Dr.	Deep	6mm	6
10492	1/4" Dr.	Deep	7mm	6
10493	1/4" Dr.	Deep	8mm	6
10494	1/4" Dr.	Deep	9mm	6
10495	1/4" Dr.	Deep	10mm	6
10496	1/4" Dr.	Deep	11mm	6

Ref.	Drive	Type	Size	Points
10497	1/4" Dr.	Deep	12mm	6
10498	1/4" Dr.	Deep	13mm	6
10499	1/4" Dr.	Deep	14mm	6
10500	1/4" Dr.	Deep	4mm	12
10501	1/4" Dr.	Deep	4.5mm	12
10502	1/4" Dr.	Deep	5mm	12
10503	1/4" Dr.	Deep	5.5mm	12
10504	1/4" Dr.	Deep	6mm	12
10505	1/4" Dr.	Deep	7mm	12
10506	1/4" Dr.	Deep	8mm	12
10507	1/4" Dr.	Deep	9mm	12
10508	1/4" Dr.	Deep	10mm	12
10509	1/4" Dr.	Deep	11mm	12
10510	1/4" Dr.	Deep	12mm	12
10511	1/4" Dr.	Deep	13mm	12
10512	1/4" Dr.	Deep	14mm	12

CV Chrome Vanadium
1/4"

INDIVIDUAL SOCKETS - 3/8" DR.

Ref.	Drive	Type	Size	Points
10513	3/8" Dr.	Short	8mm	6
10514	3/8" Dr.	Short	9mm	6
10515	3/8" Dr.	Short	10mm	6
10516	3/8" Dr.	Short	11mm	6
10517	3/8" Dr.	Short	12mm	6
10518	3/8" Dr.	Short	13mm	6
10519	3/8" Dr.	Short	14mm	6
10520	3/8" Dr.	Short	15mm	6
10521	3/8" Dr.	Short	16mm	6
10522	3/8" Dr.	Short	17mm	6
10523	3/8" Dr.	Short	18mm	6
10524	3/8" Dr.	Short	19mm	6
10525	3/8" Dr.	Short	20mm	6
10526	3/8" Dr.	Short	21mm	6
10527	3/8" Dr.	Short	22mm	6
10528	3/8" Dr.	Short	23mm	6
10529	3/8" Dr.	Short	24mm	6
10530	3/8" Dr.	Short	8mm	12
10531	3/8" Dr.	Short	9mm	12
10532	3/8" Dr.	Short	10mm	12
10533	3/8" Dr.	Short	11mm	12
10534	3/8" Dr.	Short	12mm	12
10535	3/8" Dr.	Short	13mm	12

Ref.	Drive	Type	Size	Points
10536	3/8" Dr.	Short	14mm	12
10537	3/8" Dr.	Short	15mm	12
10538	3/8" Dr.	Short	16mm	12
10539	3/8" Dr.	Short	17mm	12
10540	3/8" Dr.	Short	18mm	12
10541	3/8" Dr.	Short	19mm	12
10542	3/8" Dr.	Short	20mm	12
10543	3/8" Dr.	Short	21mm	12
10544	3/8" Dr.	Short	22mm	12
10545	3/8" Dr.	Short	23mm	12
10546	3/8" Dr.	Short	24mm	12
10547	3/8" Dr.	Deep	8mm	6
10548	3/8" Dr.	Deep	9mm	6
10549	3/8" Dr.	Deep	10mm	6
10550	3/8" Dr.	Deep	11mm	6
10551	3/8" Dr.	Deep	12mm	6
10552	3/8" Dr.	Deep	13mm	6
10553	3/8" Dr.	Deep	14mm	6
10554	3/8" Dr.	Deep	15mm	6
10555	3/8" Dr.	Deep	16mm	6
10556	3/8" Dr.	Deep	17mm	6
10557	3/8" Dr.	Deep	18mm	6
10558	3/8" Dr.	Deep	19mm	6

Ref.	Drive	Type	Size	Points
10559	3/8" Dr.	Deep	20mm	6
10560	3/8" Dr.	Deep	21mm	6
10561	3/8" Dr.	Deep	22mm	6
10562	3/8" Dr.	Deep	23mm	6
10563	3/8" Dr.	Deep	24mm	6
10564	3/8" Dr.	Deep	8mm	12
10565	3/8" Dr.	Deep	9mm	12
10566	3/8" Dr.	Deep	10mm	12
10567	3/8" Dr.	Deep	11mm	12
10568	3/8" Dr.	Deep	12mm	12
10569	3/8" Dr.	Deep	13mm	12
10570	3/8" Dr.	Deep	14mm	12
10571	3/8" Dr.	Deep	15mm	12
10572	3/8" Dr.	Deep	16mm	12
10573	3/8" Dr.	Deep	17mm	12
10574	3/8" Dr.	Deep	18mm	12
10575	3/8" Dr.	Deep	19mm	12
10576	3/8" Dr.	Deep	20mm	12
10577	3/8" Dr.	Deep	21mm	12
10578	3/8" Dr.	Deep	22mm	12
10579	3/8" Dr.	Deep	23mm	12
10580	3/8" Dr.	Deep	24mm	12

CV Chrome Vanadium
3/8"

INDIVIDUAL SOCKETS 1/2" DR.

Ref.	Drive	Type	Size	Points
10581	1/2" Dr.	Short	8mm	6
10582	1/2" Dr.	Short	9mm	6
10583	1/2" Dr.	Short	10mm	6
10584	1/2" Dr.	Short	11mm	6
10585	1/2" Dr.	Short	12mm	6
10586	1/2" Dr.	Short	13mm	6
10587	1/2" Dr.	Short	14mm	6
10588	1/2" Dr.	Short	15mm	6
10589	1/2" Dr.	Short	16mm	6
10590	1/2" Dr.	Short	17mm	6
10591	1/2" Dr.	Short	18mm	6
10592	1/2" Dr.	Short	19mm	6
10593	1/2" Dr.	Short	20mm	6
10594	1/2" Dr.	Short	21mm	6
10595	1/2" Dr.	Short	22mm	6
10596	1/2" Dr.	Short	23mm	6
10597	1/2" Dr.	Short	24mm	6
10598	1/2" Dr.	Short	25mm	6
10599	1/2" Dr.	Short	26mm	6
10600	1/2" Dr.	Short	27mm	6
10601	1/2" Dr.	Short	28mm	6
10602	1/2" Dr.	Short	29mm	6
10603	1/2" Dr.	Short	30mm	6
10604	1/2" Dr.	Short	32mm	6
10605	1/2" Dr.	Short	8mm	12
10606	1/2" Dr.	Short	9mm	12
10607	1/2" Dr.	Short	10mm	12
10608	1/2" Dr.	Short	11mm	12
10609	1/2" Dr.	Short	12mm	12
10610	1/2" Dr.	Short	13mm	12
10611	1/2" Dr.	Short	14mm	12
10612	1/2" Dr.	Short	15mm	12

Ref.	Drive	Type	Size	Points
10613	1/2" Dr.	Short	16mm	12
10614	1/2" Dr.	Short	17mm	12
10615	1/2" Dr.	Short	18mm	12
10616	1/2" Dr.	Short	19mm	12
10617	1/2" Dr.	Short	20mm	12
10618	1/2" Dr.	Short	21mm	12
10619	1/2" Dr.	Short	22mm	12
10620	1/2" Dr.	Short	23mm	12
10621	1/2" Dr.	Short	24mm	12
10622	1/2" Dr.	Short	25mm	12
10623	1/2" Dr.	Short	26mm	12
10624	1/2" Dr.	Short	27mm	12
10625	1/2" Dr.	Short	28mm	12
10626	1/2" Dr.	Short	29mm	12
10627	1/2" Dr.	Short	30mm	12
10628	1/2" Dr.	Short	32mm	12
10629	1/2" Dr.	Deep	8mm	6
10630	1/2" Dr.	Deep	9mm	6
10631	1/2" Dr.	Deep	10mm	6
10632	1/2" Dr.	Deep	11mm	6
10633	1/2" Dr.	Deep	12mm	6
10634	1/2" Dr.	Deep	13mm	6
10635	1/2" Dr.	Deep	14mm	6
10636	1/2" Dr.	Deep	15mm	6
10637	1/2" Dr.	Deep	16mm	6
10638	1/2" Dr.	Deep	17mm	6
10639	1/2" Dr.	Deep	18mm	6
10640	1/2" Dr.	Deep	19mm	6
10641	1/2" Dr.	Deep	20mm	6
10642	1/2" Dr.	Deep	21mm	6
10643	1/2" Dr.	Deep	22mm	6
10644	1/2" Dr.	Length	23mm	6

Ref.	Drive	Type	Size	Points
10645	1/2" Dr.	Deep	24mm	6
10646	1/2" Dr.	Deep	25mm	6
10647	1/2" Dr.	Deep	26mm	6
10648	1/2" Dr.	Deep	27mm	6
10649	1/2" Dr.	Deep	28mm	6
10650	1/2" Dr.	Deep	29mm	6
10651	1/2" Dr.	Deep	30mm	6
10652	1/2" Dr.	Deep	32mm	6
10693	1/2" Dr.	Deep	8mm	12
10653	1/2" Dr.	Deep	9mm	12
10654	1/2" Dr.	Deep	10mm	12
10655	1/2" Dr.	Deep	11mm	12
10656	1/2" Dr.	Deep	12mm	12
10657	1/2" Dr.	Deep	13mm	12
10658	1/2" Dr.	Deep	14mm	12
10659	1/2" Dr.	Deep	15mm	12
10660	1/2" Dr.	Deep	16mm	12
10661	1/2" Dr.	Deep	17mm	12
10662	1/2" Dr.	Deep	18mm	12
10663	1/2" Dr.	Deep	19mm	12
10664	1/2" Dr.	Deep	20mm	12
10665	1/2" Dr.	Deep	21mm	12
10666	1/2" Dr.	Deep	22mm	12
10667	1/2" Dr.	Deep	23mm	12
10668	1/2" Dr.	Deep	24mm	12
10669	1/2" Dr.	Deep	25mm	12
10670	1/2" Dr.	Deep	26mm	12
10671	1/2" Dr.	Deep	27mm	12
10672	1/2" Dr.	Deep	28mm	12
10673	1/2" Dr.	Deep	29mm	12
10674	1/2" Dr.	Deep	30mm	12
10675	1/2" Dr.	Deep	32mm	12

Ref.10449 1/4" DR. STANDARD SOCKETS ON RAIL – 6 POINT

13 PC SET | CV Chrome Vanadium | 1/4" | 6



Sizes
4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 -12 - 13 - 14mm

Ref.10450 1/4" DR DEEP SOCKETS ON RAIL – 6 POINT

13 PC SET | CV Chrome Vanadium | 1/4" | 6



Sizes
4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 -12 - 13 - 14mm

Ref.10451 1/4" DR STANDARD SOCKETS ON RAIL – 12 POINT

13 PC SET | CV Chrome Vanadium | 1/4" | 12



Sizes
4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 -12 - 13 - 14mm

Ref.10452 1/4" DR. DEEP SOCKETS ON RAIL – 12 POINT

13 PC SET | CV Chrome Vanadium | 1/4" | 12



Sizes
4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 -12 - 13 - 14mm

Ref.10453 3/8" DR. STANDARD SOCKETS ON RAIL – 6 POINT

15 PC SET | CV Chrome Vanadium | 3/8" | 6



Sizes
8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22mm

Ref.10454 3/8" DR. DEEP SOCKETS ON RAIL – 6 POINT

15 PC SET | CV Chrome Vanadium | 3/8" | 6



Sizes
8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22mm

Ref.10455 3/8" DR STANDARD SOCKETS ON RAIL – 12 POINT

15 PC SET | CV Chrome Vanadium | 3/8" | 12



Sizes
8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22mm

Ref.10456 3/8" DR DEEP SOCKETS ON RAIL – 12 POINT

15 PC SET | CV Chrome Vanadium | 3/8" | 12



Sizes
8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22mm

Ref.10457 1/2" DR. STANDARD SOCKETS ON RAIL – 6 POINT

15 PC SET | CV Chrome Vanadium | 1/2" | 6



Sizes
10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24mm

Ref.10458 1/2" DR. DEEP SOCKETS ON RAIL – 6 POINT

15 PC SET | CV Chrome Vanadium | 1/2" | 6



Sizes
10 -11 - 12- 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24mm

Ref.10459 1/2" DR. STANDARD SOCKETS ON RAIL – 12 POINT

15 PC SET | CV Chrome Vanadium | 1/2" | 12



Sizes
10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24mm

Ref.10460 1/2" DR. DEEP SOCKETS ON RAIL – 12 POINT

15 PC SET | CV Chrome Vanadium | 1/2" | 12



Sizes
10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24mm

INDIVIDUAL TORX SOCKETS

1/4"

1/4" Dr.			
Ref.	Drive	Sizes	Length
9242	1/4" Dr.	E4	25 mm
9243	1/4" Dr.	E5	25 mm
9244	1/4" Dr.	E6	25 mm
9245	1/4" Dr.	E7	25 mm
9246	1/4" Dr.	E8	25 mm

3/8"

3/8" Dr.			
Ref.	Drive	Sizes	Length
9323	3/8" Dr.	E10	27 mm
9324	3/8" Dr.	E11	27 mm
9325	3/8" Dr.	E12	27 mm
9326	3/8" Dr.	E14	27 mm
9378	3/8" Dr.	E16	927 mm
9379	3/8" Dr.	E18	27 mm

1/2"

1/2" Dr.			
Ref.	Drive	Sizes	Length
9380	1/2" Dr.	E20	36 mm
9381	1/2" Dr.	E22	36 mm
9382	1/2" Dr.	E24	36 mm

Ref.9779 TORX SOCKET SET - 1/2" DR.

9 PC SET | 1/2" | 100 mm

Sockets manufactured from chrome vanadium steel and supplied on a steel rail.



Sizes

E10, E11, E12, E14, E16, E18, E20, E22, E24

Ref.9780 TORX SOCKET SET

14 PC SET | 1/4" | 1/2" | 3/8"

Sockets manufactured from chrome vanadium steel and supplied on a steel rail.



Sizes

1/4" Dr. E4, E5, E6, E7, E8
3/8" Dr. E10, E11, E12, E14
1/2" Dr. E16, E18, E20, E22, E24

Ref.9883 TRIANGULAR SOCKET SET

5 PC SET | 1/2"

Sockets manufactured from chrome vanadium steel and supplied on a steel rail.



Sizes

M5, M6, M8, M10, M12

Ref.9885 TORX PLUS SOCKET SET - 1/4" DR.

6 PC SET | 1/4"

Sockets manufactured from chrome vanadium steel and supplied on a steel rail.



Sizes

6EP, 7EP, 8EP, 10EP, 11EP, 12EP

Ref.9886 TORX PLUS SOCKET SET - 1/2" DR.

8 PC SET | 1/2"

Sockets manufactured from chrome vanadium steel and supplied on a steel rail.



Sizes

18EP, 20EP, 22EP, 24EP, 26EP, 28EP, 30EP, 32EP

Ref.9887 TORX PLUS SOCKET SET - 3/8" DR.

7 PC SET | 3/8"

Sockets manufactured from chrome vanadium steel and supplied on a steel rail.



Sizes

10EP, 11EP, 12EP, 14EP, 16EP, 18EP, 20EP



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, read y to be saved and viewed without an internet connection.

Ref.11306 STANDARD IMPACT SOCKET SET 1/2" 6 POINT

10 PC SET | 1/2" | CM Chrome Molybdenum



Sizes
10, 12, 13, 14, 15, 17, 19, 21, 22, 24mm

Ref.11308 STANDARD IMPACT SOCKET SET 1/2" 6 POINT

16 PC SET | 1/2" | CM Chrome Molybdenum



Sizes
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

Ref.11307 DEEP IMPACT SOCKET SET 1/2" 6 POINT

10 PC SET | 1/2" | CM Chrome Molybdenum



Sizes
10, 12, 13, 14, 15, 17, 19, 21, 22, 24mm

Ref.11309 DEEP IMPACT SOCKET SET 1/2" 6 POINT

16 PC SET | 1/2" | CM Chrome Molybdenum



Sizes
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

INDIVIDUAL IMPACT SOCKETS - 1/2" DR. 6POINTS

1/2"

REF.	SIZES
11127	10mm
11128	11mm
11129	12mm
11130	13mm
11131	14mm
11132	15mm
11133	16mm
11134	17mm
11135	18mm
11136	19mm
11137	20mm
11138	21mm
11139	22mm
11140	23mm
11141	24mm
11142	25mm
11143	26mm
11144	27mm
11145	29mm
11146	30mm
11147	32mm
11169	34mm
11170	35mm
11171	36mm
11172	38mm
11173	40mm
11174	41mm

INDIVIDUAL DEEP IMPACT SOCKETS - 1/2" DR. 6 POINTS

1/2"

REF.	SIZES
11148	10mm
11149	11mm
11150	12mm
11151	13mm
11152	14mm
11153	15mm
11154	16mm
11155	17mm
11156	18mm
11157	19mm
11158	20mm
11159	21mm
11160	22mm
11161	23mm
11162	24mm
11163	25mm
11164	26mm
11165	27mm
11166	29mm
11167	30mm
11168	32mm
11175	36mm

INDIVIDUAL IMPACT SOCKETS - 1/2" DR. 12 POINTS

1/2"

REF.	SIZES
11230	50mm
11231	65mm

Ref.11310 STANDARD IMPACT SOCKET SET 3/4" 6 POINT



8 PC SET | 3/4" | CM Chrome Molybdenum

Sizes

26mm - 27mm - 29mm - 30mm
32mm - 35mm - 36mm - 38mm

Ref.11312 STANDARD IMPACT SOCKET SET 3/4" 6 POINT

17 PC SET | 3/4" | CM Chrome Molybdenum



Sizes

19mm - 21mm - 22mm - 24mm - 26mm - 27mm - 29mm - 30mm - 32mm - 33mm
34mm - 35mm - 36mm - 38mm - 40mm - 41mm - 46mm

Ref.11311 DEEP IMPACT SOCKET SET 3/4" 6 POINT



8 PC SET | 3/4" | CM Chrome Molybdenum

Sizes

22mm - 24mm - 27mm - 28mm -
30mm - 32mm - 36mm - 38mm

Ref.9467 TORX & 12 POINT IMPACT SOCKET SET - 3/4" DR.



6 PC SET | 3/4" | IMPACT | CM Chrome Molybdenum

Sizes

12 Points: 17, 19mm
Torx: E18, E20, E22, E24.

INDIVIDUAL IMPACT SOCKETS - 3/4" DR. 6 POINTS

3/4"

REF.	SIZES
11176	17mm
11177	19mm
11178	21mm
11179	22mm
11180	23mm
11181	24mm
11182	25mm
11183	26mm
11184	27mm
11185	28mm
11186	29mm
11187	30mm
11188	32mm
11189	33mm
11190	34mm
11191	35mm
11192	38mm
11193	12mm
11194	41mm
11195	44mm
11196	45mm
11197	46mm
11198	47mm
11199	50mm
11200	52mm
11201	55mm
11202	60mm
11203	65mm
11204	70mm

INDIVIDUAL DEEP IMPACT SOCKETS - 3/4 " DR. 6 POINTS

3/4"

REF.	SIZES
11205	17mm
11206	19mm
11207	21mm
11208	22mm
11209	23mm
11210	24mm
11211	25mm
11212	26mm
11213	27mm
11214	28mm
11215	29mm
11216	30mm
11217	32mm
11218	33mm
11219	34mm
11220	35mm
11221	36mm
11222	38mm
11223	41mm
11224	46mm
11225	50mm
11226	55mm
11227	60mm
11228	65mm
11229	70mm

Discover the fastest and easiest way to access our catalogues. Scan the QR code and access our Catalogues in digital format, ready to be saved and consulted without the need for an Internet connection

www.thetoolhub.co.uk

Ref.11313 STANDARD IMPACT SOCKET SET 1" 6 POINT



8 PC SET | CM Chrome Molybdenum | 6 | 1"

Sizes
24mm, 27mm, 30mm, 32mm, 33mm, 36mm, 38mm, 41mm

Ref.11314 DEEP IMPACT SOCKET SET 1" 6 POINT



8 PC SET | CM Chrome Molybdenum | 6 | 1"

Sizes
27mm - 30mm - 32mm - 36mm 38mm - 41mm - 46mm - 50mm

INDIVIDUAL IMPACT SOCKETS - 1 DR. 6 POINTS

1"

REF.	SIZES
11232	17mm
11233	19mm
11234	21mm
11235	22mm
11236	23mm
11237	24mm
11238	25mm
11239	26mm
11240	27mm
11241	28mm
11242	29mm
11243	30mm
11244	32mm
11245	33mm
11246	34mm
11247	35mm
11248	36mm
11249	38mm
11250	41mm
11251	46mm
11252	50mm
11253	52mm
11254	55mm
11255	60mm
11256	65mm
11257	70mm
11258	75mm
11259	80mm
11260	85mm
11261	90mm
11262	92mm
11263	95mm
11264	100mm
11265	105mm
11266	110mm
11267	115mm
11268	120mm

INDIVIDUAL DEEP IMPACT SOCKETS - 1" DR. 6 POINTS

1"


REF.	MEDIDA
11269	17mm
11270	19mm
11271	21mm
11272	22mm
11273	23mm
11274	24mm
11275	25mm
11276	26mm
11277	27mm
11278	28mm
11279	29mm
11280	30mm
11281	32mm
11282	33mm
11283	34mm
11284	35mm
11285	36mm
11286	38mm
11287	41mm
11288	46mm
11289	50mm
11290	52mm
11291	55mm
11292	60mm
11293	65mm
11294	70mm
11295	75mm
11296	80mm
11297	85mm
11298	90mm
11299	92mm
11300	95mm
11301	100mm
11302	105mm
11303	110mm
11304	115mm
11305	120mm



Ref.9116 BIT SET - TORX / SECURITY TORX / HEX / XZN / RIBE



75 PC SET



Contents

Bits: Hex, Ribe, Torx, Security Torx, XZN
Adaptors: 1/2" & 3/8" Dr.
Length: 30 & 75mm bits

Ref.9207 RIBE BIT SET - 10MM HEX DR.



22 PC SET




Contents

Bits: M4 - M14
Adaptors: 1/2" Dr., 3/8" Dr.
Length: 30 y 75mm

Ref.9117 BIT SET - HEX / TORX / XZN



42 PC SET



Contents

Length: 30, 75mm
Bits: Torx, Allen , XZN
Adaptors: 10mm x 1/2", 3/8".

30MM BITS - CRV (6150)



• 10MM Hex Dr.

Ref.	Sizes
9116-RM5C	Ribe M5
9116-RM6C	Ribe M6
9116-RM7C	Ribe M7
9116-RM8C	Ribe M8
9116-RM9C	Ribe M9
9116-RM10C	Ribe M10
9116-RM12C	Ribe M12
9116-RM14C	Ribe M14
9116-XZNM5C	Spline XZN M5
9116-XZNM6C	Spline XZN M6
9116-XZNM8C	Spline XZN M8
9116-XZNM10C	Spline XZN M10
9116-XZNM12C	Spline XZN M12
9116-AH4C	Hex H4
9116-AH5C	Hex H5
9116-AH6C	Hex H6
9116-AH7C	Hex H7
9116-AH8C	Hex H8
9116-AH10C	Hex H10
9116-AH12C	Hex H12
9116-T20C	Torx T20

Ref.	Sizes
9116-T25C	Torx T25
9116-T30C	Torx T30
9116-T40C	Torx T40
9116-T45C	Torx T45
9116-T50C	Torx T50
9116-T55C	Torx T55
9116-T60C	Torx T60
9116-TI20C	Security TORX T20
9116-TI25C	Security TORX T25
9116-TI30C	Security TORX T30
9116-TI40C	Security TORX T40
9116-TI45C	Security TORX T45
9116-TI50C	Security TORX T50
9116-TI55C	Security TORX T55
9116-TI60C	Security TORX T60

75MM BITS - CRV (6150)



• 10MM Hex Dr.

Ref.	Size
9116-RM5L	Ribe M5
9116-RM6L	Ribe M6
9116-RM7L	Ribe M7
9116-RM8L	Ribe M8
9116-RM9L	Ribe M9
9116-RM10L	Ribe M10
9116-RM12L	Ribe M12
9116-RM14L	Ribe M14
9116-XZNM5L	Spline XZN M5
9116-XZNM6L	Spline XZN M6
9116-XZNM8L	Spline XZN M8
9116-XZNM10L	Spline XZN M10
9116-XZNM12L	Spline XZN M12
9116-AH4L	Hex H4
9116-AH5L	Hex H5
9116-AH6L	Hex H6
9116-AH7L	Hex H7
9116-AH8L	Hex H8
9116-AH10L	Hex H10
9116-AH12L	Hex H12
9116-T20L	Torx T20
9116-T25L	Torx T25
9116-T30L	Torx T30
9116-T40L	Torx T40
9116-T45L	Torx T45
9116-T50L	Torx T50
9116-T55L	Torx T55
9116-T60L	Torx T60
9116-TI20L	Security Torx T20
9116-TI25L	Security Torx T25
9116-TI30L	Security Torx T30
9116-TI40L	Security Torx T40
9116-TI45L	Security Torx T45
9116-TI50L	Security Torx T50
9116-TI55L	Security Torx T55
9116-TI60L	Security Torx T60

Ref.9778 TORX BIT SOCKET SET - 1/4"

10 PC SET | CV Chrome Vanadium | 1/4"

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.



Sizes
T8, T10, T15, T20, T25, T27, T30, T40, T45, T50

Ref.9777 TORX BIT SOCKET SET - 1/2"DR.

6 PC SET | 1/2" | 60 mm | CV Chrome Vanadium

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.



Sizes
T55, T60, T70, T80, T90, T100

Ref.9208 TS SOCKET BIT SET - 1/4" DR.

9 PC SET | CV Chrome Vanadium | 1/4"



Sizes
TS10, TS15, TS20, TS25, TS27, TS30, TS40, TS45 and TS50

Ref.9775 TORX BIT SOCKET SET - 1/2"DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

10 PC SET | CV Chrome Vanadium | 1/2"



Sizes
T20, T25, T27, T30, T40, T45, T50, T55, T60, T70

Ref.9776 TORX BIT SOCKET SET - 1/2"DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

10 PC SET | CV Chrome Vanadium | 1/2" | 60 mm



Sizes
T20, T25, T27, T30, T40, T45, T50, T55, T60, T70

Ref.9888 TORX PLUS SOCKET BIT SET - 1/2" DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

11 PC SET | CV Chrome Vanadium | 1/2"



Sizes
IP10, IP15, IP20, IP25, IP27, IP30, IP40, IP45, IP50, IP55, IP60

Ref.9889 SECURITY TORX PLUS SOCKET BIT SET - 1/2" DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

11 PC SET | CV Chrome Vanadium | 1/2"



Sizes
IPR10, IPR15, IPR20, IPR25, IPR27, IPR30, IPR40, IPR45, IPR50, IPR55, IPR60

Ref.9890 TORX PLUS IMPACT SOCKET BIT SET - 1/2" DR.

Sockets and bits manufactured from chrome vanadium steel and suppliedon a steel rail.

6 PC SET | CM Chrome Molybdenum | IMPACT | 1/2"



Sizes
IP55, IP60, IP70, IP80, IP90, IP100.

Ref.10707 SECURITY TORX SOCKET BIT SET - 1/4" & 3/8" DR.

9 PC SET | 1/4" | 3/8"



Sizes
1/4" Dr.. T10, T20, T25, T27, T30, T40 **3/8" Dr.**. TS45, TS50

Ref.9774 HEX SOCKET BIT SET - 1/4" DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

CV Chrome Vanadium | 1/4"

9 PC SET



Sizes
3, 4, 5, 6, 7, 8, 9, 10, 12mm

Ref.9772 HEX SOCKET BIT SET - 1/2" DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

6 PC SET | CV Chrome Vanadium | 1/2"



Sizes
10, 12, 14, 17, 19, 22mm

Ref.9771 HEX SOCKET BIT SET - 1/2" DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

11 PC SET | CV Chrome Vanadium | 1/2"



Sizes
4, 5, 6, 7, 8, 9, 10, 12, 14, 17mm

Ref.9773 HEX SOCKET BIT SET - 1/2" DR.

6PC SET | CV Chrome Vanadium | 1/2" | 100 mm



Sizes
5, 6, 7, 8, 10, 12mm

Ref.9781 XZN SPLINE SOCKET BIT SET - 1/4" & 1/2" DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

CV Chrome Vanadium | 1/2" | 1/4"

8 PC SET



Sizes
1/4" Dr. M4, M5, M6 **1/2" Dr.** M8, M10, M12, M14, M16

Ref.9782 XZN SPLINE SOCKET BIT SET - 1/2" DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

CV Chrome Vanadium | 1/2" | 60 mm

6 PC SET



Sizes
M5, M6, M8, M10, M12, M14

Ref.9783 RIBE SOCKET BIT SET - 1/2" DR.

Sockets and bits manufactured from chrome vanadium steel and supplied on a steel rail.

9 PC SET

CV Chrome Vanadium | 1/2" | 100 mm



Sizes
M6, M7, M8, M9, M10, M11, M12, M13, M14.

Ref.9192 BIT SET - TORX PLUS & TS STAR



23 PC SET | 1/4" | 3/8"

Aplications: Airbags, injection pump, dashboard, seat belt fixings etc.

Sizes:
Torx Plus: TP10, TP15, TP20, TP25,TP30, TP40, TP45, TP50, TP55 & T P60. **Security TS:** TS10, TS15, TS20, TS25, TS30, TS40, TS45, TS50, TS55 & TS60 **Adaptors:** 1/4" DR. x Hex 6mm, 3/8" Dr x Hex 10mm, Magnetic adaptor.

Torx plus and TS Star are commonly found in many modern automotive components.

Ref.1028 XZN IMPACT SOCKET BIT SET - 1/2" DR.

Socket bits manufactured from high quality chrome molybdenum steel.

4 PC SET



Sizes
M12, M14, M16 Security, M18 Security

Ref.9676 HEX & TORX IMPACT SOCKET & BIT SET - 3/4" & 1" DR.

15 PC SET



Sizes:
Torx bits: T60, T70, T80, T90, T100. (Length 107mm). Hex bits: H17, H19, H22, H24. (Length 107mm) Torx sockets: E18, E20, E22, E24. (Length 107mm). 1 x Adaptor 3/4". 1 x Adaptor 1" Dr. 1 x Hex key 4mm

Ref.9444 HEX SOCKET BIT SET - 3/4" DR.

6 PC SET




Sizes
Hex: 14, 17, 19, 21, 22, 23mm

Ref.9445 TORX & XZN SECURITY SOCKET BIT SET - 3/4" DR

6 PC SET



Sizes:
Torx: T70, T80, T90, T100. **XZN Inviolable:** M16, M18.



www.thetoolhub.co.uk

"Looking for the fastest and most efficient way to access our catalogues? Visit **www.thetoolhub.co.uk** or scan the QR code and discover how to optimize your time. Access complete catalogues, with detailed information and intuitive search tools, all in one place.
Download our catalogues and the need for an internet connection. Have all the information available instantly, no matter where you are.

At **www.thetoolhub.co.uk**, we understand the value of your time. That's why, through www.thetoolhub.co.uk, you can access the informationyou need quickly and easily.

Discover the new way to explore our catalogues and optimize your time with the information you need, when you need it.

Ref.10277 PROFESSIONAL SCREWDRIVER SET

7 PC SET



Slotted	Philips
SL3x75mm	PH0x75mm
SL5x125mm	PH1x75mm
SL6x150mm	PH2x100mm
SL8x150mm	

Ref.10278 PROFESSIONAL SCREWDRIVER SET

8 PC SET



Slotted		Philips
SL3x75mm	SL6x150mm	PH1x75mm
SL5x125mm	SL8x150mm	PH2x100mm

Pozi
PZ1x75 mm
PZ2x100mm



Ref.10279 PROFESSIONAL STUBBY SCREWDRIVER SET

3 PC SET



Slotted
SL6x38mm

Philips
PH2x38mm

Pozi
PZ2x38mm

Ref.10280 PROFESSIONAL SCREWDRIVER SET - TORX

8 PC SET



TORX
T8 x 60mm
T10 x 80mm
T15 x 80mm
T20 x 100mm
T25 x 100mm
T27 x 100mm
T30 x 100mm
T40 x 125mm

SLOTTED SCREWDRIVERS



Ref.	Sizes
10253	3 x 75mm
10254	4 x 100mm
10255	5 x 125mm
10256	6 x 38mm
10257	6 x 150mm
10258	8 x 150mm

PHILLIPS SCREWDRIVERS



Ref.	Sizes
10259	#0 x 75mm
10260	#1 x 75mm
10261	#2 x 38mm
10262	#2 x 100mm
10263	#3 x 150mm

POZI SCREWDRIVERS



Ref.	Sizes
10264	#0 x 75mm
10265	#1 x 75mm
10266	#2 x 38mm
10267	#2 x 100mm
10268	#3 x 150mm

TORX SCREWDRIVERS



Ref.	Sizes
10269	T8 x 60mm
10270	T10 x 80mm
10271	T15 x 80mm
10272	T20x 100mm
10273	T25 x 100mm
10274	T27 x 100mm
10275	T30 x 100mm
10276	T40 x 125mm

Ref.10735 EXTRA LONG SCREWRIVER SET



Type	Size
⊖	SL8
⊕	PH3
⊕	PH2

Sizes
Length: 450mm

Ref.1169 20 IN 1 SCREWDRIVER SET

11 PC SET

Two position handle with ergonomic rubber grip which can be used straight and as T-handle.



Includes:
· 10 Interchangeable 150mm shafts. · Slotted: 4x6mm, 5x7mm · Phillips #1x#2 · Pozidrive #1x#2, · Hex / Ball End Hex: 4x4mm, 5x5mm, 6x6mm · Torx: T10xT15,T20xT25, T30xT40

Ref.11742 HAMMER THRU SCREWDRIVER SET

12 PC SET



Slotted	Philips
6 x 38mm	PH2 x 38mm
5 x 100mm	PH0 x 75mm
6 x 125mm	PH1 x 75mm
8 x 150mm	PH2 x 100mm
8 x 200mm	PH3 x 150mm
10 x 200mm	PH4 x 200mm

Ref.10281 VDE SCREWDRIVER SET WITH INTERCHANGEABLE SHAFTS

13 PC SET



Slotted	Philips	Pozi	Torx
6.5x100	PH1x80	PZ1x80	T10x100
5.5x100	PH2x100	PZ2x100	T15x100
4x100			T20x100
3x100			

- 1 x Circuit Tester 140mm
- 1 x Handle

Ref.10284 VDE SCREWDRIVER SET

11 PC SET



Slotted	Philips	Pozi
3 x 75mm	PH0 x 75mm	PZ0 x 75mm
4 x 100mm	PH1 X 80mm	PZ1 x 80mm
5,5 x 125mm	PH2 x 100mm	PZ2 x 100mm
6,5 x 150mm		

Includes: Circuit Tester

Ref.10283 VDE SCREWDRIVER SET

7 PC SET



Slotted
SL3 x 75mm
SL4 x 100mm
SL5.5 x 125mm
SL6.5 x 150mm

Philips
PH0 x 75mm
PH1 x 80mm
PH2 x 100mm

Ref.9409 IMPACT SCREWDRIVER

13 PC SET 1/2"



Includes:
• 12 impact bits: Slotted,, Philips & Hex.

Ref.9879 PRECISION SCREWDRIVER SET WITH TELESCOPIC AND FLEXIBLE SHAFT

33 PC SET



Slotted
1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0
Philips
PH000, PH00, P0, P1
Pozi
PZ0, PZ1
Allen
H0.7, H0.9, H1.3, H1.5, H2.0, H2.5, H3.0, H4.0
Torx
T4, T5, T6, T7, T8, T9, T10, T15, T20.

Ref.1101 BIT & SECURITY BIT SET

100 PC SET



- Comprehensive driver, bit and security bit set: Slotted, Philips, Pozi, Torx, Security Torx, Metirc Hex, Imperial Hex, Spanner, Square, Tri-wing, Spline, Butterfly, Torq.
- Magnetic bit holder for drill or screwdriver handle
- 1/4" Dr. adaptors

Ref.11078 PICK & SCRAPER HOOK SET

6 PC SET

Designed with different angled hooked ends.
Extra fine finish with ergonomic handles



Sizes
Length: 235mm

Ref.11027 ALLEN HEX KEY SET - METRIC & IMPERIAL

30 PC SET



Metric Size:
0.7 - 0.9 - 1.3 - 1.5 - 2.0 - 3.0 - 4.0 - 4.5 - 5.0 - 5.5 - 6 - 7 - 8 - 10mm

Imperial Size:
0.028" - 0.035" - 0.05" - 1/16" 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4" . - 5/16" - 3/8".

Ref.1081 SEAL REMOVAL TOOL SET

3 PC SET



Sizes
Length 115, 150, 160mm

Ref.9811 MAGNETIC BALL END HEX KEY SET

9 PC SET



- Manufactured from chrome vanadium steel, hardened and tempered.
- Magnetic tip aids positioning of the key and removal of the fixing.

Measurements
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Sizes:
Length: 90 - 230mm

Ref.9812 MAGNETIC TORX KEY SET

9 PC SET



- Manufactured from chrome vanadium steel, hardened and tempered.
- Magnetic tip aids positioning of the key and removal of the fixing.

Measurements
T10, T15, T20, T25, T27, T30, T40, T45, T50.

Sizes:
Length: 90 - 230mm

Ref.1174 HEX KEY SET

9 PC SET



Measurements
1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm

Sizes:
Length: 80 - 180mm

Ref.1175 BALL END HEX KEY SET

9 PC SET



Measurements
1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm

Sizes:
Length: 80 - 180mm

Ref.1176 TORX KEY SET

9 PC SET



Measurements
T10, T15, T20, T25, T27, T30, T40, T45, T50

Sizes:
Length: 70 - 165mm

Ref.1177 SECURITY TORX KEY SET

9 PC SET



Measurements
T10, T15, T20, T25, T27, T30, T40, T45, T50

Sizes:
Length: 70 - 165mm

Ref.9813 RIBE KEY SET

7 PC SET



Measurements
RM4, RM5, RM6, RM7, RM8, RM9, RM10

Sizes:
Length: 140 - 215mm

Ref.9891 BALL END TORX KEY SET

9 PC SET



Measurements
T10, T15, T20, T25, T27, T30, T40, T45, T50.

Sizes:
Length: 90 - 235mm

Ref.11326 PROFESSIONAL PLIERS SET



4 PC SET

7" 8" 7" 10"

- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

Ref.11325 PROFESSIONAL PLIERS SET



3 PC SET

7" 6" 6"

- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

PROFESSIONAL COMBINATION PLIERS



- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

REF.	SIZES
11315	6"
11316	7"
11317	8"

PROFESSIONAL LONG NOSE PLIERS



- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

REF.	SIZES
11318	7"
11319	8"

PROFESSIONAL DIAGONAL CUTTING PLIERS



- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

REF.	SIZES
11320	6"
11321	7"

Ref.11322 PROFESIONAL WIRE STRIPPING PLIERS



6"

- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

PROFESSIONAL WATER PUMP PLIERS



- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

REF.	SIZES
11346	10"
11347	12"
11348	16"

Ref.11335 CIRCLIP PLIERS SET



4 PC SET

Straight
Internal and External
Bent
Internal and External
Length
250mm

Ref.11323 NEEDLE NOSE PLIERS SET




3 PC SET

- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

Sizes
Length: 280mm

Ref.11324 MINI PLIERS SET



8 PC SET

Length
120mm

Ref.11333 PLIERS SET

3 PC SET



Made from drop forged carbon steel.
Heat treated for extra hardness
Ergonomic comfort grip handles

Ref.11334 PLIERS SET

4 PC SET



Made from drop forged carbon steel.
Heat treated for extra hardness
Ergonomic comfort grip handles

COMBINATION PLIER



Made from drop forged carbon steel.
Heat treated for extra hardness
Ergonomic comfort grip handles

REF.	Size
11327	6"
11328	8"

LONG NOSE PLIER



Made from drop forged carbon steel.
Heat treated for extra hardness
Ergonomic comfort grip handles

REF.	Size
11329	7"
11330	8"

DIAGONAL CUTTING PLIER



Made from drop forged carbon steel.
Heat treated for extra hardness
Ergonomic comfort grip handles

REF.	Size
11331	6"
11332	7"

Ref.11345 WATER PUMP PLIER 10"

10"



Made from drop forged carbon steel.
Heat treated for extra hardness
Ergonomic comfort grip handles

Ref.11397 ELECTRICAL DISCONNECT PLIER









Ideal to remove electric connections without breaking the plastic clip.

Ref.11323 NEEDLE NOSE PLIERS SET

3 PC SET



- Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
- Induction hardened cutting edges
- Ergonomic dual material handles for extra comfort and grip.

Sizes
Length: 280mm

Ref.9429 LOCKING PLIERS SET

4 PC SET



Size
125, 150, 180, 250mm

Ref.11335 CIRCLIP PLIERS SET

3 PC SET



Straight
Internal and External
Bent
Internal and External
Length
250mm

Ref.9426 CIRCLIP PLIERS SET - 175MM

4 PC SET





- Straight and curved pliers.
- For interior and exterior circlips.
- Antislip covered handles
- 2.0mm diameter tips.

Sizes
Length: 175 mm **Circlip Capacity:** 19 - 60mm

Ref.9690 INTERCHANGEABLE TIP CIRCLIP PLIERS SET



Specifications
• 4 sets of interchangeable tips: • 2 x Straight tips • 1 x 90 tips • 1 x 45 tips • Made from chrome vanadium steel. • Ergonomic grip. • Quick & easy change of tips.

Ref.9681 INTERCHANGEABLE TIP CIRCLIP PLIERS SET



Pliers for interior and exterior circlips
Simple change of tips procedure.
For circlip Capacity: 10 - 50mm.

Type
- 4 sets of interchangeable tips. - 2 sets straight tips. - 1 set tips 45 . - 1 set tips 90 .

Ref.9692 CIRCLIP PLIERS SET - 400MM



- 3mm tips: 0 , 45 & 90
- Made from chrome vanadium steel.
- Maximum circlip Capacity: 85mm
- Length: 400mm

Size
Length 400mm

Ref.9691 CIRCLIP PLIERS SET - 265MM



- Set of circlip pliers with 16 interchangeable tips.
- Maximim circlip Capacity :50mm.
- PVC covered non-slip handles.
- **Length:** 265mm.
- **Straight:** 15 , 45 & 90
- **Tips:** 2.75mm and 3.0mm.

Ref.9201 MINI CIRCLIP PLIERS SET

4 PC SET





- Straight and curved mini circlip pliers for interior and exterior circlips.
- 1.0 mm tips.
- Circlip Capacity:10 - 22mm.

Ref.10875 UNIVERSAL CIRCLIP JOINT INSTALL TOOL

This tool has a magnetic clip holder, which ensures easy and safe installation of E and C clips.



ADJUSTABLE WRENCH



REF.	Size
11365	6"
11366	8"
11367	10"
11368	12"
11369	15"
11370	18"
11371	24"

PIPE WRENCH





· Forged carbon steel jaws.

REF.	SIZES	
11031	12"	300mm
11032	14"	350mm
11033	18"	450mm
11034	24"	600mm

MACHINIST HAMMER



REF.	LENGTH	FLAT END	TAPERED END	WEIGHT
11075	320mm	27mm	28mm x 0.9mm	500g.
11076	365mm	35.5mm	37mm x 1mm	1000g.

DEAD BLOW HAMMER



REF.	HEAD DIAMETER	HAMMER LENGTH	WEIGHT
11028	47mm	325mm	700g.
11029	52mm	350mm	900g.
11030	61mm	350mm	1.350Kg.

BALL PEIN HAMMER



REF.	HEAD DIAMETER	HAMMER LENGTH	WEIGHT
11072	25mm	325mm	225g.
11073	30mm	350mm	450g.
11074	38mm	350mm	900g.

NYLON FACED HAMMER



REF.	HEAD DIAMETER	HAMMER LENGTH	WEIGHT
11021	30mm	320mm	700g.
11022	45mm	350mm	900g.

Ref.11020 NYLON / STEEL FACED HAMMER







Sizes

Head diameter: 60mm
Hammer length: 350mm

Ref.11039 COPPER FACED HAMMER 500G



Size

Weight: 500g.
Head diameter: 28mm
Hammer length: 273mm

HEAVY DUTY BOLT CUTTER





REF.	SIZES	
11121	14"	350mm
11122	18"	450mm
11123	24"	600mm
11124	30"	750mm
11125	36"	900mm

Ref.9420 PARALLEL PIN PUNCH SET

6 PC SET



Long conical parallel pin punches. Made from chrome vanadium steel.

Sizes
3, 4, 5, 6, 7 y 8 mm

Length
150 mm

Ref.10685 FOLDING KNIFE 160MM





Sizes
• Open Length: 160mm
• Closed Length: 90mm
• Stainless Steel Blade: 67mm

Ref.11353 PROFESSIONAL LOCKING POCKET KNIFE




- Quick change Blade
- Positive lock to prevent folding in use

Ref.11352 RETRACTABLE SNAP OFF KNIFE SET

3 PC SET





Sizes
Open Length: 150mm
• Closed Length: 90mm

Ref.11354 SNAP OFF BLADE KNIFE IN DISPLAY BOX

12 PC BOX



Sizes
9mm x 80mm



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, read y to be saved and viewed without an internet connection.

Ref.1098 PRYBAR SET

4 PC SET



Sizes
200x10mm - 300x15mm - 450x18mm - 600x18mm

Ref.10949 SEAL REMOVAL & INSTALLATION SET



Comprensive set to remove and instal seals without causing damage to the seal or housing

Sizes	
Hoops Size:	36 x 46mm 38 x 48mm 40 x 50mm 40 x 52mm 42 x 54mm 44 x 56mm 46 x 58mm 48 x 60mm
Spacer Size	35 x 45mm 65 x 45mm
Screw Sizes	M10 & M12

Ref.9708 PRYBAR - 900MM



- Tempered Steel
- Rubberised Handle

Ref.1081 SEAL REMOVAL TOOL SET

3 PC SET



Sizes
Length 115, 150, 160mm

Ref.11078 PICK & SCRAPER HOOK SET

Designed with different angled hooked ends.
Extra fine finish with ergonomic handles

6 PC SET



Sizes
Length: 235mm

ADJUSTABLE PRYBARS



Ref	Length
9107	250mm
9108	380mm

Ref.10066 MINI SCRAPER AND PRYBAR SET

- Flexible, durable and easy to use..
- Antiscratch material.

3 PC SET



Sizes
Flat and curved tips: 4mm x 7mm, 5mm x 10mm, 10mm x 12mm. **Length:** 185mm

Ref.9431 NYLON SCRAPER SET

4 PC SET



Sizes
Length: 270mm. **Width:** 19, 22, 25 and 38mm.

Ref.9430 SEAL EXTRACTOR



Workshop tool specifically designed to remove oil seals and oil seals.

Sizes
Length: 320mm

Ref.10880 2 IN 1 GASKET SCRAPER WITH REPLACEABLE BLADE







- Professional tool to remove gasket and glue from cylinder heads
- One steel blade for general use.
- One brass blade for use on aluminium head gaskets
- Ergonomic design with angle design allows optimum pressure to be applied.

Replacement Steel Blade + Brass Blade
Ref 11070. Toolhub

Ref.11070 STEEL BLADE + BRASS BLADE



- Replacement blades for 10880 gasket scraper.
- One brass blade and one steel blade.

Ref.9090 MAGNETIC TRAY - ROUND





Sizes
Diameter: 150mm

Ref.9091 MAGNETIC TRAY- RECTANGULAR





Sizes
240 x 140mm

Ref.9716 TELESCOPIC MAGNETIC PICK-UP TOOL - 2.5KG



Sizes
Length: 160 - 350mm **Capacity:** 2,5 Kg. 50mm

Ref.9687 TELESCOPIC FLEXIBLE HEAD MAGNETIC PICK-UP TOOL WITH NEEDLE TOOL



Sizes
• **Length:** 150mm - 590mm • **Capacity:** 500 gr.

Ref.9422 FLEXIBLE MAGNETIC PICK-UP TOOL



Sizes
Capacity: 500 gr. **Magnet diameter:** 6mm **Length:** 520mm

Ref.9094 FLEXIBLE MAGNETIC PICK-UP TOOL



Sizes
Capacity: 1.8Kg. **Length:** 600mm

Ref.1156 TELESCOPIC MIRROR WITH LED



Specifications
Length: 145 - 620mm. **Mirror size:** 83 x 52mm **Battery:** 2 x CR2032

Ref.9093 TELESCOPIC MIRROR WITH DOUBLE JOINT



Specifications
Mirror diameter: 30mm **Length:** 170/500mm

Ref.9685 TELESCOPIC MAGNETIC LED PICK-UP TOOL WITH LED



- **3 LEDS in the head:** 20 lumens.
- Pocket clip.
- Magnetic base.
- **Telescopic:** 175 – 580mm.
- Flexible 360 rotating head.
- Magnet in head for use as pick-up tool.
- 4 x LR44 batteries included.

Sizes
175 x 21 x 21mm

Ref.9686 FLEXIBLE PICK-UP TOOL WITH CLAWS AND LED LIGHT



- LED light for use in dark places
- **Capacity of magnet:** 500gr.
- LR44 batteries included.

Specifications
Length: 610mm

Ref.10994 HEAVY DUTY RIVET & THREADED NUT RIVET SET (2.4 - 6.4MM / M4 - M10)

16 PC SET







Includes

- **Riveter**
- **Mandrels:** Pop Rivet and Rivet Nut.
- **Pop Adapter :** 3.2mm, 4mm, 4.8mm, 6mm, 64mm.
- **Adapter Rivet Nuts:** M4 x 0.7, M5 x 0.8, M6 x 1.0, M8 x 1.25, M10x 1.5.
- **3 Wrenches:** 5.5/8.5 mm, 12/17 mm, 15/19 mm.

Ref.11052 NUT RIVET ASSORTMENT

150 PC SET



Sizes
M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M8 x 1.25, M10x 1.5.

Ref.10993 RIVET & THREADED NUT RIVET SET (2.4 - 4.8MM / M3 - M6)

Kit 14 Piezas



Includes

- **Riveter**
- **Mandrels:** Pop Rivet and Rivet Nut.
- **Pop Adapter:** 2.4mm, 3.2mm, 4mm, 4.8mm.
- **Adapter Rivet Nuts:** M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0
- **3 Wrenches:** 5.5/8.5 mm, 12/17 mm, 15/19 mm

Ref.9837 ALUMINIUM RIVET ASSORTMENT SET

500 PC SET



Content
2.4 x 6.4mm (x 125 Uds.)
3.2 x 6.4mm (x 125 Uds.)
4.0 x 6.4mm (x 125 Uds.)
4.8 x 6.4mm (x 125 Uds.)

Ref.1111 MANUAL RIVETER WITH 28 RIVETS



Includes

Rivet nozzles: 2.4 , 3.2 , 4.0 , 4.8mm.

Ref.9427 LONG ARM RIVETER



- Plastic bottle to collect used rivet ends.
- With 220mm arms for extra force.

Includes

Rivet nozzles: 2.4, 3.2, 4.0 & 4.8mm.

Ref.1023 HYDRAULIC PULLER SET - 10TON



25 PC SET

Master set of hydraulic bearing separator and gear pullers.

Contents

- 10 Ton hydraulic piston with extensions of 50 and 100mm.
- Forged steel separator (75 -105mm).
- 4 x 200mm Extension rods.
- 3 Sets of 2/3 legged pullers (100mm, 150mm and 200mm).

Ref.3946 BEARING SEPARATOR/PULLER SET



12 PC SET

- Versatile set made up of 2 sets of forged and hardened steel bearing separators.
- Includes extension rods and carbon steel thrust bolts.

Sizes
30 - 50 mm, 50 - 75mm

REVERSIBLE TWO LEG PULLER



Made from drop forged heat treated chrome vanadium steel.
Ideal for removing pulleys, bearings, fl ywheels and gears etc...

Ref.	Length	Work Range
11065	117mm	7mm a 140mm
11066	118mm	15mm a 175mm
11067	177mm	15mm a 215mm
11068	233mm	20mm a 233mm

THREE LEG REVERSIBLE PULLER



Made from drop forged heat treated chrome vanadium steel.
Reversible legs permits the puller to be used internally or externally

Ref.	Length
11053	75mm
11054	100mm
11055	150mm
11056	200mm
11057	250mm

Ref.9523 GEAR PULLER SET



3 PC SET

- Reversible legs made from forged chrome vanadium steel.
- Hexagonal headed thrust bolts for use with wrench or socket for more pulling force.

Sizes
75mm, 100mm, 150mm

Ref.3457 BLIND BEARING PULLER SET



9 PC SET

Set of blind bearing extractors with 1.8kg slide hammer and 8 adjustable adaptors with capacity from 8 to 32mm.

Sizes
8, 10, 12, 15, 17, 20, 25, 30mm

Ref.6662 LONG ARM BEARING PULLER



- Made from forged steel.
- Capacity: 10 - 50mm
- Legs with 3 positions for depth adjustment.
- Maximum depth: 240mm.

Bearing pullers are indispensable tools in automotive maintenance, designed to safely and efficiently remove bearings, preventing damage to delicate components.
They facilitate repairs and replacements, being crucial for the lifespan of vehicles. **Toolhub** offers a wide range of high-quality bearing pullers, adapted to the diverse professional needs of the workshop.

Check out our new tool catalogue by visiting **www.thetoolhub.co.uk.**

Ref.9724 STUD EXTRACTOR - 6 TO 12MM

CM Chrome Molybdenum | PROFESSIONAL | 1/2"



- Made from carbon steel with Chrome Molybdenum jaws.
- Can be used with any 1/2" Dr. breaker baror ratchet wrench.
- **Capacity:** 6 – 12mm.

Ref.9710 STUD EXTRACTOR - 6 TO 19MM

1/2"



- Removes broken or damaged bolts, nuts and nails.
- Can be used with any 1/2" breaker bar or ratchet wrench.
- **Capacity:** 6 – 19mm.

Ref.9423 SCREW EXTRACTOR SET - M3 TO M45

8 PC SET | CM Chrome Molybdenum



- Set of reverse thread extractors for the removal of broken screws.
- Made from chrome molybdenum steel.

Sizes
M3-M6, M6-M8, M8-M11, M11-M14, M14-M18, M18-M25, M25-3M5, M35-M45.

Ref.1106 SCREW EXTRACTOR SET - M3 TO M20

6 PC SET | CM Chrome Molybdenum



- Set of reverse thread extractors for the removal of broken screws.
- Made from chrome molybdenum steel.

Sizes
M3-M6, M6-M8, M8-M11, M11-M14, M14-M18, M18-M20.

Ref.9909 NUT SPLITTER SET

4 PC SET



Sizes	Drive
9 a 12mm	12mm Hex Dr.
12 a 16mm	14mm Hex Dr.
16 a 22mm	19mm Hex Dr.
22 a 27mm	22mm Hex Dr.


Ref.9533 DAMAGED BOLT REMOVAL SET - 3/8" DR.

11 PC SET | CM Chrome Molybdenum | 3/8"



Drop forged chrome molybdenum steel sockets with special profile designed to achieve maximumn gripping force for the removal of damaged fasteners.

Sizes
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19mm



When faced with damaged, seized, or rusted nuts or bolts, nut and bolt extractors are essential tools for effective extraction. Additionally, Helicoil kits offer the perfect solution for repairing damaged internal threads. Both are crucial for professional vehicle maintenance.

Explore our complete range of tools at **www.thetoolhub.co.uk**

Ref.9162 TAP AND DIE SET - M2 TO M18

110 PC SET



- Comprehensive set of taps and dies which covers 35 sizes of metric threads from M2 to M18.
- Contains 35 dies and 70 taps (1 x starter tap and 1 x plug tap for each size).

Type			
M2 x 0.4	M8 x 1.0	M11 x 0.75	M14 x 1.0
M3 x 0.5	M8 x 1.25	M11 x 1.0	M14 x 1.25
M4 x 0.7	M9 x 0.75	M11 x 1.25	M14 x 1.5
M5 x 0.8	M9 x 1.0	M11 x 1.5	M14 x 2.0
M6 x 0.75	M9 x 1.25	M12 x 0.75	M16 x 1.0
M6 x 1.0	M10 x 0.75	M12 x 1.0	M16 x 1.5
M7 x 0.75	M10 x 1.0	M12 x 1.25	M16 x 2.0
M7 x 1.0	M10 x 1.25	M12 x 1.5	M18 x 1.5
M8 x 0.75	M10 x 1.5	M12 x 1.75	

Ref.9161 TAP AND DIE SET - M3 TO M12

40 PC SET



- Tap and die set which covers 16 sizes of thread from M3 to M12.
- Contains 16 dies and 16 plug taps.

Type	
M3 x 0.5	M7 x 0.75
M3 x 0.6	M7 x 1.0
M4 x 0.7	M8 x 1.0
M4 x 0.75	M8 x 1.25
M5 x 0.8	M10 x 1.25
M5 x 0.9	M10 x 1.5
M6 x 0.75	M12 x 1.5
M6 x 1.0	M12 x 1.75

Ref.9163 TAP AND DIE SET - M6 TO M24


45 PC SET



Sizes		
M6x1.0	M14x1.5	M22x1.5
M6x0.75	M14x2.0	M22x2.5
M8x1.25	M16x1.5	M24x1.5
M8x1.0	M16x2.0	M24x3.0
M10x1.25	M18x1.5	
M10x1.5	M18x2.5	
M12x1.5	M20x1.5	
M12x1.75	M20x2.5	

Ref.9896 METRIC THREAD RESTORING FILE





- Suitable for reparing both internal and external threads.
- Can restore both right hand and left hand threads.
- Suitable for the following metric thread pitches: (0.8, 1.0, 1.25, 1.50, 1.75, 2.0, 2.5 & 3. mm.)

Ref.1083 HELICOIL THREAD REPAIR SET - M5 TO M12

131 PC SET



Sizes
M5 x 0.8, M6 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75

HELICOIL THREAD REPAIR SETS

Includes all the necessary parts to insert a new metric thread and allows the user to create strong internal threads in the majority of metals and recover the original size of the thread.

All sets include:
High speed steel drill bit, screw tap, installation tool, pin breaking tool and 20pcs of helicoil thread inserts..

Ref.	Details	Size
9789	M9 x 1.0 For glow plugs	6 x 8 mm - 6 x 11 mm 8 x 14 mm (20 Uds.)
9790	M10 x 1.0 - For glow plugs	6 x 8 mm - 6 x 12mm 8 x 16 mm (20 Uds.)
9791	M12 x 1.25 - For glow plugs and spark plugs.	6 x 9 mm - 8 x 12mm 8 x 18 mm (20 Uds.)
9792	M14 x 1.25 - For spark plugs	6 x 10mm - 8 x 16 mm 6 x 21 mm (20 Uds.)





Helicoil Thread Inserts Pack 20 PC			
Ref.	Size	Ref.	Size
9784	M5 x 0.8	10192	M9 x 1.0
9785	M6 x 1.0	10193	M10 x 1.0
9786	M8 x 1.25	10194	M12 x 1.25
9787	M10 x 1.50	10195	M14 x 1.25
9788	M12 x 1.75		

Ref.11048 TWIST DRILL BIT SET - HSS 4241

19 PC SET



Roll forged HSS drill bits.
Suitable for light metals, wood, plastics.

Drill Sizes (Millimeters)
1 - 1.5 - 2 - 2.5 - 3 - 3.5 - 4 - 4.5 - 5 - 5.5 - 6 - 6.5 - 7 - 7.5 - 8 - 8.5 - 9 - 9.5 - 10mm

Ref.11045 TWIST DRILL BIT SET - HSS 4341

19 PC SET



Fully precision ground HSS drill bits for precision centering and reduced heat and friction.

Suitable for high carbon steel, copper plastics and wood

Drill Sizes (Millimeters)
1 - 1.5 - 2 - 2.5 - 3 - 3.5 - 4 - 4.5 - 5 - 5.5 - 6 - 6.5 - 7 - 7.5 - 8 8.5 - 9 - 9.5 - 10mm

Ref.11049 TWIST DRILL BIT SET - HSS 4241

25 PC SET



Roll forged HSS drill bits.
Suitable for light metals, wood, plastics.

Drill Sizes (Millimeters)
1 - 1.5 - 2 - 2.5 - 3 - 3.5 - 4 - 4.5 - 5 - 5.5 - 6 - 6.5 - 7 7.5 - 8 - 8.5 - 9 - 9.5 - 10 - 10.5 - 11 - 11.5 - 12 - 12.5 13mm

Ref.11046 TWIST DRILL BIT SET - HSS 4341

25 PC SET



Fully precision ground HSS drill bits for precision centering and reduced heat and friction.

Suitable for high carbon steel, copper plastics and wood

Drill Sizes (Millimeters)
1 - 1.5 - 2 - 2.5 - 3 - 3.5 - 4 - 4.5 - 5 - 5.5 - 6 - 6.5 - 7 7.5 - 8 - 8.5 - 9 - 9.5 - 10 - 10.5 - 11 - 11.5 - 12 - 12.5 13mm

Ref.11050 TWIST DRILL BIT SET - HSS 4241

Roll forged HSS drill bits.
Suitable for light metals, wood, plastics.

170 PC SET



Size (Millimeters)	Units	Size (Millimeters)	Units
1	10	6	10
1,5	10	6,5	10
2	10	7	10
2,5	10	7,5	10
3	10	8	10
3,5	10	8,5	5
4	10	9	5
4,5	10	9,5	5
5	10	10	5
5,5	10		

Ref.11047 TWIST DRILL BIT SET - HSS 4341

Fully precision ground HSS drill bits for precision centering and reduced heat and friction.
Suitable for high carbon steel, copper plastics and wood

170 PC SET



Size (Millimeters)	Piezas	Size (Millimeters)	Piezas
1	10	6	10
1,5	10	6,5	10
2	10	7	10
2,5	10	7,5	10
3	10	8	10
3,5	10	8,5	5
4	10	9	5
4,5	10	9,5	5
5	10	10	5
5,5	10		

OIL CAN



	REF.	Details	Capacity
01	11350	Plastic Transparent Oil Can	250ML.
02	11351	Metal Oil Can	500ML.



Ref.9199 WIRE BRUSH SET

38 PC SET



Material	Diameters
Steel	8-9-10-11-12-13-14-15-16-17-18 , 19mm
Brass	8-9-10-11-12-13-14-15-16-17-18 , 19mm
Nylon	8-9-10-11-12-13-14-15-16-17-18 , 19mm

Ref.1099 WIRE BRUSH SET

3 PC SET



Sizes:
Total length 175mm **Brush length:** 45mm

Ref.9408 VERNIER CALIPER - 150MM



- Made from high quality steel, hardened and tempered.
- Metric and imperial scales, graduated from 0.05mm and 1/128".
- Supplied in a plastic case.

Ref.9809 DIGITAL VERNIER CALIPER - 150MM





- Made from hardened and tempered stainless steel..
- **Range:** 0 - 150 mm.
- **Resolution:** 0.01 mm.
- Large LCD display
- Metric & imperial calibration.
- **Accuracy <100mm:** 0.02mm / 0.001"
- **Accuracy >100mm:** 0.03mm / 0.001"
- LR44 Battery included.

Ref.10965 HEAVY DUTY CANVAS TOOL BAG

Multi-pocket design, easy to organize and carry.
Easy to use and store. Improve work efficiency and protect tools.



Sizes
43 x 20 x 26cm **Weight:** 1.1 Kg

Ref.10966 HEAVY DUTY CANVAS TOOL BAG


Multi-pocket design, easy to organize and carry.
Easy to use and store. Improve work efficiency and protect tools



Sizes
51 x 25 x 34cm **Weight:** 1.4 Kg

Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

Ref.11097 BRASSED STEEL WIRE BRUSH – 125MM



Ref.11377 NITRILE PALM GLOVES

Pack of 12 Pairs



- Nitrile coated palm for extra grip and dexterity
- Elasticated wrist opening
- CE marked. Conforms with BS EN 388.2016.

Resistance Rate Level Information Rate 1 to 5 (being 5 the highest)	
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	1

AVAILABLE SIZES

XL	L
11377-XL	11377-L

Ref.11378 THERMAL SUPER GRIP LATEX PALM GLOVES

Pack of 12 Pairs



-Latex coated palm for superior grip in both wet and dry conditions
- Terry inner lining for warmth.
- CE marked. Conforms with BS EN 388.2016.

Resistance Rate Level Information Rate 1 to 5 (being 5 the highest)	
Abrasion Resistance	2
Blade Cut Resistance	1
Tear Resistance	4
Puncture Resistance	2

AVAILABLE SIZES

L
11378-L

Ref.11379 ANTI-CUT (GRADE 5) PU GLOVES

Pack of 12 Pairs



- Polyurethane coated palm for extra grip.
- Highest cut rating (Grade 5) for superior protection includes palm and back of glove.
- CE marked. Conforms with BS EN 388.2016.

Resistance Rate Level Information Rate 1 to 5 (being 5 the highest)	
Abrasion Resistance	4
Blade Cut Resistance	5
Tear Resistance	4
Puncture Resistance	3

AVAILABLE SIZES

XL	L
11379-XL	11379-L

Ref.11380 WATERPROOF LATEX DIPPED GLOVES

Pack of 12 Pairs



- Smooth latex dipped gloves give excellent resistance against water, oil and grease.
- Extra latex textured palm provides superb grip in wet conditions
- CE marked. Conforms with BS EN 388.2016 + A1:2018

Resistance Rate Level Information Rate 1 to 5 (being 5 the highest)	
Abrasion Resistance	2
Blade Cut Resistance	1
Tear Resistance	3
Puncture Resistance	1

AVAILABLE SIZES

XL	L
11380-XL	11380-L

Ref.11359 BLACK NITRILE GLOVES

Pack of 100 Pairs



AVAILABLE SIZES

XL	L	M
11359-XL	11359-L	11359-L

Thickness: +- 0.5 - 0.6mil

Ref.11360 DIAMOND TEXTURE ORANGE NITRILE GLOVES

M,XL:Pack of 100 Pairs
XL: Pack of 90 Pairs



AVAILABLE SIZES

XL	L	M
11360-XL	11360-L	11360-L

Thickness: +- 0.7 - 0.8mil

PROFESSIONAL TORQUE WRENCHES

- Professional range of micrometer style torque wrenches with ±4% accuracy.
- Dual scale in Nm and Ft. Lbs.
- Made from chrome vanadium steel with smooth action flip reverse ratchet mechanism.
- Calibrated and supplied with certificate to BS EN ISO 6789 standard.
- Supplied in plastic case.



	Ref.	Details	Length	Drive	Torque
01	11776	Torque Wrench	195mm	1/4" Dr.	1 - 5 Nm
02	11777	Torque Wrench	242mm	1/4" Dr.	5 - 25 Nm
03	11778	Torque Wrench	500mm	1/2" Dr.	20 - 220 Nm
04	11779	Torque Wrench	567mm	1/2" Dr.	35 - 350 Nm

PROFESSIONAL TORQUE WRENCHES

- Professional range of micrometer style torque wrenches with ±4% accuracy.
- Dual scale in Nm and Ft. Lbs.
- Made from chrome vanadium steel with smooth action flip reverse ratchet mechanism.
- Calibrated and supplied with certificate to BS EN ISO 6789 standard.
- Supplied in plastic case.



	Ref.	Details	Length	Drive	Torque
05	11780	Torque Wrench	965mm	3/4" Dr.	100 - 500 Nm
03	11781	Torque Wrench	1165mm	3/4" Dr.	200 - 1000 Nm

PROFESSIONAL TORQUE WRENCHES

- Professional range of micrometer style torque wrenches with viewing window and 4% accuracy.
- Features twist handle to set torque and locking button.
- Dual scale in Nm and Ft. Lbs.
- Calibrated and supplied with certificate to BS EN ISO 6789 standard.
- Supplied in plastic case.



	Ref.	Details	Length	Drive	Torque
07	11782	Torque Wrench with Sight Glass	300mm	1/4" Dr.	2.5 - 25 Nm
08	11783	Torque Wrench with Sight Glass	440mm	3/8" Dr.	10 - 110 Nm
09	11784	Torque Wrench with Sight Glass	463mm	1/2" Dr.	20 - 210 Nm

TORQUE WRENCH

- Made from hardened and tempered steel with flip style ratchet mechanism.
- Easy to adjust to desired torque with lockable micrometer adjustment.
- Dual scale in Nm and Ft. Lbs.
- Supplied with individual calibration certificate to EN ISO 6789 standard.
- Supplied in plastic case.



	Ref.	Length	Torque	Drive
01	9451	470mm	28 - 210 Nm	1/2" Dr.
02	9452	360mm	19 - 110 Nm	3/8" Dr.
03	9453	275mm	2 - 24 Nm	1/4" Dr.

Ref.1094 DIGITAL TORQUE WRENCH WITH ANGLE MEASUREMENT - 1/2" DR.

1/2"



Specifications

Torque: 40 - 200 Nm.
Scale: Nm, Lb.ft, Kg.m & Kg.cm
Digital angle measurement: 0 a 360º
Length: 530 mm

Ref.9730 DIGITAL TORQUE WRENCH - 1/2" DR.

1/2"





Specification

Torque: 20-100Nm
Length: 275mm

Ref.9729 DIGITAL TORQUE WRENCH - 1/4" DR.

15 PC SET

1/4"



Specification

Torque: 6-30Nm
Length: 200mm
Bits Hex: 2, 2.5, 3, 4, 5, 6, 8, 10

Ref.1095 DIGITAL TORQUE ADAPTOR - 3/4" DR.





3/4"

Specification

Torque: 100 - 500Nm.
Scale: Nm, Lb.ft, Kg.m o Kg.cm.
Use with any 3/4" breaker bar or ratchet wrench.

Ref.1093 DIGITAL TORQUE ADAPTOR - 1/2" DR.

1/2"



Specification

Torque: 40 - 200Nm.
Scale: Nm, Lb.ft, Kg.m o Kg.cm.
Use with any 1/2" Dr breaker bar or ratchet wrench.

Ref.9114 TORQUE MULTIPLIER - 1" 1:64

1"



Ideal for removing wheel nuts on comercial and industrial vehicles when an air or electric impact pistol is not available.

Includes

Extension bar: 210mm
1" Dr. sockets: 30 & 33mm

Ref.2611 ANGLE GAUGE

1/2"



Ref.8012 MAGNETIC ANGLE GAUGE

1/2"



Ref.8013 ANGLE GAUGE WITH CLIP

1/2"





Ref.10206 RECHARGEABLE LED (SMD 1000LM) WORKLIGHT WITH UV FUNCTION



- 18 Ultra bright SMD leds produce a 120 wide angle of bright light with 2 settings: 1000 & 500 lumens.
- 3W led in top for use as a torch produces 80 lumens.
- 4 Ultra violet leds in top for leak testing applications using UV dyes.
- High quality ergonomic durable plastic case with rubber coating.
- Strong magnetic base with folding 180 design, 2 magnets and 2 swivel hooks on rear for hands-free use.
- High quality 4000 mAh Lithium-ion battery.
- Operating time: Up to 6 hours.
- Charging time: 5.5hrs.
- IP54 protection rating.

1000/500 Lumens

Size: 250 x 55 x 37mm.
Supplied with Type C USB charging cable.

Ref.11789 RECHARGEABLE LED SMD 400LM EXTRA SLIM WORK LIGHT



Lumens	400
Timework	5 hours
Charge Time	2.5 hours
Charger Type	Type C
Light Light	6000K
Warm Light	3000K
Distance Lighting	10 meters
Magnet	Yes
Protection	IP33

Size: 240 x 33 x 17mm.
Supplied with Type C USB charging cable.

400 Lumens

Ref.10207 RECHARGEABLE SMD INSPECTION LAMP - 500LM



- 12 Ultra bright SMD leds produce a 120 wide angle of bright light.
- 3W led in top for use as a torch with 80 lumens.
- High quality ergonomic durable plastic case with rubber coating.
- Strong magnetic base with folding 180 design, 2 magnets on rear and hanging hook for hands-free use.
- Operating time: (500Lm) 3hrs, (80Lm) 6hrs.
- Charging time: 3 hours
- Charging indicator.
- IP54 protection rating.
- Supplied with USB charging cable.

Size: 200 x 55 x 28mm.

500 Lumens

Ref.9795 RECHARGEABLE LAMP WITH 6+1 SMD LED - 270LM



- 6 SMD leds produce 270 lumens of bright light.
- 3W led in top for use as a torch with 80 lumens.
- High quality ergonomic durable plastic case with rubber coating.
- Strong magnetic base with folding design and hanging hook for hands-free use.
- Operating time: (270Lm) 3hrs, (80Lm) 8hrs.
- Charging time: 3.5 hours.
- Charging indicator.
- IP54 protection rating.
- Supplied with charging base.

Size: 205 x 50 x 32mm.

270 Lumens

Ref.9684 RECHARGEABLE SMD INSPECTION LAMP - 250LM



- 4 SMD leds produce 250 lumens of bright light.
- 3W led in top for use as a torch with 70 lumens
- High quality ergonomic durable plastic case with rubber coating.
- Strong magnetic base with folding 180 design
- 360 hanging hook
- 1000 mAh Lithium-ion battery
- Charging indicator
- Operating Time (250 Lm) 2hrs, (70lM) 3HRS
- Charging time: 3 Hours.
- Supplied with USB charging cable.

Size: 185 x 45 x 22mm.

250 Lumens

Ref.9794 RECHARGEABLE SMD INSPECTION LAMP - 220LM



- 4 SMD leds produce 250 lumens of bright light.
- 3W led in top for use as a torch with 80 lumens.
- Ergonomic durable plastic case with rubber coating.
- Strong magnetic base with folding 180 design
- 360 hanging hook.
- 1500mAh Lithium-ion battery.
- Charging indicator.
- IP54 protection rating.
- Operating time: (220Lm) 3hrs, (80Lm) 6hrs.
- Charging time: 3.5 hours
- Supplied with USB charging cable.

Size: 125 x 68 x 30mm.

220 Lumens

Ref.10208 RECHARGEABLE ULTRA-VIOLET LED LAMP



- 6 UV SMD leds on front:.
- 1 UV SMD led on top for use as directional torch.
- Ergonomic durable plastic case with rubber coating.
- Strong magnetic base with folding 180 design, 2 magets on rear and hanging hook for hands-free use.
- Operating time: Front 5hrs, Top 10hrs.
- Charging time: 3.5 hours
- Charging indicator.
- IP54 protection rating.
- Supplied with USB charging cable.

Size: 198 x 45 x 26mm.

Ref.11010 RECHARGEABLE PENLIGHT TORCH



- 6 SMD leds produce 300 lumens of bright light.
- 3 Light settings 100/200/300 lumens.
- Magnetic sliding clip for hands-free use.
- High quality durable aluminium body.
- Li-ion battery 3.7V 650mAH.
- Charging indicator.
- USB cable included.
- Operating time: (300 Lm) 2.5hrs, (100Lm) 3hrs.
- Charging time: 2.5 hrs.
- Supplied with Type C USB charging cable.

Size: 160 x 20 x 12mm.

300 Lumens

Ref.9810 PENLIGHT TORCH



- 6 Leds produce 50 lumens.
- 1W Led on top.
- Magnetic base.
- Supplied with 3 AAA batteries

Size: 175 x 18 x 33mm.

50 Lumens

Ref.10210 RECHARGEABLE COB LED WORKLIGHT - 500 / 1000 LUMENS WITH POWERBANK






- 10W COB led provides wide angle ultra bright white light with 2 levels: 500 & 1000 lumens.
- Metalic durable metal case with rubber edges for protection.
- Magnetic folding handle/base.
- Operating time (500Lm) 5hrs, (1000Lm) 2.5hrs.
- Charging time: 3hrs.
- USB Powerbank function.
- Charging indicator.
- IP65 protection rating.
- Supplied with Type C USB charging cable.

Size: 160 x 105 x 35mm.

1000/500 Lumens

Ref.11018 RECHARGEABLE HEAD LAMP / TORCH WITH MOTION SENSOR – COB LED + XPE LED







Charge 2.5h | LED | Sensor | USB Type C | COB&XPE | Duration 3-5h | 2 Meters | IPX 4

400 Lumens



Ref.10289 WOOL BEANIE WITH LED FLASHLIGHT



- 150 Lumens
- Rechargeable Battery
- Washable Material

150 Lumens

Ref.10288 WOOL BEANIE WITH FLASHLIGHT, BLUETOOTH AND HEADPHONES



- 150 Lumens
- Bluetooth
- Wireless Headphones
- Rechargeable Battery
- Washable Material

150 Lumens

Ref.9566 BONNET LED LAMP 240V – 850 LUMENS



- Current 240V.
- 360 swivel hook.
- 96 SMD LEDS, high intensity white light.
- Protection class III, IP54.
- Wide light angle of 120 degrees.
- Conforms to ROHS Standards.
- Telescopic spring laded support (105 - 170mm).
- Ergonomic rubberized handle.
- 5 meter cable

850 Lumens

Ref.10024 RECHARGEABLE SMD LED BONNET LIGHT - 700LM.







- 700 lumens of 120 degree wide angle bright white light.
- Lithium-ion battery: 3.7v 4000 mAh.
- Telescopic support: 105 - 170mm.
- Rotating hanging hook.
- Charging time 4 hours.
- Operating time: 2.5 - 3 hours
- IP54 & IK07 protection .
- Supplied with USB cable and charging plug.

700 Lumens

Ref. PORTABLE LED LAMP - 240V 500LM





Sizes: 480 x 50 x 50mm

- 54 SMD LEDs 500 lumen.
- 120 degree angle of light.
- Swivel hook on top.
- Ergonomic rubberised handle.
- Protection IP54.
- 5 metre cable.

500 Lumens

Ref.9685 TELESCOPIC MAGNETIC LED PICK-UP TOOL WITH LED LIGHT



- 3 LEDS in the head: 20 lumens.
- Pocket clip.
- Magnetic base.
- Telescopic: 175 – 580mm.
- Flexible 360 rotating head.
- Magnet in head for use as pick-up tool.
- 4 x LR44 batteries included.

Sizes: 175 x 21 x 21mm

Ref.10209 USB CHARGING PLUG 220-240V



15V 10A

Ref.10206-C USB CHARGING CABLE



Ref.11114 12/110V XENON WARNING BEACON, BOLT FIXING BASE



ECE R65/R10 · IP65 · +60°C -40°C · 12-110V · XÉNON

Specifications

Consumption: 3.0A
Flash: Intermittent
Lens: ABS - Baes - Anti-breakage

Ref.11115 12/24V LED WARNING BEACON, MAGNETIC BASE



ECE R65/R10 · IP65 · +60°C -40°C · 12-24V · LED

Specifications

Cable: 4 Meters
Flash: Double Flash - Rotation - 6 Flashs.
Lens: ABS - Baes - Anti-breakage

Ref.11116 12/24V LED WARNING BEACON,FLEXIBLE FIXING BASE





ECE R65/R10 · IP65 · +60°C -40°C · 12-24V · LED · FLEXIBLE

Specifications

Power: 9W
Flash: Double flash - Rotation - 6 Flash.
Lens: ABS - Baes - Anti-breakage

Ref.11117 12/24V LED WARNING BEACON, BOLT FIXING





ECE R65/R10 · IP65 · +60°C -40°C · 12-24V · LED

Specifications

Power: 9W
Flash: Double flash - Rotation - 6 Flash.
Lens: ABS - Baes - Anti-breakage
Cable: 2.5 mts.

WORKLIGHT WITH MOUNTING BRACKET



IP67 · 10-30V

1



IP67 · 10-30V

2



IP67 · 10-30V

3



IP67 · 10-30V

4



IP67 · 10-30V

5



IP67 · 10-30V

6



IP67 · 10-30V

7



IP67 · 10-30V


8

* worklight not included

	REF.	Type	Sizes
1	11336	SQUARE WORKLIGHT WITH MOUNTING BRACKET - 2500 LM	**Width:** 70mm - **Heigh:** 70mm - **Depth:** 40mm
2	11337	RECTANGLE WORKLIGHT WITH MOUNTING BRACKET - 2800 LM	**Width:** 155mm - **Heigh:** 45mm - **Depth:** 50mm
3	11338	SQUARE WORKLIGHT WITH MOUNTING BRACKET - 3500 LM	**Width:** 80mm - **Heigh:** 74mm - **Depth:** 74mm
4	11339	SQUARE WORKLIGHT WITH MOUNTING BRACKET - 7500 LM	**Width:** 110mm - **Heigh:** 110mm - **Depth:** 70mm
5	11340	SQUARE WORKLIGHT WITH MOUNTING BRACKET - 4000 LM	**Width:** 105mm - **Heigh:** 105mm - **Depth:** 63mm
6	11341	SQUARE WORKLIGHT WITH MOUNTING BRACKET - 4500LM	**Width:** 110mm - **Heigh:** 110mm - **Depth:** 60mm
7	11342	SQUARE WORKLIGHT WITH MOUNTING BRACKET - 1700LM	**Width:** 105mm - **Heigh:** 105mm - **Depth:** 45mm
8	11343	MAGNETIC WORKLIGHT SUPPORT / HOLDER	
9	11344	12V LIGHTER CABLE	



9



ENGINE TOOLS

Catalogue 2025

www.thetoolhub.co.uk

Ref.10411 OIL FILTER WRENCH SET



19 PC SET

1/2" 3/8"

Size	
Diameter	Flutes
24mm	6
27mm	6
30mm	6
32mm	6
36mm	6
38mm	6
63 - 64mm	14
66.5mm	14
64.5mm	14
74mm	14

Size	
Diameter	Flutes
79mm	15
64.5mm	14
84mm	14
87mm	16
92mm	15
94.5mm	15
100mm	15
Universal oil filter wrench 55 - 90mm	
Adaptor 1/2" - 3/8"	

Ref.9175 OIL FILTER WRENCH SET



30 PC SET

1/2" 3/8"

Includes:

- **Size:** 65mm to 108 mm.
- **Adaptor:** 3/8" - 1/2".Dr.
- **Universal 3 legged wrench:** 65-120mm.

REF.	DESCRIPTIONS
9175-65/14	65mm x 14 Flutes
9175-6567/14	65-67mm x 14 Flutes
9175-66/6	66mm x 6 Flutes
9175-68/14	68mm x 14 Flutes
9175-69/14	69mm x 14 Flutes
9175-73/14	73mm x 14 Flutes
9175-74/15	74mm x 12 Flutes
9175-7476/15	74-76mm x 15 Flutes
9175-7577/15	75-77mm x 15 Flutes
9175-76/12	76mm x 12 Flutes
9175-76/14	76mm x 14 Flutes
9175-76/30	76mm x 30 Flutes
9175-76/8	76mm x 8 Flutes
9175-78/15	78mm x 15 Flutes
9175-80/15	80mm x 12 Flutes

REF.	DESCRIPTIONS
9175-8082/15	80-82mm x 15 Flutes
9175-86/16	86mm x 16 Flutes
9175-86/18	86mm x 18 Flutes
9175-90/15	90mm x 15 Flutes
9175-92/10	92mm x 10 Flutes
9175-93/15	93mm x 15 Flutes
9175-93/36	93mm x 36 Flutes
9175-93/45	93mm x 45 Flutes
9175-95/15	95mm x 15 Flutes
9175-96/18	96mm x 18 Flutes
9175-100/15	100mm x 15 Flutes
9175-106/15	106mm x 15 Flutes
9175-108/15	108mm x 15 Flutes
9175-108/18	108mm x 18 Flutes

Ref.6538 OIL FILTER CUP WRENCH SET



15 PC SET

1/2" 3/8"

Size	Flutes
65mm	14
68mm	14
73mm	14
74-76mm	15
74-76mm	14

Size	Flutes
80mm	15
100mm	15
93mm	15
93mm	36
65-67mm	14

Size	Flutes
82mm	15
90mm	15
75-77mm	15
76mm	30

Includes:

- 14 x 3/8" Dr. Cup type oil filter wrenches
- 1 adaptor:1/2" - 3/8" Dr.

Ref.9015 LOW PROFILE OIL FILTER SOCKET WRENCHES - 3/8" DR

5 PC SET | 6 | 3/8"



Reference	Capacity
9015/24	24mm
9015/27	27mm
9015/32	32mm
9015/36	36mm
9015/38	38mm

Ref.1131 OIL FILTER WRENCH SET - 3/8" DR

5 PC SET | 6 | 3/8"



- Suitable for working in hard-to-reach areas.
- Supplied on a metal rail.

Size
24, 27, 32, 36 & 38mm.

Ref.9514 OIL FILTER CHAIN WRENCH

UNIVERSAL



Heavy duty double chain for heavy duty use.

Size
Chain length: 600mm

Ref.9515 ADJUSTABLE OIL FILTER WRENCH

1/2"



UNIVERSAL

Special for Industrial Vehicles

Capacity
80 - 110mm.

Ref.9516 ADJUSTABLE OIL FILTER WRENCH

1/2"



UNIVERSAL

Special for Industrial Vehicles

Capacity
115 - 140mm.

Ref.9206 3 LEGGED OIL FILTER WRENCH

UNIVERSAL | 1/2" | 3/8"



Adaptors: 3/8" - 1/2"

Capacity
65 - 100mm

Ref.2023 OIL FILTER BAND WRENCH

UNIVERSAL



Capacity
60 - 120mm

Spare band: Ref.2024

Ref.1018 OIL FILTER CUP WRENCH

1/2"



Applications
Mercedes Clase C/E, Volkswagen Golf IV TDi, Vauxhall, Opel Fiat, Nissan, Porsche, Renault

Size
74mm - 14 Point

OIL FILTER PLIERS



Reference	Capacity
9527	45 - 89mm
9528	54 - 108mm

Ref.9074 OIL FILTER CUP WRENCH SET - RENAULT

3/8"



Size:
27mm x 6 Point - 76mm x 12 Point - 96mm x 18 Point

Ref.11098 OIL FILTER STRAP WRENCH

3/8"





Designed to easily remove oil fi lters without damaging or scratching the fi lter

Strap length 21,5cm

Ref.1020 OIL FILTER CUP WRENCH BMW & VOLVO

1/2"



Applications:
BMW 316, 318, [Engines N40, N45, N46] Volvo S40, S70, S80.

Size:
87 mm x 16 Point

Ref.10347 OIL FILTER WRENCH

3/8"



Applications
BMW, Ford, Fiat, Lancia, Mercedes, Nissan, Opel, PSA, Porsche, Renault, Suzuki, Toyota, VAG.

Size:	3/8" Dr. 74 mm x 14 Flutes

Ref.10348 OIL FILTER WRENCH

3/8"



Special wrench for Ford Engines 1.5 and 1.6 Ecoboost with Motorcraft filter

Size:	74.5 mm x 15 Point

Ref.9635 OIL FILTER CUP WRENCH RENAULT

3/8"



Applications:
Renault 2.2 DCI (G9T), 2.5DCI (G9U)

Size:	3/8" Dr. 96mm 18 Flutes.

Ref.9927 OIL FILTER WRENCH HYUNDAI / KIA

1/2"



HYUNDAI	
Tucson /ix35	2009 ~
Santa Fe / Maxcruz	2012 ~

KIA	
Sportage	2011 ~
Sorento	2010 ~
Carnival / Sedona	2010 ~

Engines
2.0 y 2.2 Diesel.

Ref.9144 OIL FILTER CUP WRENCH TOYOTA

3/8"



Applications Toyota
1.8 y 2.0 PRIUS, COROLLA Y AVENSIS

Size:
3/8 Dr. x 64.5 mm

Ref.9682 OIL FILTER WRENCH - PSA / FORD / JAGUAR

1/2"



Applications:
· **Citroen** C4, C5, Grand Picasso, Picasso. from 2009 · **Ford**: C-Max, Focus, Galaxy, Kuga, Mondeo y S-Max, from 2010 · **Peugeot**: 308, 3008, 407, 508, 5008. from 2009 · **Jaguar** FX 2.2D from 2012

Size:
· 27 mm x 12 Point

Ref. OEM: 303-1579

Ref.9876 OIL FILTER WRENCH - OPEL / VAUXHALL / GM

1/2"



Applications:
OPEL / VAUXHALL / GM

Engines:
2.0L y 2.2L Petrol

Models:
Astra-G/Vectra-B/Vectra-C/VX220 Speedster/Zafira-A/ Omega-B/Astra-H/Signum/ Zafira-B/Zafira Family/Insignia

Size:
1/2" Dr. 32mm x 12 Point

Ref. OEM: KM-6150

Ref.10932 OIL FILTER CAP WRENCH – VAUXHALL / OPEL 1.5D

1/2"



Used to remove the plastic oil filter housing without damage.

Size:
1/2" Dr. 74.7mm x 15 Ribs.

Applications include 1.5D engine codes:
LXD/F15DVC and LXD/F15DVH

Ref.9070 OIL FILTER WRENCH VAG DIESEL

1/2" DIESEL



Applications:
VAG vehicles with Mann, Mahle or Kneht filters

Size:
1/2" Dr. 42mm

Ref.9078 OIL FILTER CUP WRENCH

3/8"



Applications	Size
Mercedez Benz V6 y V8 CDi	84mm - 14 Point

Engine Code
OM642

Ref.9548 OIL FILTER WRENCH TOYOTA - LEXUS

3/8"



Applications:
TOYOTA: 3.5L V6 (2007-2008), PRIUS 1.7 (2010) LEXUS: GS300, IS250, IS350, ES350, GS350, GS450H, LS460, RX350, LS600H

Size
3/8" Dr. 64.5 mm

Ref.9151 OIL DRAIN PLUG REPAIR KIT



Complete set with everything you need to repair the threads of oil drain plugs without costly crankcase replacement. Contains taps, new sump plugs and washers for the most common metric sizes of plug thread.

Contents
• 1 Thread tap M 13 x 1.5
• 1 Thread tap M 15 x 1.5
• 1 Thread tap M 17 x 1.5
• 1 Thread tap M 20 x 1.5
• 5 pcs Sump plug and washers M13 X 1.5
• 5 pcs Sump plug and washers M15 x 1.5
• 5 pcs Sump plug and washers M17 x 1.5
• 5 pcs Sump plug and washers M20 x 1.5

SPARE PLUGS AND WASHERS (5PC)	
Reference	Size
9151-01	M13 x 1.5
9151-02	M15 x 1.5
9151-03	M17 x 1.5
9151-04	M20 x 1.5

Ref.10051 PLASTIC OIL DRAIN PLUG TOOL SET BMW, FORD, PSA & VAG.

Key and adaptor set which allows modern plastic oil drain plugs to be removed and installed safely.

5 PC SET





Plugs are sold separately, Ref. 10078/10079/10080/9981

Ref.9744 PLASTIC OIL DRAIN PLUG KEY - VAG



- Developed specifically for plastic plugs (M14 x 1.5 x 22) found in the latest VAG range

Applications	
Audi	A1, A3, A4, A5, A6, A7, Q3, Q5, Q7, TT, TTS
Seat	Alhambra, Leon, Toledo
Skoda	Octavia, Rápido, Superb, Yeti
VW	Caddy, CC, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Tiguan, Touran, Beetle

Ref. OEM: 06L-103-801
Replacement Plug Ref. 9981

PLASTIC OIL DRAIN PLUGS



	Reference	Model	OEM
01	10078	FORD	1830727
02	10079	BMW	11137605018
03	10080	FORD PSA	871598. Peugeot Citroen: 9801444780
04	9981	VAG	06L-103-801
05	10947	DAF - MAN	**DAF** OEM 1982821 - **MAN** OEM 51.90310.6010.



PACKS (10 PC.)
PLASTIC DRAIN PLUGS

REF.	Contents
10680	Plastic Oil Drain Plug - VAG - 10PC.
10681	Plastic Oil Drain Plug - FORD - 10PC.
10682	Plastic Oil Drain Plug - BMW- 10PC.
10683	Plastic Oil Drain Plug - FORD/PSA - 10PC.

OIL FILTER WRENCH

3/8"



Reference	Size
11005	76mm X 14 Point
11006	68mm X 14 Point
11007	65mm X 14 Point

Ref.10711 OIL FILTER WRENCH

3/8"



Size
76mm X 12 RIBS

Ref.10019 ENGINE OIL FUNNEL SET



15 PC SET

- Oil funnel set complete with 12 different adaptors gives a wide range of applications.
- 2 Litre capacity funnel with angled adaptor and extension with swivel function permits use in limited spaces

Applications
Audi, BMW, Dodge, Honda, Mazda, Nissan, Subaru, Toyota, Volvo & VW.

Ref.1142 ENGINE OIL FUNNEL WITH VAG ADAPTOR





- Funnel with universal connector for BMW, Mercedes, VAG, Toyota, Mitsubishi etc.
- Supplied with additional specific adaptor for VW Golf VII, and the new Audi A3.

Capacity
2.3 Litre.

Ref.9022 ENGINE & TRANSMISSION OIL DIPSTICK SET - MERCEDES

4 PC SET



Ref.9736 OIL & TRANSMISSION SUMP PLUG KEY

2 PC SET 1/2"





Applications:
- 8mm: Citroën, Peugeot, Renault, - 10mm: transmisions and differentials (BMW, Renault Toyota)

Size:
Profile: S8 y S10 Length:37mm Drive: 1/2"Dr.

Ref.11112 SELF PRIMING LEVER PUMP



Suitable for 2" and 45mm threaded drums from 20 litre to 205 litre drums.

Suitable for oil, degreaser, antifreeze and other non- corrosive liquids.
Telescopic delivery tube (44.5-76cms).

ADJUSTABLE TELESCOPIC TUBE. 44,5cm a 76cm

OIL DIPSTICKS FOR MERCEDES



REF.	TYPE	SIZE
9022-A	Gearbox Oil	1220mm - tipo 722,6
9022-B	Gearbox Oil	920mm - tipo 722.7, 716.5
9022-C	Engine Oil	920mm - Engines 103, 104, 111, 119, 120, 137, 603, 604, 605, 606, 611, 612, 613, 626
9022-D	Engine Oil	930mm - Engines 112, 113, 646, 647, 648

Ref.9132 ENGINE OIL DIPSTICK - VAG







To measure the oil level in VAG engines with electronic oil level system, and to calibrate the instrument panel on the dashboard.

Engine
2.0 TFSi, 3.2 FSi, 3.0 Supercharged, 4.2 FSi y 2.0TDi CR., 3.0Tdi - 2008->, 3.0Tfsi, 3.6 Tfsi

OEM
T40178

Ref.9020 OIL SUMP KEY SET

- Suitable for tightening and loosening sump plugs: Square heads, Hexagonal heads & Triangular heads.
- Made of Chrome-Vanadium steel.

18 PC SET

CV Chrome Vanadium 3/8"



Ref.10706 12V OIL / FLUID TRANSFER PUMP



- Compact, lightweight and easy to use
- Efficiently removes up to 2.8L per minute
- Remove oil from autos, marine, motorcycles, RV s and more
- Self priming 12 volt 5 amp DC pump

Ref.9939 OIL & FLUID EXTRACTOR - MANUAL



- Designed for the extraction of oils from cars, motorcycles, boats, gearboxes, etc.
- No need to remove the oil drain plug.
- Easily operated by hand pump.
- Oil tank made of transparent plastic and resistant to hydrocarbons.
- Supplied with 1.5 m suction tube.
- 2 suction probes (10x400mm & 6x750mm).

Dimensions	220 x 220 x 600mm
Weight	2.7 Kg.
Capacity	7.5 Lts.
Operation	Manual

Ref.9940 OIL & FLUID EXTRACTOR - MANUAL & PNEUMATIC



- Designed for the extraction of oils from cars, motorcycles, boats, gearboxes, etc.
- No need to remove the oil drain plug.
- Easily operated by hand pump or using compressed air supply.
- Oil tank made of transparent plastic and resistant to hydrocarbons.
- Supplied with 1.5 m suction tube.
- 2 suction probes (10x400mm & 6x750mm).

Dimensions	220 x 220 x 600mm
Weight	2.7 Kg.
Capacity	8 Lts.
Operation	Manual and Pneumatic

OIL DRAIN PANS

01 02



03



- Pouring spout to facilitate drainage.
- Robust contruction with rigid wall.
- Handle positioned for transporting and pouring.
- Resistant to most chemicals and solvents.

	Reference	Size
01	9007	15 Lts.
02	10197	10 Lts.
03	9637	8 Lts.

Ref.9146 OIL DRAIN PAN - MOTORCYCLES



Capacity:
24 Litres

Ref.9424 FLEXIBLE NECK FUNNEL



Size
Diameter: 140mm Neck size:: 290mm

Ref.9425 FUNNEL SET

4 PC SET



Size
50, 75, 100 and 125mm

Ref.10758 OIL DRAIN PAN / CONTAINER - 10 LITRE



Supplied with drain plug & air release plug.

Capacity
10 Litres



Ref.10970 PNEUMATIC INJECTOR PULLER



20 PC SET

Pneumatic diesel injector puller with a variety of adaptors to remove a wide range of injectors (Bosch, Siemens, Delphi, Denso).





Ref.10015 DIESEL INJECTOR PULLER SET

22 PC SET



Kit for the removal of Bosch / Delphi / Denso / Siemens diesel injectors

Includes

- 1.3kg slide hammer with 150mm shaft.
- 4kg slide hammer with 400mm shaft.
- Male adaptors: M10 x 1.5, M16 x 1.5, M17 x 1.0, M20 x 1.0, M25 x 1.0, M27 x 1.0mm.
- Female adaptors: M14 x 1.5 / M27 x 1.0mm (3 pieces).
- Hex adaptors: 17mm (10 x 1.5 Female), 21mm (14 x 1.5 Female)
- Duse Pump Adaptors (VAG): C and J.
- Claw adaptor (CDI).
- Window sockets: 1/2" Dr. 25, 27, 29 and 30 mm.

Ref.10016 DIESEL INJECTOR PULLER SET

14 PC SET



Includes

M14X1.5 Delphi - M17X1 Bosch - M20X1 Denso - M24X1 Siemens - M27X1 Siemens - Slide hammer adaptor - 4 x /12" Dr. Injector sockets: 25, 27, 29, 30mm

- **Slide hammer:** 3.9kg
- **Diameter:** 70 mm.
- **Length:** 110 mm

Ref.11734 CLAW TYPE INJECTOR PULLER ADAPTOR SET



Size

M14x1.5 - 12mm / M14x1.5 - 13.5mm / M14x1.5 - 16mm

Ref.9004 DIESEL INJECTOR EXTRACTOR SET



- For some Bosch and Lucas injectors.

Includes:

- Sliding Hammer
- M8 adaptor (Male)
- M12 and M14 adaptor (Female)

Ref.1191 DIESEL INJECTOR EXTRACTOR ADAPTOR SET BOSCH / DELPHI



- Compatible with any slide hammer with UNF 5/8" thread.
- Can be used with pneumatic impact wrench to release the injector by vibration

Contents:

- M20 x M17x1.0 (Male) Bosch
- M20 x M14x1.5 (Female) Delphi
- 10mm Security Hex Bit x 3/8 "Dr.
- M20 x 5/8" UNF Slide hammer Adaptor

Ref.10948 DIESEL INJECTOR PULLER - VAG 1.6 / 2.0 TDI



Tool for removing common rail injectors for 1.6 & 2.0 Tdi engines. The injector is clamped on the fuel inlet side through two types of adapters.

Engines

1.6 y 2.0 TDI

OEM

T10402 y T10415

Year

Since 2009

Ref.10351 DIESEL INJECTOR EXTRACTOR SET- FORD 2.0 ECOBLUE



Designed to remove jammed injectors only (once used the injector would be unusable)

Engines:	OEM Ford 2.0:
Ford 2.0 Ecoblue a partir de aproxidamente 2016	303-1090, 303-169011 y 303-168012

Spare Part	
Reference	**Size**
10351-2/4	BEARING PULLER 24MM & SCREW PULLER M16

Ref.10232 DIESEL INJECTOR EXTRACTOR - JAGUAR / LAND ROVER



Applications
Land Rover 2.7 V6 y 3.6 V8, Land Rover Discovery, Range Rover **Jaguar** X200S, X250XF y X350J

OEM
303-1127

Ref.9737 DIESEL INJECTOR EXTRACTOR PNEUMATIC HAMMER ADAPTOR





- Adaptor which uses the vibrations caused by the movements of a pneumatic hammer to loosen the injector.
- Ideal when an alternative extraction method is required.
- Minimum opening diameter for anchor 350mm.

Compatible with any slide hammer extractor. (Eg Ref. 1082, 3969, 10015, 10016, etc.)

Ref.3969 DIESEL INJECTOR EXTRACTOR - MERCEDES BENZ



Applications
Mercedes CDi engines.

INDIVIDUAL PARTS	
Reference	**Size**
3969-A1	Claw adaptor
3969-A2	Socket Adaptor
3969-A3	Slide Hammer

Ref.9156 DIESEL INJECTOR EXTRACTOR - MERCEDES BENZ



Applications
Mercedes CDi. Sprinter | Clase E y C

Ref.9190 DIESEL INJECTOR PULLER - BMW



Allows you to remove the injectors without removing the cylinder head

Engines
BMW M47 y M57

Ref.1082 DIESEL INJECTOR EXTRACTOR VOLKSWAGEN



Designed to perform the extraction of injectors in diesel VAG engines.

Vehicles
Volkswagen, Seat , Skoda, Audi

Applications
1,4 SDi/TDi, 1.9 D/SDi/TD, 2.0 TDi (PD), 2.5 TDI, 2.7 TDi, 2.8 TDi y 3.0 TDi.

Ref.9183 DIESEL INJECTOR EXTRACTOR - PSA HDI



Designed to remove injectors without the need to remove the cylinder head on vehicles with PSA 2.0HDi engines (DW10 and DW12

Engines
PSA 2.0 HDi (DW10 y DW12). **Fiat / Lancia** 2.0 JTD.

Ref.9469 DIESEL INJECTOR SOCKET SET - SIEMENS AND BOSCH



4 PC SET

6 | 1/2" | DIESEL

Size
25mm, 27mm, 29mm y 30mm

Ref.6282 DIESEL INJECTOR WINDOW SOCKET SET - 1/2" DR



6 PC SET

12 | 6 | 1/2" | DIESEL

Size		
Size	Length	Point
21mm	90mm	12
22mm	80mm	12
22mm	110mm	6

Size		
Size	Length	Point
27mm	80mm	12
28mm	80mm	12
28mm	83mm	6

DIESEL INJECTOR SOCKETS

12 | 6 | 1/2"











	Ref.	Size	Point
01	1019	21mm x 110mm	12
02	1013	22mm x 78mm	12
03	3616	22mm x 110mm	6
04	1007	27mm x 78mm	12
05	1008	28mm x 78mm	12

Ref.9720 DIESEL INJECTOR SHAFT CLEANING SET



DIESEL

26 PC SET

Set of brushes and guides to enable the diesel injector camara to be cleaned.

Includes

- 10 steel brushes for cleaning the injector housings (ø18 x 2, ø19 x 2, ø21 x 2, ø24 x 2, & ø26 x 2).
- 2 brushes 9mm & 10mm for cleaning the bottom of the injector housing.
- 8 plugs to close the connection hole of the combustion chamber.
- 1 pipe cleaner to clean the connection hole of the combustion chamber.
- 1 flexible bit holder

Ref.10050 DIESEL INJECTOR TUBE SEAL INSTALLER - DV6 (16V)

DIESEL



Designed to quickly and easily replace injector tube seals found on DV6 1.6 16v diesel engines.

Vehicles

Citroen, Fiat, Ford, Mazda, Peugeot, Suzuki y Volvo.

Engines

PSA DV6, Ford G8DX, HHDX, HHJX, Mazda Y6, Suzuki 9HX and Volvo D4164T

Ref.10017 DIESEL INJECTOR SEAT CLEANER SET

17 PC SET



Set of cutters necessary to clean and decarbonize the injector seats.

Straight Cutters	
14 x 14	17 x 19
15 x 19	17 x 19.5
15.5 x 15.5	17 x 20
17 x 17	19 x 21.5
17 x 17.5	

Angled Cutters
15.5 x 15.5
17 x 17
17 x 21
17 x 20.5

Ref.9532 DIESEL INJECTOR SEAT CLEANER SET

10 PC SET



Set of cutters that are used to clean and decarbonize the injector seat, when the injectors are changed.

Straight Cutters	Angled Cutters
15 x 19	17 x 17
17 x 17	17 x 21
17 x 19	
18 x21	
20 x 21	

Ref.10354 DIESEL INJECTOR COPPER WASHER REMOVER



- For washers with internal diameter 4mm - 16mm.
- Tapered tip with thread to grip the washer.
- Slide hammer to help remove the washer.



INDIVIDUAL INJECTOR SEAST CUTTERS

Ref.	Size	
10017-01	17 x 20	FLAT
10017-02	17 x 19,5	FLAT
10017-03	17 x 19	FLAT
10017-04	15 x 19	FLAT
10017-05	17 x 17.5	FLAT
10017-06	17 x 17	FLAT
10017-07	17 x 17	ANGLED
10017-08	15 x 15.5	FLAT
10017-09	15 x 15.5	ANGLED
10017-10	14 x 14	FLAT
10017-11	19 x 21.5	FLAT
10017-12	17 x 20.5	ANGLED
10017-13	17 x 21	ANGLED

Ref.9061 DIESEL INJECTOR COPPER WASHER REMOVER




To remove copper washers from the Injector seat

Size
Length 230mm For Washers with internal diameter 7.5mm - 10mm

Spare Part
Ref. 9061-1 Spare tip

Ref.1132 DIESEL INJECTOR ALIGNMENT TOOL - FORD DURATORQ



Applications include
FORD 2.0, 2.2 & 24 Engines Diesel Duratorq

Ref.9673 COMMON RAIL DIESEL INJECTOR REPAIR TOOL SET

8 PC SET | 1/2" | DIESEL



Set of special tools for loosening and removing internal components.

Includes:

- 3 x tools for lapping the valves.
- 1 x 16mm 8 sided socket for Bosch.
- 1 x 76mm tamper-proof hex key
- 1 x 66mm tamper-proof hex key
- 1 x DENSO valve seat removal tool
- 1 x tool for removing SIEMENS components

Ref.9466 DIESEL INJECTOR NOZZLE REMOVAL TOOL

DIESEL



Injection nozzle extractor allows the removal of the lower injector components when repairing the injector.

Compatible:

Bosch, Denso, Delphi and Siemens.

Ref.9866 INJECTOR CLAMPING BOLT THREAD REPAIR KIT – MERCEDES BENZ

10 PC SET | DIESEL



- Allows a new thread to be made when the original screw breaks..
- For injector fixing screws M6 x 1.0 on Mercedes engines
- Contains all the drilling and centering tools required.
- Save costs and time, the tool avoids the need to remove the cylinder head.

SPARE PARTS	
Reference	**Size**
9866-1	Spare thread inserts (5PC)
9866-2	Drill bit M8
9866-3	Drill bit M6

Ref.9193 DIESEL INJECTOR RETURN FLOW MEASUREMENT SET

DIESEL



- For common rail diesel engines, with up to 6 injectors.
- Measures the volume of the return flow of fuel using glass or plastic measurement chambers.
- 6 individual glass measurement tubes
- 6 plastic chambers with lines mounted on aluminium rack.
- 24 connectors.

Ref.9121 DIESEL INJECTOR RETURN FLOW PRESSURE TESTER



Designed to check the fuel return flow pressure of Bosch, Siemens and Delphi common rail diesel injectors.

Includes

- Transparent chamber to visualize air in fuel.
- Drain valve.
- Two Gauges: -1 to +3 bars & 1 to + 15 bars
- Quick connectors.

Ref.10980 COMMON RAIL DIESEL HIGH PRESSURE PUMP TEST KIT

31 PC SET | DIESEL



Designed to check the pressure of the high pressure system on common rail engines.

0 – 2000 Bar pressure gauge.

Can be used to check: maximum pump pressure, running pressure test, pump regulator test, injector leak test etc

Ref.10319 DIESEL FUEL PUMP REMOVAL/INSTALLATION TOOL - FORD 2.0 ECOBLUE



Engines
Ford 2.0D Ecoblue from 2016

Engine Codes
YLFS, YMFS, YNFS, YLF6, YMF6, YNF6, YLR6, YMR6, YNRS

OEM
303-1635

Ref.11739 FUEL PUMP REMOVER & TIMING SET - NISSAN / RENAULT 2.0D



DESCRIPTIONS	OEM
Injection Pump Blocker	905 290 40
Camshaft Lock	905 290 20
Guides for Injection Pump Assembly	905 290 38
Injection Pump Adjustment Pin	905 290 30

Ref.9760 DIESEL FUEL PUMP PULLEY REMOVER - FORD 2.2TDCI



Vehicles
Ford Transit 2.2 TDCI
Land Rover Discovery TD4

Year
04/2011 ~

OEM Equivalent
303-249 y 303-249/1

Ref.10067 DIESEL FUEL PUMP PULLEY REMOVER



Allows the pulley to be removed to remove the pump without having to move the timing belt / chain.

Vehicles
Renault / Nissan / Opel

Engines
Diesel 2.2 and 2.5L

Engine types
G9T and G94

Ref.10308 DIESEL FUEL PUMP LOCKING/REMOVAL TOOL - JAGUAR / LAND ROVER



Applications
Jaguar, Land Rover, Range Rover

Engine
2.0D from 2015

Engine codes
AJ200D, 204DT, N200, 204DTD

OEM equivalent
303-1627

Ref.10973 FUEL PUMP REMOVAL TOOL KIA/ HYUNDAI 1.6 DIESEL



Engines
1.6D.

OEM
09331 - 2U000

Ref.10245 DIESEL FUEL PUMP PULLEY REMOVAL TOOL - VAG



Used to remove the high pressure fuel pump sprocket on the 4 cilinder TDI engine

Engines
1.4 / 1.6 / 2.0 TDI

OEM
T10489

Ref.9870 DIESEL FUEL PUMP PULLEY REMOVAL TOOL - VAG



Engines
6-cil. TDI Common Rail, 2.0L
4-cil TDI Common Rail 1.6L

OEM
T40064

Ref.9854 HIGH PRESSURE FUEL PUMP REMOVAL TOOL



Vehicles
HYUNDAI / KIA

Engines
1.1 / 1.4 / 1.5 / 1.6 / 1.7

OEM
09331-2A000

Ref.9855 HIGH PRESSURE FUEL PUMP REMOVAL TOOL



Vehicles
HYUNDAI / KIA

Applications
Kia Sorento BL (2003-2009), Hyundai iLoad (TQ; 2007-actualidad)

Engines
Kia D 2.5 VGT, Kia D 2.5 WGT Hyundai D 2.5 TCI-A, Hyundai D 2.5 TCI-A2

OEM
09331-4A000

Ref.1024 DIESEL INJECTOR PUMP PULLER BMW 325TD / TDS



Engines 2.5 TD/TDS
BMW, Opel Omega and Range Rover

OEM
13-5-120

Ref.1035 DIESEL INJECTOR PUMP PULLER BMW M47 / M57



Engines 2.0D & 3.0D
BMW, M47 & M57.

OEM
13-5-190

Ref.1110 DIESEL INJECTOR PUMP PULLER BMW N47 / N57



Workshop tool specifically designed to remove the injection pump on BMW N47 and N57 engines.

OEM:	118740

Ref.10042 HIGH PRESSURE FUEL PUMP PULLEY REMOVAL TOOL



Vehicles
HYUNDAI / KIA

Engines
2.0 & 2.2 CRDi

OEM
09331-1M100

Ref.9670 DIESEL FUEL PUMP LOCKING PIN SET - MERCEDES

2 PC SET



Engines
Mercedes

Applications
Mercedes OM601, OM602, OM603, OM605, OM606 & OM617

Ref.9871 DIESEL FUEL PUMP LOCKING TOOL SET



Vehicles
Jaguar / Land Rover

Engines
3.0 TDV6, 306DT

Engines
Jaguar: XF (09-14), XJ (09-14) Land Rover: Discovery 4 (09-14), Range Rover (09-14), Range Rover Sport (09-14)

OEM
310-212

Ref.1128 DIESEL FUEL PUMP SOCKET - MERCEDES

1/2"



Size
1/2" Dr. 18mm. 33pt Spline

Engines
Mercedes OM601, OM602, OM603, OM605, OM606, OM615, OM616, OM617

Ref.9668 BOSCH VE & VP DIESEL INJECTION PUMP SOCKET SET





Kit 5 PC SET | 1/2" | DIESEL

For Bosch VP 37 Pump
01 - For distributor piston
02 - For pressure reducing valve
03 - For slide regulator

For Bosch VP EDC TDI Pump
04 - For regulator cover

For Bosch VP 37 Pump
05 - For pump body

Ref.9539 COMBUSTION PRE CHAMBER RETAINING RING SOCKET MERCEDES

1/2" | DIESEL



Size
Spline 58 points
Length 61mm

Engines
Mercedes Benz 601, 602, 603, 605, 606, 661 & 662.

Ref.1050 DIESEL FUEL PUMP TIMING SET

DIESEL



For Bosch, Lucas, Kikki, Nippon, Denso and CAV Roto diesel pumps

Applications
Audi, BMW, Fiat, Ford, Isuzu, Iveco, Lancia, Land Rover, Mazda, Mitsubishi, Nissan, Renault, VW, etc...

Ref.1011 DIESEL FUEL PUMP PRIMING TOOL

DIESEL



- Indispensable for the reintroduction of fuel in the fuel pump after maintenance, fitting of new filter or fuel tank drain.

Ref.9627 DIESEL FUEL SYSTEM PRIMING & BLEEDING SET

DIESEL



- Integral fuel priming assembly equipped with female and male quick connectors
- Designed to work in conjunction with the low pressure fuel circuit, and reintroduce the fuel back to the fuel line after maintenance.
- Transparent tubes allow visual detection of any air within the fuel system or if air is inadvertently leaking into the line.
- Two universal connectors and a transparent tube allow the connection of most older vehicles which are not equipped with quick release connectors.

Applications:
Fiat , Ford , Land Rover, Mercedes , PSA , Renault, Rover y Vauxhall / Opel.

Ref.9626 DIESEL FUEL SYSTEM PRIMING & BLEEDING SET RENAULT / PSA

DIESEL



- Suitable for in-line connection with the low pressure supply system.
- Connections for PSA and Renault Engines.
- Quick couplings and clear tubing for easy purging.

Ref.9458 DIESEL FUEL FILTER WRENCH - PSA 2.0 / 2.2 HDI

1/2" | DIESEL



Vehicles:
Peugeot, Citröen, Fiat, Lancia, Land Rover and Mitsubishi.

Also for:
Ford 2.0 TDCi
Volvo 2.0 D.

Size:
Length: 42mm.
Size: 1/2", 27mm

Ref.10929 SET OF WRENCHES FOR MAZDA 2.2 DIESEL FUEL FILTER & FUEL SENSOR

2 PC SET | DIESEL



Designed to remove the fuel filter and water sensor without damage on Mazda 2.2L Skyactiv engine

Engines
SKYACTIV-D 2.2L.

Applications
Mazda 3, CX-8, Mazda 6

Size
50mm - 8 Point & 85mm - 15 Point

Ref.9459 FUEL LINE SOCKET SET - 3/8" DR.

6 PC SET

3/8" DIESEL



Size:
10, 11, 12, 14, 17 y 19mm.

Ref.9662 FUEL LINE SOCKET SET - 1/2" DR.

3 PC SET

6 1/2" DIESEL



Facilitates the assembly and disassembly of the injection tubes of diesel injectors and other tube connections.

Contents
• 14mm for BMW • 17mm fotr BMW, Opel 2.5TD, Mercedes • 19mm for Mercedes

Size:
• 1/2" Dr. • Length: 119mm.

Ref.10056 FUEL LINE SOCKET SET - 3/8" & 1/2" DR.

12 3/8" 1/2" PETROL DIESEL




Applications:
BMW N45 / N63 / S63

Drive	Size	Length
3/8"	14mm	65mm
1/2"	17mm	70mm

DIESEL FUEL LINE OPEN ENDED WRENCHES

DIESEL



- Angled design for ease of use.
- Compatible with most diesel engines.
- Double hexagonal profile.

	Reference	Size
01	9929	Diesel Injection Line Wrench 17 mm
02	9930	Diesel Injection Line Wrench 14 mm

Ref.9895 FUEL LINE DISCONNECTION PLIERS



Applications
• Fiat, Alfa Romeo, Lancia 1,3, 1,9, 2,4 Diesel • Opel Vectra C 1.9, 1.9 Signum, Astra H 1.3, Astra H 1.9 Diesel, Corsa C, Combo, Meriva 1.3 Diesel, Corsa B, Astra F, Astra G, Vectra B, Omega B Petrol. • Chrysler Neon 1,8, 2,0 and 2,5 Stratus • Renault from 1997

Ref.9700 FUEL LINE DISCONNECTION PLIERS



- Suitable for the release of fuel pipe connections during maintenance, or when replacing the respective filters.
- Designed to compress quick connect plugs and easily release without damaging the connector.

Ref.9701 FUEL LINE DISCONNECTION PLIERS



- Non-slip rubber grips.
- High strength steel.
- Diameter of supported connections: 20-39mm.
- Length of clamps: 220mm.

Ref.9703 FUEL LINE DISCONNECTION PLIERS

3 PC SET



- For 6, 8 and 10mm tubes.
- Carbon steel material with rubberized handles.
- 120mm long pliers with robust spring system.
- For most vehicles, Ford, Citroen, Renault, Peugeot, Opel And Seat etc,.

Ref.9750 FUEL LINE DISCONNECTION TOOL BMW MINI COOPER

2 PC SET



Model	Year
R55 (Cooper S / JCW Clubman)	2008-03/2012
R56 (Cooper S / JCW Hatch)	2007-03/2012
R57 (Cooper S / JCW Convertible)	2009-03/2012
R58 (Cooper S / JCW Coupe)	2012-03/2012
R59 (Cooper S / JCW Roadster)	2012-03/2012
R60 (Cooper S Countryman)	2011-03/2012

Ref.9505 FUEL LINE PLUG & STOPPER SET

10 PC SET



Stops fuel leakage from disconnected lines.

Ref.11785 FUEL LINE FLEXIBLE PLIER



Designed to release fuel connections which have double buttons that must be pressed simultaneously. Ideal for hard-to-reach areas.

Cable Length: 650mm
Jaw Opening: 3 a 32mm

Ref.10046 DIESEL FUEL FILTER WRENCH - VW CRAFTER 2.5 TDI VOLVO 2.0 & 2.4D

Special design fits the plastic housing allowing access to the fuel filter



Applications:
Volkswagen Crafter 2.5 TDi (2006 - 2013). Volvo 4 & 5 cilindros 2.0lt, 24lt Diesel.

Engines:
AUH, BCQ, BJJ, BJK,BJL, BJM, CEBA, CEBB, CECA, CECB

OEM:
T50011 y 999 7084

Ref.9581 UFI DIESEL FILTER COVER WRENCH VAG 2.0 TDI



6 adjustable height settings

Applications:
Seat, Skoda, Volkswagen, Audi.

Ref.9924 DIESEL FUEL FILTER WRENCH - FORD TRANSIT 2.2 TDCI



Engines:
Ford Transit 2.2 TDCI from 2012

OEM:
07 1140 001 00

Ref.10359 DIESEL FUEL FILTER WRENCH - HYUNDAI/KIA 2.0/2.2 CDRI



Applications:
Hyundai / Kia

Engines:
2.0 - 2.2 CDRI

Engines:
108mm - 15 point

Ref.1143 DIESEL FUEL FILTER WRENCH



Design to prevent damge to the plastic fuel filter housing.

Applications:
Citroën, Peugeot, Chevrolet, Suzuki, Fiat, Opel, Saab.

Engines:
1.3 JTD/CDTi/DDis 1.9 JTD/CDTi/TiD 2.0HDI/VCDI/JTD 2.2 HDI/JTD 2.8/3.0 HDI/JTD

Ref.9660 DIESEL FUEL FILTER WRENCH - VOLVO



Vehicles:
Volvo C30, C70, S40, S60, S80, V60, V70, XC60, XC70, XC90.

OEM:
9997084

Ref.9412 DIESEL FUEL FILTER WRENCH - PSA / RENAULT



3/8" DIESEL

Designed for use in fuel filters installed on PSA and Renault models equipped with HDi Engines.

Size:
108mm. - 3/8" Dr.

Ref.10935 FUEL TANK SENDER WRENCH - FIAT / JEEP



1/2"

Size
Diameter 150mm - 5 Teeth.
Applications
Fiat Freemont, 500L, 500X - **Jeep** Renegade

To be used with 1/2" ratchet or 21mm socket

Ref.9675 ADBLUE FILTER WRENCH - 46MM



AdBlue

3/8"

Size:
3/8" Dr. 46mm.

Ref.10358 FUEL TANK SENDER WRENCH - UNIVERSAL



1/2"

Applications:
VAG, BMW, Chevrolet, Chrysler, Fiat, Ford, Hyundai, Jaguar, Kia, Land Rover, Mercedes, Nissan, Opel, Volvo, etc...

Size:
108mm - 15 Point

Ref.9665 FUEL TANK SENDER WRENCH - VAG



1/2"

Applications:
Audi: A3/A4/A6/A7/A8, Q3/Q5/Q7, R8, TT, Volkswagen : Polo, Beetle, Golf, Golf Plus, Golf Cab, Jetta, Eos, Scirocco, Passat, Passat CC, CC, Sharan, Touran, Tiguan, Touareg, Phaeton, Caddy, Transporter, Includes light comercial vehicles **Porsche:** Cayenne.

Size
Inner Diameter: 119mm

OEM:
T10202 (VAG 3087)

Ref.10062 FUEL TANK SENDER WRENCH - VAG



1/2"

Size:	Inner diameter: 128mm
OEM	T40068A

Ref.10349 FUEL TANK SENDER WRENCH - FIAT GROUP



1/2"

Applications	Ford, Fiat, Lancia, Alfa Romeo, Ferrari and Maserati
Size	Inner diameter: 131mm
OEM Equivalent	1870736000

Ref.9120 ADJUSTABLE FUEL TANK SENDER WRENCH - UNIVERSAL



Capacity
75 - 160mm. - 24mm Hex Dr.

Ref.9661 FUEL PUMP SENSOR COVER WRENCH - BMW / BMW MINI PORSCHE



1/2"

Applications:
BMW - E31 / E34 / E36 / E38 / E39 / E46 / E53 / E60 / E63/ E64 / E65 / E83 / E85 / E90.(1988 - 2013) **Mini** - R50 R52 R53 R55 R56 R57. (1988 - 2013) **Porsche** - Boxster / Cayman (986). 911 Carrera / Turbo / GT2 / GT3 (997). (2005 - 2012)

OEM	161020

Ref.1152 ADJUSTABLE FUEL TANK SENDER WRENCH - UNIVERSAL



Size:
Capacity: 89 - 170mm. 19mm Hex Dr.

Ref.7191 DIESEL ENGINE COMPRESSION TEST SET

The wide range of adaptors for glow plugs and injectors allow this kit to cover the vast majority of cars, vans, trucks, buses, as well as agricultural and marine diesel engines.

40 PC SET



Applications	
Glow plug or injector adaptors	Alfa, BMW, Chrysler, Daewoo, Fiat, Ford, Hyundai, Isuzu, Land Rover, LDV, Mazda, Mercedes, Mitsubishi, Nissan, PSA, Renault, Saab, Suzuki, Toyota, VAG, Vauxhall / Opel, Volvo.
Injector adaptors	M20, M22, M24 y Ford Stanadyne and claw type.

Includes:

- Guage (0-70 bar) with long and reinforced hose.
- Straight and 90º quick connectors.
- 20 adaptors for glow plugs
- 5 adaptors for injectors.
- 6 "claw" adaptors for a variety of commercial, agricultural and marine applications.

Ref.9519 DIESEL ENGINE COMPRESSION TEST SET

17 PC SET



Includes:

- 1 Pressure gauge 0-1000 psi - 0-70 bar.
- 1 x 160mm adaptor.
- 4 Adaptors for M20 x 1.5 injectors; M22 x 1.5; M24 x 1.5; M24 x 2.0.
- 9 Quick connect adaptors for M8, M10, M12 and M22.
- 1 adaptor plate.
- 1 x 90º coupler

Ref.9579 BROKEN GLOW PLUG ELECTRODE TIP PULLER SET



Allows the tip of the electrode to be removed when it breaks inside the cylinder head.

Includes

- 2 Taps M3 x 0.5 100mm - M4 x 0.7 100mm
- 2 Special Drills 2.5 x 120mm - 3.3 x 140mm
- 3 Extraction spindles M3 x 0.5 100mm - M4 x 0.7 100mm - M4 x 0.7 100mm
- 3 Extraction nuts
- 9 Drill guides.
- 3 Extraction adaptors M10 x 1.25 - M10 x 1.0 - M8 x 1.0

SPARE PARTS	
Reference	**Size**
9579-01	TAP M3X0.5
9579-02	TAP M4X0,7
9579-03	DRILL BIT 2,5X120MM
9579-04	DRILL BIT3.5X140MM

Ref.9188 BROKEN & DAMAGED GLOW PLUG REMOVAL SET - M8 / M10



- Set of tools to remove broken and damaged glow plugs particularly when they break below the level of the cylinder head.
- Includes drill bits, taps, centering pins, and extractors to remove the glow plugs without damaging the cylinder head.
- For glow plugs with M8 x 1.0 and M10 x 1.0 threads.

Ref.9471 ANGLED GLOW PLUG CONNECTOR PLIERS



Size:

Length: 235mm

Ref.1129 GLOW PLUG ELECTRODE SOCKET SET - 1/4" DR

6 PC SET

1/4" DIESEL



Special sockets that allow the internal electrode to be broken to leave a surface as flat as possible and facilitate drilling before removing the glow plug.

Size:
2.6mm, 3.2mm, 3.5mm, 4.5mm, 6.5mm, 8.25mm.

Ref.9470 ARTICULATED GLOW PLUG SOCKET SET - 3/8" DR

6 PC SET

3/8" DIESEL



Size:
8, 9, 10, 12, 14 y 16mm
Total length: 155mm
Socket length: 55mm

Ref.9468 GLOW PLUG SOCKET SET



3 PC SET

3/8" DIESEL

Set of sockets with side window that are used to remove the glow plugs quickly and easily without the need to remove the cables

Size:
- 8, 9 y 10mm.
- 3/8"

Applications:
Fiat, Alfa Romeo, Opel, Saab & PSA.

Ref.9669 PRESSURE SENSOR GLOW PLUG SOCKET SET

6 PC SET

1/4" DIESEL



- Pressure sensor glow plugs have a built-in combustion pressure sensor.
- The socket is designed to cover the entire head of the glow plug to protect it from possible damage.
- Also supplied with 5 plastic antistatic caps to protect the connector of the glow plug once disconnected
- The depth of the socket allows the glow plug to be admitted with the plastic cap mounted.

Applications:
Audi, Opel, Seat, Skoda & Volkswagen.

Size:
12mm

GLOW PLUG RATCHET WRENCH

6 12 DIESEL



Reference	Size
10378	8mm & 10mm - 6 Point
10379	8mm & 12mm - 12 Point

Ref.10226 GLOW PLUG SHAFT CLEANING SET

10 PC SET

DIESEL



- The special geometry of the reamer cleans the shaft, probe seat and canal of the glow plug in one step.
- Removes deposits between the glow plugs and the engine block.
- Universal use for most types of vehicles.
- 10.0 or 17.0mm extended Hex Drive heads.
- One-piece multilevel reamer.

Contents
4 Centering guides, 3 Reamers, 1 Wrench.

Size
M8 x 1.0 - M10 x 1.0 - M10 x 1.25 - M12 x 1.15

HELICOIL THREAD REPAIR SETS

These metric repair kits create stronger internal threads on most metals and help restore the original thread size.

Includes everything you need to repair damaged threads:
High Speed Steel Drill, 20 Pcs Threaded Helicoils, Reinforced Penetration Tool, Installation Chuck, Insertion Tool.

Reference	Size	Insert Height
9789	M9 x 1.0 Glow - Plugs	6 x 8 mm - 6 x 11 mm - 8 x 14 mm.
9790	M10 x 1.0 - Glow Plugs	6 x 8 mm - 6 x 12mm - 8 x 16 mm.
9791	M12 x 1.25 - EGlow Plugs & Spark Plugs	6 x 9 mm - 8 x 12mm - 8 x 18 mm.
9792	M14 x 1.25 - Spark Plugs	6 x 10mm - 8 x 16 mm. - 6 x 21 mm.





Spare Helicoil Inserts- Pack 20pcs	
Reference	Size
10192	M9 x 1.0
10193	M10 x 1.0
10194	M12 x 1.25
10195	M14 x 1.25

Ref.7532 PETROL ENGINE INJECTION TESTING SET



- Complete kit of adaptors, hoses and accessories that are needed to perform the relevant pressure testing of modern fuel injection systems.
- It also incorporates quick couplings and a safety valve in addition to having modern schrader adaptors.
- Includes a 92mm 0-10 bar pressure gauge.
- For European, Japanese, American engines.
- Allows control of the fuel supply pressure.
- Can be used for almost all injection systems

Engines
K-Jettronic, L / LH-Jetronic, Motronic, Motronic-Jetronic, MPFI, TBI, EFI, DIGIFANT 1 / 2, CEI-Digital, Weber TPI, Spi, Singlepoint, Multipunto.

Ref.1157 PETROL ENGINE INJECTION TESTING SET



- Complete kit for measuring systems with modern Schrader ports.
- Quick coupling system for quick assembly
- Large double scale pressure gauge: 0-100 PSI / 0-7 bar
- Discharge valve.
- Hook to hang the pressure gauge.

Ref.9602 NOID LIGHT TEST SET

11 PC SET



Includes
• 1.3m fibre optic cable allows the user to view the noid lights from the drivers seat. • 7 types of noid light covers a wide range of applications. • GM TBI, GM SPCI, GM FPI, GM Multec, FORD TBI, Geo TBI, BOSCH PFI.

Ref.10060 PETROL INJECTOR PULLER - BOSCH GDI



- Applicable to the entire range of Ford EcoBoost GDI petrol engines, from 1.0 to 3.7 litres.
- Easy to use thanks to its split clamp design.
- Also compatible with GM SIDI Ecotec engines from 2009 onwards.

OEM
Ford 310-206 / GM J-37281-A

Ref.10018 CARBURETTOR SYNCHRONIZER



Includes:
• 4 x 90mm pressure gauges with independent shut-off valves. • 4 x 750mm reinforced rubber tubes of Ø8 mm. • 4 Adaptors of 10 x 53 mm with M6 x 0.75 pitch. • 4 Adaptors of 10 x 60 mm with M6 x 1 pitch. • 4 Adaptors of 3.9 x 100 mm • 4 Adaptors of 3.9 x 165 mm • 1 Universal adaptor without thread. • 4 Pressure clamps to fix the tubes • Assortment of replacement O-rings

Graduated pressure gauges with color-coded status indication

Capacity:
· Pressure Range: 0 a 15 PSI / 0 a 1 Kg/cm2 / 0 a 1,03 Bar. · Vacuum range: 0 a 76 cm/Hg y 0 a 30"/Hg.

MAGNETIC SPARK PLUG SOCKETS - DEEP 250MM



	Reference	Size
01	1014	3/8" Dr - 14mm x 250mm
02	1015	3/8" Dr - 16mm x 250mm
03	1016	3/8" Dr - 21mm x 250mm

Ref.9991 THIN-WALLED MAGNETIC SPARK PLUG SOCKET - 250MM



- 14mm Bi-Hex
- Deep socket 250mm
- Magnetic
- Thin walled for Bosch spark plugs.

Applications include

- Bosch Spark Plugs, Citröen, Renault, BMW N54, Mini, Mercedes M156

Ref.10235 ARTICLULATED MAGNETIC SPARK PLUG SOCKET



- Magnetic spark plug socket with articulated joint for dificult to access spark plugs

Applications

- BMW Series 1, 3, 5 - Engine N43B

Size

- 14mm & 12 Point

Ref.1027 THIN WALLED MAGNETIC SPARK PLUG SOCKET



- Magnetic socket.
- Thin wall design

Applications

- PSA, Reanult, BMW, Mini, Mercedes M156

Size

3/8"DR - 14mm & 12 Point

MAGNETIC T-HANDLE SPARK PLUG SOCKETS



	Reference	Size
01	5235	16 mm
02	5236	21 mm

SPARK PLUG SOCKETS



Reference	Size
10676	1/2" Dr. - 16 mm.
10677	1/2" Dr. - 18 mm.
10678	1/2" Dr. - 21 mm.

Ref.7010 SPARK PLUG CONNECTOR PLIERS



Tool designed to remove the spark plug caps without damaging the other components.
Made of insulating material to avoid electric shock.


SPARK PLUG THREAD REPAIR TOOLS



Special design that allows the tool to pass into the chamber and open it to grasp the thread from below and pass the thread upwards.

Reference	Size
9186	M12 x 1.25
9187	M14 x 1.25

Ref.10698 SPARK PLUG SOCKET 3/8" DR



- Single hex 6 point spark plug socket with rubber insert to hold the spark plug.
- Suitable for engines with latest generation 13mm spark plugs

Applications

NGK & Denso M8 spark plugs

Size

3/8" Dr. - 13mm x 6 Point x 62mm length

Ref.11095 DIGITAL TIMING LIGHT WITH ADVANCE 12V



- Works with 12V.
- Special xenon bulb for high performance and long life.
- Inductive clamp to be placed on the spark plug wire where the reading will be taken (cylinder 1).
- Suitable for 2 & 4 stroke 12V petrol engines.
- Cable length 1.5m

Ref.11102 SPARK PLUG TESTER 12V



- Designed to check for the correct functioning of spark plugs.
- Easy to use, just place the spark plug in the unit and turn the dial to the RPM required.
- Can check individual spark plugs or 2 plug simultaneously.

Ref.9735 IGNITION COIL PULLER - VAG GROUP

It is used to remove the "pencil type" ignition coils that come with most direct injection VAG petrol engines (generation III).



Applications Include	
Volkswagen	Golf (2013 >) - Jetta (2011 >)
Audi	A3 (2013>)
Skoda	Octavia (2013>)
Seat	Ibiza (2008 >) - Mii (2011 >) - Leon (2013 >)
Porsche	Macan (2014 >)

Ref.9173 EXTENSION ADAPTOR FOR COMPRESSION TESTER

Extension adaptor which allows access to deep seated spark plugs.



For Spark Plug Thread: M12.
Length: 200mm

Ref.9174 EXTENSION ADAPTOR FOR COMPRESSION TESTER

Extension adaptor which allows access to deep seated spark plugs.



For Spark Plug Thread: M14.
Length: 200mm

Ref.3983 IGNITION COIL PULLER SET - VAG GROUP

4 PC SET



Set consisting of 4 ignition coil pullers for use in Volkswagen and Audi vehicles equipped with direct ignition engines. Designed with a T-bar handle for easier use.

Ref.9177 PETROL ENGINE COMPRESSION TESTER

8 PC SET



Includes

- 57mm Guage with rubber protector.
- Scales: 0 - 290 psi & 0 - 20 Bars.
- 150mm flexible rubber hose with M14/M18 connector.
- 5 adaptors: M10, M12, M14 & M18
- 2 Thread Chasers: M10/M12 & M14/M18.

Ref.6806 HT LEAD IGNITION SPARK PLUG TESTERS

4 PC SET



Useful tool allows for the quick check for ignition problems in-line between the HT ignition leads and the spark plugs which could result in misfires or non-running.

Ref.9792 SPARK PLUG HELICOIL THREAD REPAIR SET



The metric repair kit creates stronger internal threads on most metals and helps restore the original thread size.

Includes

High Speed Steel Drill, Threaded Helicoils, Reinforced Penetration Tool, Installation Chuck, Insertion Tool.

Size

M14 x 1.25

Ref.9176 PETROL ENGINE COMPRESSION TESTER



- 65mm gauge.
- 2 Scales:0 - 300 PSI and 0 - 20 Bars.
- 1 Flexible rubber hose connector.
- 1 Rigid cone type adaptor.
- Adaptors for 14mm & 18mm spark plug threads.

Ref.9984 OXYGEN SENSOR SOCKET

12 | 1/2"



Applications:
BMW, Fiat, Ford, Peugeot

Size:
1/2" Dr. 27mm 12 Point **Length:** 80mm

Ref.6257 OXYGEN SENSOR SOCKET SET



7 PC SET | 1/2" | 3/8"

	Size	
01	29mm x 90mm	1/2"
02	22mm x 90mm	1/2"
03	27mm x 78mm	1/2"
04	22mm x 80mm	3/8"
05	27mm x 76mm	3/8"
06	22mm x 30mm	3/8"
07	22mm x 50mm	1/2"

Ref.9925 EGR VALVE SLIDE HAMMER PULLER - HYUNDAI / KIA



Applications	
Hyundai	
Tucson / ix35	2009 ~
Santa Fe / Maxcruz	2009 ~
Kia	
Sportage (R)	2010 ~
Sorento (R)	2009 ~
Carnival	2010 ~

Ref.10013 OXYGEN SENSOR SOCKET & THREAD CHASER SET


1/2" | 3/8"



For cleaning and repairing the thread of the oxygen sensor seat.

- 1x Thread chaser M12 x 1.25mm
- 1x Thread chaser M18 x 1.5mm
- 1x 1/2" Dr. Angled socket (22mm) x 50mm
- 1x 3/8" Dr. Elbow socket (22mm) x 31mm
- 1x 3/8" Dr. Deep socket with vertical cut (22mm), 6 Point, 80mm

Ref.10014 ARTICULATED OXYGEN SENSOR SOCKET - 22MM



- The head can be rotated 180 degrees
- 22mm hex head
- 8.8mm aperture
- Length 265mm

Applications:
BMW, FIAT, FORD, PEUGEOT

Size:
Socket height: 80mm

Ref.9128 EXHAUST PIPE RUBBER SUPPORT REMOVAL PLIERS



To facilitate the removal of the rubber support from the exhaust pipe.

Ref.1104 EXHAUST PIPE CLAMP REMOVAL & INSTALLATION TOOL - VAG



Ref.9210 EXHAUST PIPE CUTTER



Size
Length: 250mm Cutting Capacity: 2,5mm Max. Diameter of pipe: 75mm

Ref.9197 EXHAUST PIPE EXPANDER SET



Size
30 - 40mm., 38 - 62mm., 54 - 84mm

Ref.9006 EXHAUST PIPE CLAMP REMOVAL PLIERS



Ratchet system.

Applications
Peugeot, Citroën and Renault.

Ref.10958 EGT SENSOR SOCKET SET





6 PC SET

3/8"

Designed to remove exhaust temperature sensors

Size
13mm, 14mm, 17mm - 3/8" - 6 Point

Ref.9910 TURBO HOSE CLAMP PLIERS





- Essential tool for these specialised clips.
- Locking function.

Applications
VAG 2.0TDi.

Ref.10045 TURBO ACTUATOR TOOL SET - VAG

2 PC SET

1/4"



To adjust, remove and replace the pressure capsule and turbo actuator on VAG vehicles.

Applications
Golf VI, Golf Plus, EOS, Jetta, Passat, Passat CC, Scirocco, Tiguan, Transporter.

01	1/4"Dr Socket 10 mm - 6 point x 50 mm - OEM T10422
02	Half moon wrench 10 x 12 mm OEM T10423

Ref.11386 TURBO SYSTEM LEAKAGE TESTER



Set designed to test for pressure leaks in the turbo system.
Contains adaptors from 35mm to 90mm suitable for most passenger and light commercial vehicles.

Ref.10282 TURBO PRESSURE TESTER



Allows you to check the pressure and vacuum of the turbo on any Engine.

Supplied in plastic case

Size
· **Scale:** -1 a 3 Bar. · **Graduation:** 0.20 Bar. · **Hose length:** Length de 2 metros.

Includes
2 test needles

Ref.9629 TURBO SYSTEM LEAK TESTER SET COMMERCIAL VEHICLES

This kit is used to detect air leaks and cracks in the intercooler, tubes and pipes that connect the turbo to the intake manifold.



Size:
105/110mm 115/120mm 125/130mm

Ref.9747 TURBO WASTEGATE LOCKING GAUGE VAG 1.8 / 2.0 TFSI

PETROL



- Special tool designed to lock the wastegate during adjustment work on the charge pressure electric actuator of the exhaust turbocharger.
- For 4 cylinder 1.8 and 2.0 TFSi engines (III generation).

OEM
T40290

Ref.10384 TURBO INLET HOUSING SOCKET - RENAULT 1.6DCI

Special socket for turbo inlet housing screws on the Renault diesel R9M (1.6DCi) engine used in Reanult, Nissan, Opel and Mercedes models.

DIESEL

1/4"



Applications:
Renault

Size:
1/4" Dr. 10mm 8 point proflle. **Length:** 50mm

Ref.10989 OXYGEN SENSOR SOCKET - 3/8" DR. 22 MM

3/8"



Size:
3/8" Dr. 22mm - 6 Point

Ref.10880 2 IN 1 GASKET SCRAPER WITH REPLACEABLE BLADE







- Professional tool to remove gasket and glue from cylinder heads
- One steel blade for general use.
- One brass blade for use on aluminium head gaskets
- Ergonomic design with angle design

Replacement Steel Blade + Brass Blade
Ref 11070. Toolhub

Ref.10755 VALVE LAPPING ADAPTOR FOR DRILL



Use with an electric drill the adaptor will creator a left / right valve lapping motion



Cup Size
16, 20, 30, 35 , 45mm



VALVE LAPPING SUCTION CUPS Ref 10756.

Ref.9194 PETROL ENGINE CYLINDER LEAK TESTER



Designed to detect a variety of common engine failures such as worn piston rings, worn valves, cylinder head cracks and blown head gaskets.
Double pressure gauge that shows the percentage of leakage and cylinder pressure.
Suitable for use in any petrol engine 10, 12 or 14mm spark plugs

Ref.10715 HEAD GASKET LEAK TESTER



Designed to check for head gasket leaks via the presence of exhaust gases in the cooling system

Simple to use. Just fill the tester with liquid, bring the engine to temperature, and absorb the air in the expansion tank.
If the liquid changes color, it indicates a leak.

***Includes** Spare fluid*

Ref.7232 REACTIVE DYE (250ML) FOR REF. 10715



Ref.9472 PNEUMATIC VALVE LAPPING TOOL



A tool required for valve maintenance and repair.
Valve grinding system that uses percussion without rotation.
It is supplied in a box for easy transport and storage.

Variable speed	0 a 5600 rpm
Rubber pads	20, 30, 35 y 45mm
Alr intake	1/4"
Working air presure	6 bares (90 PSI)

Ref.1179 VALVE LAPPING STICKS



Rubber pads	19 - 22mm & 32 - 38mm
Lengths	245 & 255mm

Ref.9731 ENGINE CYLINDER HEAD COMPONENT ORGANISER








To organize and keep components separate during cylinder head repair.

- Avoid confusion when working on cylinder heads
- Space for 2 camshafts.
- Separate valve storage locations, springs, valve lifters, cylinder head bolts, etc.


Ref.6486 CYLINDER HEAD STAND


- Universal stands designed to assist cylinder head repair work.
- The cylinder head can be placed at a suitable height and free of any obstacle.
- Stable solid base



Ref.9463 VALVE SPRING COMPRESSOR









- Universal use for SOHC and DOHC Engines.
- Can be used to remove the valve springs without removing the cylinder head.
- Includes compressed air adaptor to keep valve closed.

Ref.3523 VALVE SPRING COMPRESSOR





- Two heads with Ø 25mm and Ø 30mm adaptors.
- The opening can be adjusted from 20mm to 140mm.
- Throat clearance of 150mm.
- For diesel and petrol engines.

Ref.6428 VALVE SPRING COMPRESSOR





- Head for Ø 25mm valves.
- The opening can be adjusted from 90mm to 140mm.
- Throat of 150mm.
- For medium size diesel or petrol engines

Ref.9150 VALVE SHIM REMOVER



- Compressor that facilitates the extraction of valve spacers.
- This tool is suitable for European cars with DOHC Engines, which use valve spacers.

Applications
- Opel, - Volvo, - Renault and Peugeot 1.5 & 1.7 Diesel.

Ref.9709 VALVE SPRING COMPRESSOR

Ideal for removing the spring, the fixing cup, the semi-cones and the valve clip band compressing the spring.





- Reversible jaw adaptor.
- Automatic locking of the cam action to the pre-set spring tension.
- Suitable for use in a wide range of OHV, OHC and CVH Engines

Ref.10428 VALVE SPRING COMPRESSOR – BMW



Tool for disassembling and reassembling the intermediate shaft control springs used in the VVT system of the BMW N13 (1.6), N20 (1.6 and 2.0), N26 (2.0) and N55 (3.0) petrol engines.

The variable valve timing system on these vehicles utilizes a spring loaded lever system which, if not properly supported when removed, can easily come off causing damage or injury.

Engines
1.6 N13 B16A, N20 B16A 2.0 N20 B20, N20 B20A, N20 B20B, N20 B20B/U0, N20 B2000, N26 B20,N26 B20A 3.0 N55, N55 B30A, N55 B30A/M0, N55 B30A/O0, N55 B30M0,N55 B30MO, N55 B3000

Year	OEM
2009 - 2018	117110 BMW

Ref.9672 VALVE ADJUSTMENT SOCKET

1/2"



Made of Chromium-Molybdenum steel.

Applications
Mercedes Benz M100 / 110 / 114 / 115 / 123 / 130
Size
17mm

Ref.3346 VALVE SPRING COMPRESSOR



Ø Outer	Ø Inner
30mm	27.5mm
25mm	23.5mm
23mm	21.5mm
19mm	16.5mm
16mm	13.5mm

Includes
• 1 Support with compression range: 230mm. • 5 Valve adaptors. • 3 Compression shafts: 70, 110 and 120mm • 1 90mm turning rod.

PISTON RING COMPRESSORS



	Ref.	Length	Cap.
01	1172	75mm	53-125mm
02	9520	100mm	90-175mm
03	9521	150mm	90-175mm

Ref.9456 PISTON RING PLIERS



To safely open piston rings.

Ref.1086 VALVE STEM SEAL PLIERS



Essential tool for both installing and removing valve retainers



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

Ref.9005 CYLINDER HONE 51 - 178MM



Includes medium grain stones

Capacity
51 x 178mm

SPARE STONES FOR CYLINDER HONE - REF. 9005



REF.	Size
1001	Fine grain 100 x 10 x 8mm
1002	Coarse grain 100 x 10 x 8mm
1003	Medium grain 100 x 10 x 8mm

Ref.9416 CYLINDER HONE 32 - 90MM

Includes medium grain stones
Capacity: 32 x 90mm



SPARE STONES

REF.	Capacity
9417	Medium grain 220 - Length 50mm

Ref.9202 METRIC FEELER GAUGE SET

20 PC SET



Size	
Inches	Metric
0.05 mm	0.65 mm
0.10 mm	0.70 mm
0.15 mm	0.75 mm
0.20 mm	0.80 mm
0.25 mm	0.85 mm
0.30 mm	0.90 mm
0.35 mm	0.95 mm
0.40 mm	1.00 mm
0.45 mm	
0.50 mm	
0.55 mm	
0.60 mm	

Ref.10200 METRIC & IMPERIAL OFFSET FEELER GAUGE SET


12 PC SET



Size	
Inches	Metric
0.008	0.203
0.010	0.254
0.012	0.305
0.013	0.330
0.014	0.356
0.015	0.381
0.016	0.406
0.018	0.457
0.019	0.483
0.020	0.508
0.025	0.635
0.026	0.660

Ref.9875 UNIVERSAL DRILL GUIDE SET

Allows fast and accurate drilling of broken or torn tapping screws into cylinder heads or exhaust flanges directly on the vehicle.
- Can be used universally with M8 and M10 screw threads
- It is not necessary to remove the cylinder head to work.



Contents	
Centering pin, tapered	Drill stop with cylindrical screws, 4.0 mm.
Guide sleeve, Ø 8.0 mm	Drill stop with cylindrical screws, 6.5 mm.
Guide sleeve, Ø 10.0 mm	Drill stop with cylindrical screws, 8.5 mm.
Hex nut, M8	Hex key, 2 mm.
Hex nut, M10	Hex key, 4 mm.
Drill bit with cylinder pin, 4.0 mm	Hex key, 5 mm.
Drill bit with cylinder pin, 6.5 mm	Special twist drill, Ø 4.0 mm.
Bushing with cylinder pin, 8.5 mm	Special twist drill, Ø 6.5 mm.
Guide sleeve, M8	Special twist drill, Ø 8.5 mm.
Guide sleeve, M10	

Ref.10361 OIL SPRAY CONTROL VALVE SOCKET - MERCEDES OM651

1/2" HEX 24



Special socket to disassemble the control valve of the oil spray nozzles in the piston cooling system of the Mercedes diesel OM651 engine.

OEM
651589000900

Ref.10048 ATF DRAIN PLUG SET - MERCEDES 9G TRONIC



DESCRIPTIONS	OEM
Alignment tool	725 589 00 90 00
8mm hex key	725 589 02 90 00
Dispenser	

Applications:
E350 Bluetec from 2013 CLS from 2014

Transmissions:
9G Tronic (725589029000, 725589009000)

Ref.9874 OIL FILTER WRENCH - VAG DSG GEARBOX





1/2"

- Designed to change the oil filter on DSG gearboxes on VAG vehicles.

Size:	24mm

Ref.10899 12V AUTOMATIC ATF FLUSH & CHANGE MACHINE

Designed to remove and change automatic transmission oil and to flush / clean the transmission, torque converter, oil cooler and oil lines.



Technical Information:

- 12V power supply.
- 70W pump power.
- Oil pressure gauge range: 0-10 BAR or 0-150 PSI.
- Used oil tank capacity: 30L.
- New oil tank capacity: 30L.
- Hose length: 2.56m.
- Maximum hose pressure: 20 BAR or 300 PSI.

Adapters Included					
1	Volkswagen	16	Volkswagen	34	Adaptable hoses (4)
2		17	Audi	35	
3		18		36	
4	Volkswagen, Toyota	19	Land Rover	37	
5		20	BMW	38	Adaptable hoses (2)
6	Volkswagen	21		39	
7		22			
8	Buick	23	Volkswagen		
9		24	Volkswagen		
10	Buick, BMW	25	Volkswagen, Peugeot		
11		26	Volkswagen, Yiguan		
12	Audi	27	Volkswagen		
13		28	Ford		
14		29	Buick		
15	Land Rover	33	Plastic hose		



Ref.11740 PNEUMATIC ATF FILLING & DRAINING SYSTEM 10L & ADAPTOR SET



Adapters Included		
Ref.		Applications
ATF101		Ford
ATF102		Universal for Bmw, Nissan,Honda etc.
ATF103		Audi, VW, Skoda
ATF104		Porche, VW, Audi
ATF105		Audi, VW, DSG
ATF106		Audi, VW, CVT
ATF107		Skoda, Audi, VW
ATF108		Skoda, VW
ATF109		Altis 2010, Benz 722.9

Adapters Included		
Ref.		Applications
ATF110		Skoda, Audi, VW
ATF111		Honda, Kia, Hyundai, etc
ATF112		Nissan, Infinity
ATF113		Toyota, Lexus
ATF114		Volvo
ATF115		Universal Offset

Ref.9631 ATF OIL PUMP/DISPENSER 9.5L - MANUAL



- Designed to fill ATF transmission fluids.
- 1.5m transparent tube.
- Features a valve on the end and a quick connector that accepts one of eight adaptors supplied in the set.

Adapters Included			
	Ford 1/8 NPT		VW / Audi / Mini Cooper M10 x 1.0
	BMW, Honda, Nissan, ETC		Mercedes M12x 1.5
	VW / Audi		VW / Audi DSG M24 x 1.5
	VW / Audi / Porsche		VW / Audi CVT M22 x 1.5

Ref.9632 ATF OIL PUMP/DISPENSER 4L - MANUAL



Ref.9683 ATF DISPENSING ADAPTOR SET



8 PC SET

Adapters Included	
	Ford 1/8 NPT
	BMW, Honda, Nissan, ETC
	VW / Audi
	VW / Audi / Porsche
	VW / Audi / Mini Cooper M10 x 1.0
	Mercedes M12x 1.5
	VW / Audi DSG M24 x 1.5
	VW / Audi CVT M22 x 1.5

Compatible with Ref. 9631 - 9632

Ref.9123 ATF DISPENSING ADAPTOR SET



3 PC SET


Applications:
- Mercedes M12 - 722.9 Gearbox
- VAG M22 - CVT Gearbox
- VAG M24 - DSG Gearbox

Compatible with Ref. 9631 - 9632

	Ref.	Applications
1	9683-6	Mercedes M12
2	9683-7	VAG M24 DSG
3	9683-8	VAG M22 CVT

INDIVIDUAL ATF ADAPTORS

All adaptors are compatible with References 9631 & 9632



	Reference	Applications
1	9645	Infiniti Caja 7 Speed M18 x 1,25
2	9646	Skoda / Toyota / Lexus M18 x 1,5
3	9647	BMW Mini Cooper
4	9648	Nissan Juke M12 x 1,25
5	9454	VAG M30 x 2,5
6	9165	Lexus & Toyota
7	9164	Volvo
8	9455	VW Passat & Tiguan

Ref.10057 ATF DISPENSING ADAPTOR BMW MINI





Size:
T55 x 17mm

Ref.10385 CLUTCH REMOVAL & INSTALLATION TOOL SET - VAG DSG



Set of tools for removing and installing the 6 and 7 speed DSG clutches used in VAG Group models.

OEM
T10323 / T10373 / T10374 / T10376.

Ref.10386 CLUTCH SERVICE SET - VAG DSG

Essential tool for the removal and installation on VAG 6/7-speed DSG gearboxes.
Contains clutch support device, gauge block, puller, thrust piece and assembly lever.



Applications
- VW: Golf since 2004, Golf Plus from 2005 onwards with 7-speed gearbox.
- Audi: A3 from 2004 onwards with 7-speed gearbox.
- VW: Touareg from 2003 onwards with 6-speed gearbox.

OEM
T10323, T10373, T10374, T10376, T10407

Ref.9745 ASSEMBLY LEVER - VAG DSG GEARBOX




To remove the mechatronic unit on VAG 7-speed DSG gearboxes it is necessary to keep the clutch unit from the gearbox separate throughout the entire process, this lever is specifically designed to perform this specific job.

VW	Golf 2004>, Golf 2009>, Golf Variant 2007>, Golf Variant 2010>, Jetta 2005>, Jetta 2011>, Passat 2006>, Passat CC 2009>, Eos 2006>
Seat	Altea 2005>, Altea 2009>, Toledo 2005>, Toledo 2013>, Leon 2006>, Leon 2009>, Leon 2013>, Altea XL 2007>, Altea XL 2009>, Altea Freetrack 2007, Altea Freetrack 2009>, Ibiza 2008>
Audi	A3 2004>

Ref.10047 CLUTCH RETAINING TOOL DSG - VAG





Allows the removal and installation of double clutch packs on the 6-speed DSG transmission of VAG group vehicles.

- For transmissions of type 02E - 6 speed
- OEM: T10303

Ref.10757 TRANSMISSION SIDE SHAFT COUNTERHOLD TOOL AUDI A4, A5 & Q5



Used when loosening the side shaft in order to remove the sensor module connector on 6-speed manual gearbox 0B2, four-wheel drive

OEM	T40217

Ref.10879 TRANSMISSION OIL ADAPTER - VAG DSG



Special adapter for filling automatic transmission oil in 7-speed DSG transmissions / dual clutch transmissions.

Applications
Tiptronic / S-Tronic 0B5, 0CJ, 0CK, 0CL, 0DN, 0DP

OEM
VAS 6617/12

Ref.10910 TRANSMISSION DRIVE SHAFT REMOVAL WEDGE



Aluminum shim to remove the drive shaft of VW gearbox with 6-speed 09G automatic transmission.

Size
Length: 262mm

OEM
T10161

Ref.10951 TRANSMISSION 5TH GEAR PULLER - FORD

Tool used to extract the 5th gear from the B5 and IB5 5-speed gearboxes



Applications
Focus Mk1, Mk2, Mk3, Ford KA, Mondeo, C-Max, Galaxy, EcoSport, Fusion, Transit, Transit Connect, with 5 speed gear boxes.

OEM
308-082

Ref.10234 FLYWHEEL LOCKING TOOL – VAG 1,4 TFSI/ TSI



This tool is used to lock the engine flywheel to allow loosening and tightening of the flywheel and clutch bolts on VAG Group 1.4 TFSi / TSi engines.

OEM:
T10044

Ref.10836 DIFFERENTIAL SEALING NUT WRENCH FOR VOLVO



Volvo angled gear sealing nut wrench. This tool is used on the AWD angle gear seal with the crowned nut. Used to remove and install the castle nut on the passenger side of the vehicle. Ensures the nut is installed straight so that the fine threads to not cross.

Applications:	S60,S80,V70,V70 XC, XC70, XC90
OEM	999-5731

Ref.10346 DUAL CLUTCH INSTALLATION / REMOVAL TOOL SET - FORD DPS6 / 6DCT250

This tool set is designed for the removal and installation of the dual-mass clutches of the Ford DPS6 and DCT 250 6-speed gearboxes.



Applications
Ford: B-Max, Ecosport, Fiesta, Focus, Transit, Transit Connect, Transit Tourneo.

Year
2008 – 2021

OEM
307-675.

** For oil seal installation and removal use tool set Ref. TOOLHUB 10356.

Ref.10936 TRANSMISSION GEAR PULLER - VAG MANUAL 5 & 6 SPEED



Designed to extract 5th gear in 5-speed gearboxes and 6th gear in 6-speed gearboxes

Applications
Audi A3 & TT **Seat** Altea, León & Toledo **Skoda** Fabia, Octavia, Superb & Yeti **Volkswagen** Escarabajo, Caddy, Eos, Golf, Jetta, Passat, Polo, Scirocco & Touran.

OEM
10309A

Ref.10357 DUAL CLUTCH TRANSPORT HOOK RESET TOOL - FORD DPS6 / 6DCT250



This tool is necessary to reset the transport hooks of dual-mass clutch packs on the Ford DPS6 and DCT 250 6-speed gearboxes.
Use following OEM instructions and do not attempt to use this tool on a new clutch pack which already has its transport hooks set.

Applications
Ford: B-Max, Ecosport, Fiesta, Focus, Transit, Transit Connect, Transit Tourneo.

Year
2008 – 2021

OEM
307-676.

Ref.10356 DUAL CLUTCH OIL SEAL INSTALLATION / REMOVAL TOOL FORD - DPS6 / 6DCT250



Set of tools that allows the removal and installation of the differential seals and the input shaft of the Ford DPS6 and DCT 250 6-speed gearboxes.

Applications
Ford: B-Max, Ecosport, Fiesta, Focus, Transit, Transit Connect, Transit Tourneo.

Year
2008 – 2021

OEM
307-671 / 307-672 / 307-673 / 307-674.

Ref.10916 CLUTCH ALIGNMENT MANDRIL - BMW MINI 6 SPEED MANUAL GEARBOX



Clutch plate alignment tool BMW Mini MK1 for 6-speed gearbox

Applications
W17 (1ND 1.4 D) W11 1.6 Petrol. Gear Box GS6-85BG

OEM
21 2 210

Ref.10915 CLUTCH ALIGNMENT MANDRIL - BMW MINI 5 SPEED MANUAL GEARBOX



Clutch alignment tool for BMW Mini MK1 clutch with 5-speed gearbox

Engine applications
W10B14AW10B16A

OEM
21 6 100

Year
From 2001-2006 Up to 2008 roadster

Ref.10244 ELECTRONIC CLUTCH POSITIONING TOOL - FIAT

Special tool to lock the selector lever inside the hydraulic actuation unit.




Applications
Fiat 1.3 Multijet. - C510 Dualogic

Ref.9993 SELF ADJUSTING CLUTCH TOOL SET



- Allows correct disassembly and assembly of self-adjusting clutches.
- The clutch cover compressor kit, with 6, 8 and 9 bolt configurations, allows the correct compression and mounting of the clutch cover to avoid damage to it.
- Includes 2 interchangeable expandable center disc alignment plates and 6 short BMW clutch mandrels.

Ref.10228 TRANSMISSION & DIFFERENTIAL OIL DRAIN PLUG KEY WRENCH



- Low profile design for use in areas with reduced access.
- 01. 14mm Hex end for transmission and differential.
- 02. 17mm 6 Point end for transmission and differential.

Applications:
BMW - Mercedes

Ref.9667 CLUTCH ALIGNMENT TOOL SET – BMW 2.0D & 3.0D

2 PC SET




Tool for centering the clutch disc or reinstalling a Self Adjusting Clutch (SAC). It can also be used to align new SAC pre-stressed clutches.

Size:
ø 15mm x 26.5mm / Centering Sleeve 15/32mm.

Ref.9748 DUAL CLUTCH REMOVAL TOOL - FORD MPS6/DCT450





Volvo	C30, C70 (06-), S40 (04-), S60 (11-), S80 (07-), S80L, V40 (13-), V40 Cross Country, V50, V60, V70 (08-), XC60.
Ford	Focus (04-), C-Max, S-Max, Galaxy, Mondeo (07-), Kuga (13-)
Chrysler	Sebring.
Dodge	Avenger, Journey.

OEM
9997435 (volvo) / 308-763 (Ford)

Ref.10350 CLUTCH ACTUATOR RESET TOOL

14 | 3/8"



Special 14 spline bit for resetting actuators before installing Ford dual mass clutches

Applications
Ford: B-Max, Ecosport, Fiesta, Focus, Transit, Transit Connect, Transit Tourneo, Bimasa DCT Ford.

Year
2008 – 2021

OEM
307-671 / 307-672 / 307-673 / 307-674 / 307-677

Ref.9475 CLUTCH ALIGNMENT TOOL SET - CARS AND LIGHT COMMERCIAL VEHICLES



11 PC SET

Contents

Mandrels: 15-19, 20-26 & 23-36mm.
Centering sleevs: 12, 14, 15, 16, 17, 18, 19 & 20mm.

Ref.9106 CLUTCH ALIGNMENT MANDREL SET



2 PC SET

Ajustable ranges:

15-19 & 20-26mm

Ref.9680 CLUTCH ALIGNMENT TOOL SET



11 PC SET

For simple alignment of vehicles with single plate clutches

Size:

Mandrels:: ø15 - ø28mm
Centering sleevs: ø12, 14, 15, 16, 17, 18, 19, 20mm

Ref.1084 CLUTCH ALIGNMENT TOOL



17 PC SET

- 8 Spigot adaptors
- 8 Guide sleeves.

Size:

10, 8-12, 2-13, 5-14, 7-15, 8-17, 1-18, 3 & 19, 9mm.

Ref.9677 CLUTCH ALGNMENT TOOL SET - INDUSTRIAL VEHICLES



6 PC SET

- Suitable for a wide range of industrial vehicles.
- Provides a quick adjustment to fit any diameter.
- Four interchangeable tips help with alignment .
- For single or double disc clutches.

Size:

Mandrel n°1 Ø 36-45mm
Mandrel n°2 Ø 42-52mm
Centering sleeves ø 20, 25, 27, 30

Ref.9666 CLUTCH ALIGNMENT PIN JAGUAR / LAND ROVER



Applications:

Land Rover Defender 2.4 TD4, Discovery TDV6,
Range Rover TDV6.
Jaguar X200-S Type

Ref. OEM: 308-419, 303-1096.

Ref.10068 SAC CLUTCH MANDREL SET - BMW



6 PC SET

Useful for centering the clutch on the flywheel while installing self-adjusting clutches on BMW vehicles.

Size:

Ø15mm x 23mm
Ø15mm x 32,5mm
Ø15mm x 26,5mm
Ø15mm x 34mm
Ø15mm x 28mm
Centerimg sleeve: Ø15mm x 32,5mm

Ref.9702 OIL COOLER LINE PLIERS - BMW



- Designed to easily separate the hydraulic cooling lines connected to the transmission.
- Time saving tool. Without this tool it is almost impossible to do it.
- Made of high quality carbon steel.
- Non-slip vinyl handle
- Adjustable in 4 positions.
- 15 and 22mm forks.

Applications:

BMW: E81, E82, E87, E46, E90, E60, E63, E65, E83, E53, E70, E85
BMW MINI: R50, R52 & R53.

Ref.10233 FRONT CRANKSHAFT SEAL REMOVAL & INSTALLATION TOOL FORD DURATORQ 2.0 / 2.2 / 2.4 / 3.2



Applications: **Jaguar** X type - **Land Rover** Defender
Engines: 2.0/2.2/24/3.2 TDDI / TDCI
OEM: 303 679A, 303-682

Ref.9096 UNIVERSAL CRANKSHAFT & CAMSHAFT OIL SEAL INSTALLATION SET



A universal set which covers a wide range of vehicles with oil seals between 27mm and 58mm in diameter.

Includes
· 7 x Blue aluminium adaptors · 5 x Large chrome adaptors. · 7 x Small chrome adaptors. · Puller for use with oil seals between 27 ~ 58mm diameter

Ref.10065 REAR CRANKSHAFT OIL SEAL INSTALLATION TOOL



Engine
2.2 Diesel (224DT)

Models
Jaguar XF **Land Rover** Freelander 2 **Range Rover** Evoque

OEM
303-1271

Ref.10229 CRANKSHAFT TRIGGER WHEEL INSTALLATION TOOL JAGUAR / LAND ROVER



Applications:
Jaguar / Land Rover / Range Rover

Engines
Jaguar X200 / X250 / X350 / X351 **Land Rover** Discovery 3 & 4 **Range Rover** Sport

OEM
303-1130

Ref.10004 CRANKSHAFT OIL SEAL INSTALLATION SET MERCEDES OM651



Applications:
OM651

OEM
651589006100 / 651589016100

Ref.10003 CRANKSHAFT OIL SEAL INSTALLATION SET - MERCEDES



It is used to install the front and rear crankshaft oil seal.

Applications:
M102 / M111 / M112 / M113 / M137 / M156 / M159 / M272 / M275 / M285 / OM601 / OM602 / OM603 / OM604 / OM605 / OM606 / OM628 / OM629.

OEM
1195899011400 / 11589084300

Ref.10355 FRONT CRANKSHAFT OIL SEAL INSTALLATION TOOL



Applications: Citroën, Peugeot, Ford
Engines: 1.4/1.6 Diesel (DV4/DV6)
OEM: 303-733

Ref.10387 CRANKSHAFT SEAL INSTALLATION TOOL - VW CRAFTER 2.5TDI



Special tool to install the crankshaft seal and ensure that the sensor is correctly aligned.
OEM: T50100

Ref.9872 REAR CRANKSHAFT SEAL INSTALLATION TOOL - VAG




Reference OEM	T10134 & T10017

Ref.10219 WATER PUMP TESTER



Designed to check the operation, with the engine running, of the mechanical action water pump. The analyzer effectively indicates the flow of refrigerant. To do this, it measures the small increases in pressure produced by the circulation of the refrigerant around the engine block. It makes it easy to identify pump problems due to damaged impellers, impeller shaft seizure, and excessive water pump belt or mechanism slippage. The kit can help you identify these problems before removing the engine, facilitating faster and more effective diagnosis.



Includes

01. Gauge (low pressure, 0-15 psi)
02. Stop plugs x 2
03. Seals x 2
04. 6mm plastic hoses (2m)
05. Hose connector
06. Tube connector body (2pcs)

Ref.8000 COOLING SYSTEM TESTER



25 PC SET

· Allows you to check for leaks in the cooling system, water pump, gaskets, radiators and heating radiators, cylinder head gaskets, hoses and housings.

Compatible:

Alfa, Audi, BMW, Chrysler, Citroën, Daewoo, Fiat, Ford, Honda, Hyundai, Kia, Lancia, Mazda, Mercedes, Mitsushi, Nissan, Peugeot, Renault, Rover , Saab, Seat, Skoda, Suzuki, Toyota, Vauxhall / Opel, Volvo, VW

Ref.7231 COOLING SYSTEM TESTER


20 PC SET



Allows you to check for leaks in the cooling system, water pump, gaskets, radiators and heating radiators, cylinder head gaskets, hoses and housings

Ref.9633 UNIVERSAL COOLING SYSTEM TESTER





The rubber body of the adaptors allows them to be used in most refrigeration systems in the automotive industry

· User can perform cooling system and pressure test diagnosis simultaneously
· 0 - 35 psi.
· Supplied in plastic case.

Size

01. 17 - 24mm
02. 28 - 31.5mm
03. 37 - 39.5mm
04. 47 - 48.5mm

Ref.10700 COOLING SYSTEM PRESSURE TESTER & FILLER SET



Complete kit for checking the tightness of cooling circuits. Allows you to check for leaks in the cooling circuit, water pump, radiator, cylinder head gasket, heater core, hoses, etc.

It also includes a tool that allows you to bleed the air circuit and refill it with fresh coolant without air bubbles.

Ref.9634 COOLING SYSTEM TESTER – INDUSTRIAL VEHICLES





Universal kit to check for leaks in the cooling system, water pump, gaskets, radiators, heater radiators, cylinder head gasket, hoses and housings on industrial vehicles.
It contains a pressure gauge on the pump and a quick coupling system with 7 adaptors

Applications

DAF, ERF, Iveco, Man, Mercedes, Renault, Scania, Volvo

Ref.9639 COOLING SYSTEM FILLER SET





6 PC SET


Enables the user to rapidly replenish standard workshop air supply.

Simple operation with Standard workshop air supply.
Supplied with 1.3m transparent hose and universal cone adaptors for the majority of vehicles.

Ref.9938 COOLING SYSTEM FLUSH GUN



- Suitable for any type of vehicle.
- Universal cone head with 5 sizes:
- Fast and effective.
- Enables debris to be flushed from the cooling system.
- Works with standard workshop air supply in combination with normal mains pressure tap water.



Size			
A	19mm	E	40mm
B	29mm	F	315mm
C	32mm	G	120mm
D	36,5mm		

Ref.4449 VISCOUS FAN HUB WRENCH SET



Allows you to hold the water pump pulley and loosen the heater fan at the same time

Includes:
· 32mm viscous fan wrench · 36mm viscous fan wrench · 65mm viscous fan wrench · Holding wrench for viscous coupling fans · Viscous coupling fan wrench for Mercedes. · Fan coupling nose piece for Mercedes · 1/2 " clamping wrench · Several adaptors.

Ref.9195 ANTIFREEZE DRAIN PAN



Capacity:	15 Litres

Ref.9402 ANTIFREEZE TESTER



Workshop tool necessary to determine the concentration or density value of the antifreeze liquid.

Ref.2116 VISCOUS FAN HUB WRENCH



Slim profile wrench to remove the viscous thermo fan mounted on a large selection of vehicles

Size:
32 - 36mm

Ref.10925 RADIATOR DRAIN PLUG WRENCH - SLOTTED



Designed to remove flat slotted radiator plugs

Applications
BMW, Chrysler, Ford, Land Rover, Mercedes, Vauxhall/Opel.

Size
14mm x 2.5mm

Ref.10918 RADIATOR DRAIN PLUG WRENCH - CROSS SLOTTED

3/8"



Ideal to avoid damaging the plastic plug.
Can be used with 17mm socket or 3/8" ratchet.

Ref.11374 UNIVERSAL COOLANT FILLING FUNNEL KIT

8 PC SET



Designed to allow for quick and easy coolant filling without spillage or air bubbles.

Contains a wide variety of adaptors for many vehicles.

Ref.10252 FLEXIBLE HOSE CLAMP PLIERS SET - INTERCHANGABLE JAWS







4 PC SET

3 interchangeable jaws with flexible cable

Includes:
1 x 670mm for Standard hose clamps (3-52mm)
1 x 670mm double sided for spring and common type clamps (0-75mm)
1 x 635mm for Clic-R clamps (0-24mm)

Ref.10251 FLEXIBLE HOSE CLAMP PLIERS SET - INTERCHANGABLE JAW



Professional pliers for compressing expansion clamps used in flexible fuel, oil and water lines.
Allows you to work in inaccessible places thanks to the long flexible cable (630mm).
Use in automotive workshops, machinery, motorcycles, trucks ... and all kinds of engines.


Ref.10294 SPARE CABLE FOR 10251 / 10252



Ref.9578 FLEXIBLE HOSE CLAMP PLIERS



Quick-acting clamp pliers. Triple action universal jaw to open more types of hose clamps including the special VAG type





SECREW TYPE HOSE CLAMPS TOOLS



	Ref.	Length	Cap.
01	9595	85mm	60mm
02	9596	67mm	36mm

Ref.5122 FLEXIBLE HOSE CLAMP PLIERS



Pliers designed only to work with cooling clamps as shown in the image, not suitable for use with turbo, intake, or exhaust clamps.

Size
18 - 54mm



Ref.9704 HOSE CLAMP PLIERS SET

3 PC SET





- Long Extended Reach Handle
- 360° rotating attachment points with grooves to securely hold the clamps.
- Grooved tips for most clamps.

Grooved tips for most clamps

Includes
1 x straight tip 1 x 45° angled tip 1 x 90° angled tip

Length: 330mm

Ref.9525 HOSE CLAMP PLIER SET

9 PC SET



Includes
• Pliers for special hose clamps with bowden cable (approx. 630mm long) - Click and clic-r type clamp pliers (180 mm long). - Flat Band Hose Clamp Pliers. - Swivel Jaw Hose Clamp Pliers (Cross slot) - Angled Flat Band Hose Clamp Pliers - Hose Remover Pliers. - Swivel Jaw Hose Clamp Pliers - Screwdriver(for slot and cross slot) - Flexible tube remover (special hook)

Ref.5014 HOSE CLAMP PLIERS



Allows you to easily remove and install elastic clamps

Ref.9133 HOSE CLAMP PLIERS CLIC & CLIC R



Used to open and close the reuseable Clic/ Clic-R type hose clamps..
Length: 170mm



Ref.9880 FLEXIBLE HOSE CLIP NUT DRIVER SET



5 PC SET

1/4"

Flexible screwdriver with interchangeable hexagonal sockets.
- Ideal for adjusting flanges and clamps in places with difficult access.
- Ergonomic handle,.


Socket sizes
5, 6, 7 & 8mm

Ref.9127 HOSE PINCH TOOL SWIVEL HEAD



Ref.6336 HOSE PINCH TOOL SET

3 PC SET



3 different sizes to fit most vehicle hoses (petrol, brakes, coolant, etc)
Jaw with rounded edges, avoids damaging the hose

Ref.10362 ANGLED HOSE PINCH TOOL SET

3 PC SET





Jaw with rounded edges, avoids damaging the hose.

Ref.10025 AIR CONDITIONING TEST & CHARGING SET



- To recharge and check air conditioning systems.
- R-134a & R12 gas couplings (color-coded). (Also sold separately Ref. Toolhub 10027)
- Individual shut-off valves for the pressure gauges.
- Charging tubes in three colors with a length of 1.5 m each.
- Blue indicator (low): 0-350 psi
- Red indicator (high): 0-500 psi

Ref.10921 A/C COMPRESSOR CLUTCH HOLDING TOOL - FORD DV6 1.6 TDCI



Designed to hold the air conditioning pump clutch to remove the pump or clutch pulley.
Used with 3/8" square drive.

Applications
Ford Transit Custom PHEV from 2012

OEM
412-154

Ref.9928 AIR CONDITIONING LINE DISCONNECT TOOL SET - VAG



Compatible
Audi - A3 2004> ; A4 2001> ; A5 2008> ; Q5 2008> ; TT 2007>
Seat - Ibiza / Cordoba 93 ; Ibiza / Cordoba 99 ; Ibiza 02 / Cordoba 03 ; Ibiza 2008 ; Leon 2006 ; Leon 2009 ; Toledo / Leon 99 Toledo 2005 ; Alhambra 2011 ; Altea 2005 ; Altea 2009 ; AlteaXL 2007 ; AlteaXL 2009 ; AlteaFreetrack 2007 AlteaFreetrack 2009 ; Exeo 2009 ; Arosa ; Inca

Ref.6494 AIR CONDITIONING & FUEL LINE DISCONNECT TOOL SET

Kit 9 PC SET



Size
1/2 "/ 13 mm - 5/8" / 16mm - 3/4 "/ 19 mm - 7/8" / 23mm -5/16 "/ 8 mm, 3/8" / 9 5 mm - 1/2 "/ 13 mm - 5/8" / 16 mm - 3/4 "/ 19 mm

Ref.10922 A/C COMPRESSOR CLUTCH HOLDING TOOL - FORD DV6 1.6 TDCI

Designed to hold the air conditioning pump clutch to remove the pump or clutch pulley.
Used with 3/8" square drive.

3/8"



Applications
Ford Fiesta, C-max, B-max

OEM
412-103

Ref.10208 RECHARGEABLE ULTRAVIOLET LED LAMP



Size: 198 x 45 x 26mm

- 6 UV SMD leds on front:.
- 1 UV SMD led on top for use as directional torch.
- Ergonomic durable plastic case with rubber coating.
- Strong magnetic base with folding 180⁰ design, 2 magets on rear and hanging hook for hands-free use.
- Operating time: Front 5hrs, Top 10hrs.
- Charging time: 3.5 hours
- Charging indicator.
- IP54 protection rating.
- Supplied with USB charging cable.



Ref.10027 AIR CONDITIONING QUICK COUPLER SET



- Color coded.
- Quick and easy to connect / disconnect
- High flow rate..
- Couplings R-134a & R12

Ref.10923 A/C COMPRESSOR CLUTCH HOLDING TOOL - FORD DV6 1.6 TDCI

Designed to hold the air conditioning pump clutch to remove the pump or clutch pulley.
Used with 3/8" square drive

3/8"



Applications
Ford C-max, B-max, Ecosport, Edge, Fiesta, Focus, Galaxy, Kuga,S.Max, Transit Courier

OEM
412-134

Ref.11051 R1234YF AIR CONDITIONING QUICK COUPLER SET

2 PC SET



Connectors designed to work specifically with 1234YF gas.
This gas is much more volatile than the older type, and these adapters provide a secure and effective connection to the vehicle's air conditioning system.
Quick-connect connection system with integrated thread to ensure the connector never releases itself.



Ref.11396 AIR CONDITIONING VALVE CORE SET



- 10 Valves CH-9520C
- 10 Valves CH-9800 R134
- 5 Valves CH-L08
- 5 Valves CH-H10
- 5 Valves CH-V066
- 5 Valves CH-GMH 1 Valve
- Screwdriver

Ref.10920 A/C COMPRESSOR CLUTCH HOLDING TOOL FORD TRANSIT 2.0D

3/8"



Designed to hold the air conditioning pump clutch to remove the pump or clutch pulley.
Used with 3/8" square drive.

Applications
Ford Transit Custom PHEV

OEM
412-157

Ref.10904 ADBLUE PRESSURE TESTER



Includes
- Pressure gauge with tube and connector for SCR system. - 1 additional connection tube with straight connectors - 1 additional connection tube with 90° connectors for easy connection at hard-to-reach areas. access.

Ref.10924 ADBLUE CAP WRENCH - PSA



Tool for removing the AdBlue® tank cap even if it is blocked by urea crystallization.

Applications
Peugeot: 208, 301, 308, 308SW, 508, 508SW, 2008, Expert, Partner, Rifter. **Citroën:** C3, C3 Picasso, C4 Cactus, C4 Picasso, C4 Grand Picasso, C5, DS3, DS3 Cabriolet & Jumpy.

Ref.10906 ADBLUE FILLING FUNNEL - STRAIGHT NECK



Designed to be screwed directly into the AdBlue® filler neck, with anti-spill valve.

Capacity
1.1 Litres

Ref.10907 ADBLUE FILLING FUNNEL - ANGLED NECK



Designed to be screwed directly into the AdBlue® filler neck, with anti-spill valve

Capacity
1.1 Litres

Ref.10902 ADBLUE SYRINGE



· Syringe, made of durable materials, for extracting Adblue and other fluids.
· With a shut-off valve to prevent fluid spills.
· The 41 cm tube reaches the bottom of the tank to extract all the fluid.
· Can be used to extract and inject coolant, water, brake fluid, oil, fuel, etc.

Capacity
1.5 Litres

Ref.9675 ADBLUE FILTER SOCKET



Special socket for tightening and loosening the Adblue filter.
Size: 46mm x 6 flutes.



Maintenance of AdBlue systems in modern vehicles requires specific and exclusive tools.
These are vital for the filling, diagnosis, and safe handling of this fluid. Using appropriate tools ensures efficiency.
We offer exclusive tools for AdBlue.

View our catalogue at **www.thetoolhub.co.uk**

Ref.9115 EOBD II CODE READER



- Works on all OBDII/EOBD compliant petrol (from 2001) and diesel (from 2004) vehicles.
- Reads and clears generic codes (P0, P2, P3 & U0) and manufacturer specific codes (P1, P3 & U1).
- Features on-screen code definitions.
- Turns off the engine malfunction indictaor light (MIL) and resets monitors.
- Gives access to live data streams from engine modules and stores freeze frame data.
- Retrieves vehicle information (VIN, CIN and CVN).
- Multiple languages: English, German, French, Spanish, Potuguese, Dutch, Finnish & Russian.
- Compliant with CE, UKCA, FCC and ROHS regulations.

Ref.6324 MECHANICS STETHOSCOPE



Helps to easily detect noises and vibrations by amplifying the sound.

Ref.4422 VACUUM & PRESSURE TESTER

Diagnostic tool which can help to locate problems in a variety of vehicle systems.



Ideal for locating faults in:
Fuel lines, ignition systems, air conditioning & heating systems, brake systems etc,.

Includes

- Brake & clutch bleeding accessories.
- Pistol type pump with vacuum & pressure function

Specifications

- Pressure: 0 to 4 Bars.
- Vacuum: 0 to -1 Bar.

Ref.9204 VACUUM & PRESSURE TESTER



Suitable for the control of pressure and vacuum systems such as turbo system, solenoid valves,, MAP sensors, cylinder heads, valve stem oil seals etc.

- Also suitable for brake bleeding.
- 63.5mm pressure & vacuum guage.
- Pressure range: 0 to 3 bars.
- Vacuum range: 0 to -1 bar.

Ref.9524 PETROL ENGINE FUEL PUMP VACUUM TESTER



Can be used to:
- Detect faults in the fuel pump, fuel and other vacuum systems.
- Check pressure in the pressure sensors, exhaust oxygen or lambda sensors.

Includes

- 63mm guage with dual scale: 0 to 10 psi / 0 to -70 Hg
- Set of connectors.

Ref.6722 OIL PRESSURE TESTER



Allows the user to check the oil pump pressure.

Includes

- Dual scale gauge with rubber protector: 0 - 10 bar / 0 -140psi.
- Flexible hose with quick coupler connector: 100cm.
- 10 adaptors.
- 1 90° quick coupler.

Ref.4294 ELECTRONIC ESTETHOSCOPE



Allows you to listen and compare up to 6 different zones at the same time. Supplied with 6 meter cables to enable the user to compare the exhaust outlet, the muffler and the intake at the same time.


Offers maximum sensitivity to noise with an adjustable high power amplifier.
Includes test probe and 6 testers with clamp and 5 metre cable.
The selector switch allows you to switch between the 6 inputs, and allows you to easily compare and detect mechanical problems in the engine, transmission, intake, exhaust, injectors, radiators, valves and fuel tanks.
Large headphones, offer maximum comfortwith 2 meter cable

Ref.1155 INFRA-RED DIGITAL THERMOMETER



Includes

- Measurement Range: -50 to 550°C (-58 1022 °F)
- Accuracy: + -1.5°C / + -1.5%
- Resolution: 0.1 °C or 0.1 °F
- Object distance ratio: 12: 1
- Emission: 1.10 - 1.00 Adjustable (0.95 preset)
- Selectable unit: °C / °F
- Auto power off
- Laser ON / OFF selectable
- Backlight ON / OFF
- Battery: 2 x AAA 1.5V.



04

BRAKES

Catalogue 2025

www.thetoolhub.co.uk

Ref.9649 12V BRAKE & CLUTCH PRESSURE BLEEDER



- Portable and autonomous.
- Compatible with ABS systems.
- 12v power supply with prevention against reversal of polarities.
- Stainless steel body.
- Peristatic pump with automatic stop, there is no direct contact between liquid, air and moving parts of the pump.
- Regulator from 0 to 3.2Bars.
- 2 litres tank with visible level and minimum level indication.
- Wide tank opening for easy cleaning.
- 12v power cable.
- Flexible brake fluid supply hose with quick coupling, brake fluid recovery pot with hook chain.
- Supplied with universal European adaptor.

Ref.10984 12V BRAKE & CLUTCH PRESSURE BLEEDER



Includes

- 12v connection.
- European adapter.
- Brake fluid reservoir with bleeder nozzle.
- Pressure range 0-6 bar 0-87 Psi.
- Filler hose length: 3.5m.

Ref.9650 PNEUMATIC BRAKE & CLUTCH PRESSURE BLEEDER



Low pressure tank (20-40 PSI)
It can be pre-charged with compressed air, making the unit totally portable.

- Suitable for use with ABS systems.
- Allows one person to do the job. safely and comfortably.

Includes

- European Adaptor.
- Universal Adaptor.

Ref.10896 PNEUMATIC PRESSURE BRAKE & CLUTCH BLEEDER 2L



Low pressure tank (20-40psi), for pre-charging & working at a distance from the air supply. Suitable for ABS systems, for one person to bleed the brakes.

INCLUDES ADAPTER SET REFERENCE 10909

Ref.1096 PNEUMATIC VACUUM BRAKE BLEEDER



The kit allows one person to bleed the brake fluid. Suitable for cars, vans, trucks and motorcyles. Uses Standard garage compressed air supply.

Ref.11082 MANUAL PRESSURE BRAKE BLEEDER 2.5L





Simple one person use with 2.5L tank to allow complete change of brake fluid.


Size

170 x 190 x 420mm.
Weight: 1140 G.

Includes

European adapter

Ref.10909 BRAKE BLEEDING CAP ADATOR SET



17 PC SET

Brake bleeding adapter set, 90% of brake fluid resevoirs.

Compatible with 10896, 9650, 9649, 9628

SIZES			
A	39,5mm	G	45,5mm
B	33mm	H	56,5mm
C	39,5mm	I	55,5mm
D	41,5mm	J	121x180mm
E	43mm	K	101mm
F	44,5mm	L	47-94mm

Ref.10712 AIR BRAKE & CLUTCH BLEEDER





Uses air supplied by the car tyre. Valve to control air pressure. Extra long tube for large vehicles and magnetic base to avoid spills.

Can be used with ABS system.

Adaptors

1x25mm - 1x27mm - 1x44/45mm, 1x46mm.


Ref.10990 BRAKE PRESSURE TEST KIT

24 PC SET



Designed to check the correct operation of the brake system. For example, at the main cylinder, brake bleeders or pump. It has two pressure gauges with a working range from 0 to 250 kg/cm2 with 22 adapters for connections

Ref.9733 TWIN BRAKE BLEEDING HOSE FOR MOTORCYCLES



Specifications:
• 2 Bleed nozzles with hooks
• Silicon hoses
• **Length:** 1.060mm (x2)
• **Diameter:** Internal 3mm / External 7mm

Ref.11019 BRAKE FLUID & TYRE PRESSURE TESTER







2-In-1 Brake fluid tester and tyre pressure gauge. Easy to read tlight system to show moisture levels in the brake fluid.
Compatible with DOT 3, DOT 4 and DOT 5.1 brake fluid. Tyre pressure guage with digital display and lightwhich can be displayed in bar, psi, kPa and kg/cm^2.
Range: 3-150psi(0.2-10.4bar).

Specifications
• **Pressure Range:** 3-150 psi.
• **Brake Fluid Gauge:** good, fair, bad
• **Units:** psi, kPa, bar, kg/cm^2.
• **Batteries included:** (2) 1.5 V, LR44

Ref.9630 UNIVERSAL BRAKE BLEEDING ADAPTOR





- Adapts to most brake system.
- Includes universal coupling.
- Achieves a quick fit by means of two adjusting screws and a chain.

Ref.10410 BRAKE BLEEDING WRENCH SET



Designed to release the bleeder without damaging the thread, the faces of each key hold the bleeder perfectly. In addition, the hose can be attached to the key itself to remove the brake fluid.

7 PC SET

Sizes
7, 8, 9, 10, 11, 12mm.

Individual wrenches available.

Ref.	Size
9623	7mm
10686	8mm
9624	9mm
10687	10mm
10688	11mm
10689	12mm

Ref.11103 BRAKE BLEED ADAPTORS - TESLA MODEL 3/Y - S/X

2 PC SET



Compatible with 10984

Ref.10044 FLEXIBLE HANGING HOOK SET

2 PC SET



Support hooks to prevent the weight of the loose caliper from damaging the brake pipes.

Size
Length: 240mm

Ref.9898 BRAKE CALIPER SOCKET - AUDI / PORSCHE 3/8"DR. 10TEETH 9MM

3/8"



Applications
Audi, Porsche y Volkswagen.

Size
3/8" Dr. 9mm – 10 Teeth

Ref.9732 BRAKE BLEEDING NOZZLE



- Valid for most brake bleeders.
- Suitable for bleeding brakes or clutches.
- It can be used with manual or pneumatic bleeders.

Ref.10298 BRAKE CALIPER REWIND TOOL SET



24 PC SET

Kit designed to retract brake pistons, preventing damage to the seals.
Magnetised spindles for left or right hand threading.
Allows the brake pistons to be retracted by turning & pressing them at the same time.

Includes

- 1 Right-hand threaded bolt
- 1 Left-hand threaded bolt
- 2 Retaining plates
- 19 Multi-brand adapters
- 5 Washers
- 1 Plastic case

Ref.10020 BRAKE PISTON REWIND TOOL SET

5 PC SET



- Right hand screw wrench
- Reaction plate
- Universal Adaptor (38/43 / 54mm)
- PCD 22 / 32mm double sided adaptor
- 20mm PCD Adaptor

Ref.9609 UNIVERSAL BRAKE PISTON REWIND TOOL SET

6 PC SET



The adjustable adaptors adapt to any type of brake piston, both left and right thread, in this way this kit becomes an indispensable tool.

Ref.2807 BRAKE PISTON REWIND TOOL SET LEFT HAND THREAD

5 PC SET



Applications

Citroen, Ford & Renault vehicles with left-hand thread brake pistons.

Ref.9606/1 PNEUMATIC BRAKE PISTON REWIND TOOL + UNIVERSAL ADAPTOR SET



Ref.9063 PNEUMATIC BRAKE PISTON REWIND TOOL



- For left and righ hand threaded pistons.
- Compatible with most brake piston rewind sets.

Ref.9606 UNIVERSAL BRAKE PISTON REWIND ADAPTOR SET

2 PC SET



2pc adaptor set with 2 and 3 pin configurations to cover the majoritand of vehicles.

Works with most 2 point reaction wrenches (such as Toolhub Ref 10298)

Ref.3060 BRAKE PISTON SPREADER

1/2"




Used to wind back brake pistons when replacing brake pads. Suitable for quad pistons found on some BMW & Mercedes vehicles

Size
12.5mm - 92.5mm.

Ref.10692 BRAKE DISC THICKNESS & TYRE TREAD DEPTH GUAGE TOOL

Useful tool to quickly measure the brake disc thickness.
Can also be used to measure the depth of tyre tread.



Scale
0 - 60mm

Ref.1166 BRAKE PAD MEASURING GAUGE

8 PC SET



2mm. & 3mm. Replace urgently.
4mm, 5mm & 6mm. Precaution.
8mm, 10mm & 12mm. Pads OK.

- Gauges to measure brake pad wear.
- Uses traffic light color system to indicate urgency to change the pads.

Ref.9656 PIPE DEBURRING TOOL







It is used to remove burrs from the brake pipes allowing the brake system to work efficiently and for longer.


Capacity
internal 3 - 12mm; external 4 - 14mm.

Ref.9763 HAND BRAKE CABLE SPRING PLIERS



Allows quick and easy removal and installation of the parking brake cable by compressing the retention spring.

Ref.9944 BRAKE PIPE FLARING TOOL SET



Produces accurate automotive SAE and DIN flares on 4.75mm (3/16"), 5mm and 6mm brake pipes.


Includes
• Dies 4,75mm (3/16"), 5mm and 6mm. • Punch 4.75/5mm SAE. • Punch 6mm SAE • Punch DIN 4.75/5mm. • Punch DIN 6 mm • Punch OP 4.75/5/6mm.

Ref.9529 BRAKE PIPE FLARING SET



Includes die and punch sizes
3/16 ", 1/4", 5/16 ", 3/8", 7/16 ", 1/2", 5/8 "

Ref.9418 CYLINDER HONE - 2 ARM



Size
Capacity Ø: 19-56mm. **Stone size**: 30mm

Ref.9419 SPARE STONES FOR CYLINDER HONE 9418



Size
30mm

Ref.9695 BRAKE PIPE BENDING PLIERS



- **Compatible with two sizes of pipe:** 4mm & 6mm (3/16 -1/4").
- Ideal for bending fuel and brake pipes.
- Suitable for use on most types of material (aluminum, steel, copper).
- It allows curves at 45º or 90º.

Ref.9407/1 DIAL GUAGE INDICATOR AND MAGNETIC STAND



Ref.9406 MAGNETIC STAND FOR DIAL GUAGE



Ref.9407 DIAL GUAGE INDICATOR



- Rotating scale
- **Diameter:** 60mm
- **Deflection/travel:** 10mm
- **Graduation:** 0.01mm

Ref.10736 BRAKE CALIPER SOCKET & BIT SET



17 PC SET | 1/2" | 3/8" | 1/4"

This set contains a comprehensive range of specialist socket bits and sockets for use on brake caliper fittings.

Aplications BMW, Audi, Porsche, Volkswagen, Mercedes y Ford.

Content

- Stubby Hex Socket Bits: 7mm, 8mm & 9mm.
- Hex Socket Bits: 7mm x 50mm, 7mm x 65mm, 7mm x 92mm & 11mm x 100mm.
- Pentagon Socket Bits: 10mm x 55mm.
- Pentagon sockets: 10mm, 12.5mm, 14mm & 19mm.
- 7 Point Special Sockets: 14mm & 22mm.
- 10 Point Special Sockets: 11.5mm, 15mm & 20mm.

Ref.9899 BRAKE CALIPER SOCKET SET

3/8"



- Designed for SAF, NFZ & Knorr type calipers
- Made of Cr-V steel.

Sizes

HEX 8, HEX 10, m Square 10 and 11 point.

INDIVIDUAL BRAKE CALIPER SOCKETS & BIT SOCKETS





Ref.	Description	Drive	Size
10737	BRAKE CALIPER HEX SOCKET BIT	3/8" DR.	11MM X 100MM
10738	BRAKE CALIPER HEX SOCKET BIT	3/8" DR.	7MM X 92MM
10739	BRAKE CALIPER HEX SOCKET BIT	3/8" DR.	7MM X 65MM
10740	BRAKE CALIPER HEX SOCKET BIT	3/8" DR.	7MM X 50MM
10741	BRAKE CALIPER PENTAGON SOCKET BIT	1/2" DR.	10MM X 55MM
10742	STUBBY BRAKE CALIPER HEX SOCKET BIT	3/8" DR.	7MM X 24MM
10743	STUBBY BRAKE CALIPER HEX SOCKET BIT	3/8" DR.	8MM X 24MM
10744	STUBBY BRAKE CALIPER HEX SOCKET BIT	1/4" DR.	9MM X 20MM
10745	PENTAGON BRAKE CALIPER SOCKET	1/2" DR.	19MM
10746	PENTAGON BRAKE CALIPER SOCKET	1/2" DR.	14MM
10747	PENTAGON BRAKE CALIPER SOCKET	1/2" DR.	12.5MM
10748	PENTAGON BRAKE CALIPER SOCKET	1/2" DR.	10MM
10749	7 POINT BRAKE CALIPER SOCKET	1/2" DR.	22MM
10750	10 POINT BRAKE CALIPER SOCKET	1/2" DR.	20MM
10751	10 POINT BRAKE CALIPER SOCKET	1/2" DR.	15MM
10752	10 POINT BRAKE CALIPER SOCKET	1/2" DR.	11.5MM
10753	7 POINT BRAKE CALIPER SOCKET	1/2" DR.	14MM

Ref.1089 PENTAGON SOCKET & BIT SET

3 PC SET

3/8"



Includes

Pentagon sockets: 14 & 19mm.
Pentagon bit socket: 10mm.

Ref.10726 SPECIALIST BRAKE CALIPER SOCKET – 3/8" DR – 11POINT

Specialist 11 point socket for Knorr Bremse calipers on many HGV vehicles

3/8"

11



Applications include:

DAF, MAN, Mercedes, Scania, BPW & SAF.

Size

3/8" Dr. 11Pt – 8mm x 26mm.

Ref.10727 RATCHET FLARE NUT COMBINATION WRENCH SET

5 PC SET



Set of flare nut ratchet wrenches made from high quality chrome vanadium steel with 72 tooth ratchet ring end. Ideal for working on brake lines.

Size

8mm, 9mm. 10mm, 11mm, 12mm

INDIVIDUAL RATCHET FLARE NUT COMBINATION WRENCHES



Ref.	Description	Size
10728	BRAKE LINE SPANNER	8mm
10729	BRAKE LINE SPANNER	9mm
10730	BRAKE LINE SPANNER	10mm
10731	BRAKE LINE SPANNER	11mm
10732	BRAKE LINE SPANNER	12mm

Ref.9738 BRAKE BLEED NIPPLE THREAD REPAIR SET

This kit contains the tools necessary to repair the brake nipple thread

10 PC SET



Specifications
• 1 x Drill bit 6.0mm. • 1 x Drill bit 8.5mm. • 1 x Reamer. • 2 x Brake Nipple NPT 1/4 " • 2 x Brake Nipple NPT 1/8 " • 1 x Tap NPT 1/4 "x 18. • 1 x Tap NPT 1/8 "x 27. • 1 x HSS 90° conical cutter

Spare bleed nipples. Ref.9738-R

Ref.1090 BRAKE CALIPER THREAD REPAIR SET - M9







Kit with the tools necessary to repair brake caliper guide threads by inserting a new thread insert.

Specifications
• HSS drill bit, M9 Tap, 7mm hex key and 10 inserts

Ref.10957 BRAKE DISC LIP CLEANING TOOL







Designed to remove and clean the inner and outer brake disc lip. Consists of a scraper with replaceable blade and a handle to turn the wheel hub.


Ref.1099 WIRE BRUSH SET

3 PC SET



Sizes
Total length: 175mm **Brush length:** 45mm

Ref.11097 BRASSED STEEL WIRE BRUSH – 125MM



Brass steel wire fill with plastic ergonomic handle

Sizes
Length Overall 250mm **Wire Fill length** 120mm.

Ref.9707 BRAKE SPRING REMOVAL TOOL

Retaining ring holding tool for easy cylinder removal and replacement, making the job easier and faster



Ref.9432 BRAKE SPRING PLIERS

Designed to perform the maintenance or removal of the drum brake springs in a fast and efficient way.






Ref.3057 HUB PULLER

Can be used with the T-bar supplied or with any 1/2" Dr. breaker bar.



Capacity
100 - 115mm



Ref.0087 HYDRAULIC COIL SPRING COMPRESSOR - 1 TON



Supplied with chain and 2 pairs of jaws: 102-130 and 110-160mm

Sizes
• 7 Positions • Travel 340mm. • Diameter 102-160mm

Ref.9544 MACPHERSON STRUT COIL SPRING COMPRESSOR



Specially designed for Macpherson struts fitted on the majority of vehicles.
3 sets of jaws: 80 - 115mm, 110- 150mm & 140 - 195mm
Spacer piece with an offset of up to 30mm in the case of conical tapering springs.

For manual operation only (not for impact guns).

Ref.10696 MACPHERSON STRUT SUPPORT FOR USE WITH GEARBOX JACK



Tool used to support and hold the suspension strut when working on the suspension.
Prevents the strut from moving downwards when working on the axle.
Suitable for jacks with an attachment cylinder diameter of 30mm.

Ref.9450 WISHBONE COIL SPRING COMPRESSOR



This tool enables the user to remove and replace the coil springs on the wishbone without the need to dismantle the the axle saving time and money.
Also suitable for multi-link independent suspensions.
The compression shaft has a diameter of only 29mm, making it suitable for vehicles with a 30mm arm access point.

Applications include
Mercedes, Citroën C3, Peugeot 207, VW Touran, and more.

Includes a 100Nm torque control extension to allow use with an impact gun.

COIL SPRING COMPRESSORS

2 PC SET



Reference	Size
4003	300mm
4004	220mm
10389	380mm

Ref.1127 SUSPENSION STRUT NUT SOCKET & BIT SET

1/2" HEX 22



Contents:
• Castellated sockets 10.5x3.5, 12.5x3.0, 12.5x3.5, 14.0x2.5, 14.5x5.0 • Socket Expander bits 1/2" Dr.:5.5 x 48mm, 5 x 60mm.

Ref.5127 STRUT NUT SOCKET SET FOR VAG

3 PC SET HEX 22



Sizes:
10.5, 12.5, 14.5mm **Length:** 30mm

Ref.11077 STRUT LEG SPREADER SOCKET SET - 1/2" DR.

2 PC SET 1/2"



Sizes:
• 5 X 7 mm • 5.5 X 8.2 mm

Ref.11084 SUSPENSION STRUT SPREADER









Special tool designed to spread suspension struts without causing damage.

Size:	Length: 55mm

Ref.10237 FRONT STRUT TOP NUT WRENCH FOR VOLVO

1/2"



Aplications:
VOLVO: C70 Coupe (-02), C70 Convertible (-05) , S70, V70 (-00), XC90, V70 (00-08), V70 XC (01-), XC70 (-07), S60, 850, V70 XC (-00), S80 (-06)

OEM
9995469 - 9995468

Ref.9947 TOP SUSPENSION MOUNT TOOL FOR VAG



3/8"



Tool specially designed for use when removing / replacing the Macpherson Suspension Upper Support found on most VAG range vehicles.

Sizes:
13mm - 6 & 8 point socket.

Ref.11044 SUSPENSION STRUT MOUNTING BOLT SOCKET 3/8" DR. FOR TESLA MODEL 3

3/8"



Sizes:
· **Diameter:** 13mm. · **Depth:** 18mm. · 6 Points

Ref.9562 PNEUMATIC BOOT SLIDER



- Suitable for cars and small vans.
- Innovative tool to save time, effort and money.
- Install the CV boot without removing the drive shaft or CV joint from the vehicle.
- Avoid possible damage on the rubber of the CV boot.
- Allows installation work to be carried out on constant velocity joints from 25 to 110 mm in diameter.
- It is not necessary for the appliance to be connected to an air intake since when opening the jaws, it can be disconnected and will remain open until the air is released.

Ref.11003 CV BOOT CLAMP PLIERS





Designed to press the transmission clamp.

Ref.9113 CV BOOT TOOL



Strong plastic cone for changing the CV boot without disassembly.

Sizes:
Tapered cone: 34 - 101mm **Cone length:** 320mm.

Ref.9610 CV BOOT CLAMP PLIERS 3/8"DR.



Designed to tighten steel CV boot clamps which require high strength fastening.
Features a 3/8" dr. which allows the use of a torque wrench for applications requiring a specific torque setting.

Ref.9698 CV BOOT CLAMP PLIERS FOR VAG



Specialist pliers used to correctly fasten CV boot clips.

Applications include:	VAG, Mercedes & Toyota.
OEM equivalent:	3340A

Ref.10076 CV BOOT CLAMP PLIERS & CUTTER



Ref.9073 SUSPENSION ARM LEVER





For adjusting and securing suspension arm components.

Length:
1170mm

Ref.10881 UNIVERSAL AXLE / SUSPENSION ARM HOOK





Use with a simple lever or pry bar to easily and quickly lever suspension components.
Ideal for lowering suspension arms, track control arms etc.

Ref.1087 BALL JOINT REMOVER SET

3 PC SET



Sizes:
23mm, 28mm & 34mm

Ref.9413 INTERCHANGEABLE JAW BALL JOINT REMOVAL SET

5 PC SET



Sizes:
20, 22, 24, 27 & 30mm

Ref.9203 BALL JOINT REMOVER SET

5 PC SET



Sizes:
17, 23 & 28mm

BALL JOINT REMOVERS





Reference	Size
5532	23 mm especial for Audi, BMW & M. Benz
9016	28 mm

Ref.6321 BALL JOINT REMOVER - 20MM



This tool uses the fork method with a large lever to separate ball joints.

Sizes:
Capacity: 20mm **Length:** 400mm

Ref.3065 BALL JOINT REMOVER - 19MM



Sizes:
19mm

Ref.3066 BALL JOINT REMOVER - 22MM



Sizes:
22mm

Ref.6554 BALL JOINT REMOVER - 22MM



Sizes:
22mm

Ref.9603 LOWER BALL JOINT SOCKET FOR PSA



Use with 35mm wrench or socket.

Sizes:
Internal: 43mm External: 51mm

Ref.9759 LOWER BALL JOINT SOCKET FOR PSA



Use with 38mm wrench or socket.

Sizes:
Internal: 52mm External: 60mm

Ref.10327 BALL JOINT REMOVAL / INSTALLATION TOOL SET FOR MERCEDES



11 PC SET

11-piece tool set that allows the removal and installation of ball joints for Mercedes vehicles without the need to disassemble the suspension arm or the brake system.
It contains a "C" press with the Adaptors and plates to extract and install the ball joints. It also contains the special castellated socket for the Mercedes M-Class, W163 and W164.

Applications:

Mercedes: Clase CL / Clase CLS / Clase E / Clase M / Clase S / Clase SL.
Chassis: W163 / W164 / W210 / W211 / W215 / W219 / W220 / W230.

Ref.10930 BALL JOINT WRENCH SET FOR MERCEDES

2 PC SET

1/2"





Designed for the removal and installation of upper and lower ball joint nuts on Mercedes with double wishbone suspension from 2015 onwards.

Sizes:
32mm & 38mm

Ref.10011 BALL JOINT REMOVAL/INSTALLATION TOOL SET FOR VW T4



- Ball joint extractor / installer for the front axle.
- Specially designed for Volkswagen T4 2.0 & 2.5.

Ref.10058 BALL JOINT REMOVER FOR SUBARU / SAAB



- For front suspension ball joints.
- **Sleeve Diameter** 45mm x 26mm.

SUBARU	
Outback	1994~2014
Forester	1998~2015
Impreza	1993~2014
Legacy	1994~2014
Tribeca	2006~2012
Baja	2003~2006

SAAB	
9-2X	2005~2006

Ref.10039 BALL JOINT REMOVER 35MM FOR VW LT, MERCEDES SPRINTER



Sizes:
A: 60mm
B: 35mm
⬭ 26mm
H: 122mm

Ref.10938 BALL JOINT REMOVAL SOCKET FOR PSA / TOYOTA

Socket for PSA and Toyota ball joints, to be used with 35mm socket



Sizes:
Diameter: 44.5mm.

Applications:	
Citroën BX, C5, Xantia & XM	**Peugeot** 305, 405, 406 & 607.

OEM:	3640.21, 95 494 204 95 494 205

Ref.10939 BALL JOINT REMOVAL TOOL 1/2" DR. FOR RENAULT

Designed for the removal of the ball joint screw.

1/2"



Applications:
Renault Twingo II Sport 133 (2007 - 2014)

Sizes:
Diameter: 7.75mm, 4 studs
To be used with 1/2" ratchet

Ref.9585 SUSPENSION BALL JOINT SOCKET FOR MERCEDES M-CLASS

3/4"



Sizes:
Internal: 53mm
External: 64mm

Ref.9600 BALL JOINT SOCKET FOR AUDI

1/2"



Special socket to hold the lower ball joint.
During removal and installation

Applications
Audi A4 2007<, A5 2009<, A6 2011<, Q5 2010<.

Ref.9621 CASTELLATED SOCKET - 3/4" DR FOR MERCEDES SPRINTER

Socket with external castellations designed for work with ball joints and bearings.

3/4"



Applications
Mercedes Sprinter

Sizes:
Internal: 61mm
External: 69mm

INNER TIE ROD TOOLS







1/2"

REF.	Capacity
9083	35 - 45mm
9168	28 - 35mm

Ref.9126 UNIVERSAL STEERING KNUCKLE SPREADER TOOL SET

To separate and remove the tie rod ends without damaging them.
Adjustable for ball joints with or without central grooves.
2 interchangeable inserts (5 and 8mm wide) for the extension and 8, 10 and 12mm guide pins.



Ref.9758 TRACK ROD END SOCKET - 1/2" DR

1/2"



· Universal Application
· For quick and trouble-free removal of the track rod ends.

Sizes:
Diameter: 49mm **Window Width:** 18,70mm

Ref.3967 CVJ JOINT REMOVAL TOOL



Ref.1092 INNER TIE ROD TOOL

1/2"



Suitable for cars and light commercial vehicles

Capacity:
25mm - 55mm

Ref.3829 INNER TIE ROD TOOL

1/2"



Capacity:
33mm - 42mm

Ref.7386 MAGNETIC CAMBER GUAGE





Tool designed to measue the camber after disassembly and reassembly of the suspension.
Spirit level gauge graduated from -6 to +6.
Strong magnetic base attaches to hub or brake disc.

Ref.9080 CAMBER ADJUSTMENT TOOL SET FOR VAG



Applications:
130-170mm, 148-180mm, 170-220mm

Ref.9923 CAMBER ADJUSTING WRENCH

1/2"



Applications include:
Audi, Seat, Skoda, Volskwagen

Sizes:
18mm x 12 Point

Ref.10249 ELECTRIC POWER STEERING RACK SOCKET

HEX 27



For use with a 27mm wrench or hex socket.

Applications include:			
BMW	**Serie 1:** F20, F21 **Serie 2:** F22, F23 **Serie 3:** F30, F31, F34, F35 **Serie 4:** F32, F33, F36	**Mercedes**	**C-Class:** W205 **S-Class:** W222, V222, X222

Ref.10250 ELECTRIC POWER STEERING RACK SOCKET

HEX 27



Applications:	
BMW	**Serie 1:** E81, E82, E87, E88 **Serie 3:** E90, E91, E92, E93, Z4, E89

Sizes:
24mm 8 Points

Ref.10913 STEERING RACK SOCKET FOR TOYOTA LEXUS

Designed to disassemble and assemble the O-ring of the steering rack.

3/8"



Applications:
LEXUS RX330/ RX350 (2004~2009). TOYOTA HIGHLANDER (2004~2007)

Ref.10914 REAR TOE CAMBER ADJUSTMENT TOOL FOR BMW MINI

Tool designed to hold the locking key of the nut that regulates the suspension arms in order to adjust the toe-in or toe-out of the wheels.

1/2"





OEM:	83300494002

Ref.10927 REAR TOE ADJUSTMENT TOOL FOR AUDI E-TRON, PORSCHE TAYCAN

Designed to adjust rear toe-in.



Applications
Audi e-Tron Since 2021. **Porsche** Taycan Since 2020

Sizes
M18 & 9mm

OEM
T90009

Ref.9531 SLIDE HAMMER WHEEL HUB PULLER



Designed for the removal of four or five bolt wheel hubs and brake drums from cars and light commercial vehicles.

Includes:
• Slide Hammer: 4.3 kgs & 340mm,. • Manual thrust bolt. • Bolts: M12 x 1,5 & M14 x 1,5mm.

Ref.1317 SLIDE HAMMER WHEEL HUB & DENT PULLER SET



Can be used in different ways, including wheel hub extraction, general pulling operations and dent pulling.

Includes:
· 2 Legged Puller: Internal Capacity 35-110mm / External Capacity 50-140. · 3 Legged Puller: Internal Capacity 35-135mm / External Capacity 20-135mm.

Ref.9873 WHEEL HUB BUSTER



- Used to remove the hub and bearing units without damaging the shaft.
- Suitable for 3rd generation hubs.
- Distance between bolts 40 - 140mm.
- Simple to use. Just hit the head with a sledge hammer or mallet to seperate the hub.
- The force of the blow will pull the bushing off the axle.

Ref.1057 HUB NUT SOCKET - 65MM

12 3/4"



Sizes:
3/4" Dr. 65mm - 12 Point.

Ref.9900 HUB HOLDING TOOL



· Used to hold the wheel hub.
· Suitable for most wheels

Ref.10230 HUB NUT SOCKET FOR FORD TRANSIT

1/2"



OEM	205 - 1007

Sizes:
Internal 62mm **External**: 70mm

Ref.9946 REAR HUB NUT SOCKET FOR VW CRAFTER

3/4"



Sizes:
Internal: 67mm **External:** 74mm

Ref.9601 HUB NUT SOCKET FOR FORD TRANSIT

1/2"



Application:
Ford Transit 80 / 100 / 115 / 120 with Type 34 rear axle.

Sizes:
Internal - 60mm **External** - 71mm

· For rear axle on Ford Transit (2014~).

Ref.10716 GEN 2 WHEEL HUB INSTALLER / REMOVER FOR VAG 62MM & 66MM

Special tool kit which allows the removal and installation of generation 2 wheel hub units which comprise a single hub and bearing unit. Suitable for 62 & 66mm hubs.





Applications Includes:

- Audi – A2
- Volkswagen – Fox, Lupo, Polo
- Seat – Arosa, Cordoba, Ibiza
- Skoda – Fabia

Ref.10717 GEN 2 WHEEL HUB INSTALLER REMOVER - 62/66/72/85MM

Special tool kit which allows the removal and installation of generation 2 wheel hub units which comprise a single hub and bearing unit. Master set suitable for 62, 66, 72 & 85mm hubs.





Applications Includes:

- **Audi** – A2
- **Volkswagen** – Fox, Lupo, Multivan, Polo, Touareg, Transporter.
- **Seat** – Arosa, Cordoba, Ibiza
- **Skoda** – Fabia, Roomster

Ref.10718 GEN2 WHEEL BEARING INSTALLATION & REMOVAL SET – 72MM

Special tool kit which allows the removal and installation of generation 2 wheel hub units which comprise a single hub and bearing unit. Suitable for 72mm hubs





Applications Includes:

- Audi – A2
- Volkswagen – Fox, Polo
- Seat – Ibiza
- Skoda – Fabia, Roomster

Ref.10719 GEN2 WHEEL BEARING INSTALLATION & REMOVAL SET – 78MM

Special tool kit which allows the removal and installation of generation 2 wheel hub units which comprise a single hub and bearing unit. Suitable for 78mm hubs.





Applications Includes:

- Ford – Focus II, C-Max
- Mazda – 3
- Volvo – C30, C70, S40, V50

Ref.10720 GEN2 WHEEL BEARING INSTALLATION & REMOVAL SET – 82MM

Special tool kit which allows the removal and installation of generation 2 wheel hub units which comprise a single hub and bearing unit. Suitable for 82mm hubs.





Applications Includes:

- Ford – Mondeo IV, Galaxy, S-Max, Focus II
- Land Rover – Freelander.
- Volvo – S80, V70, XC60, XC70.

Ref.10721 GEN2 WHEEL BEARING INSTALLATION & REMOVAL SET – 85MM

Special tool kit which allows the removal and installation of generation 2 wheel hub units which comprise a single hub and bearing unit. Suitable for 85mm hubs.





Applications Includes:

- Volkswagen – Touareg, Multivan, Transporter T5.

Ref.10722 GEN2 WHEEL BEARING INSTALLATION & REMOVAL SET – 90MM

Special tool kit which allows the removal and installation of generation 2 wheel hub units which comprise a single hub and bearing unit. Suitable for 90mm hubs.





Applications Includes:

- Audi – A4, A6, A8, S4, S6, S8.

Ref.9081 DRIVE SHAFT PULLER SET



Applications Includes:

Audi, BMW, Fiat, Ford, Mercedes Benz, Peugeot, Porsche, Renault, Subaru, Opel & Volvo.

Contents:

- M16 x 1.5 FOR SUBARU
- M20 x 1.5 FOR VW BEETLE, TOUAREG & PORSCHE CAYENNE
- M22 x 1.5 FOR BMW E30
- M24 x 1.5 FOR BMW E36 & MERCEDES BENZ W203
- M27 x 1,5 PARA BMW E32 E34/E38/E39/ X5
- M30 x 1.5 PARA BMW E32/E36/E34

Ref.9711 BEARING RACE & SEAL DRIVER

Kit to install seals and bearings.
Made of aluminum to avoid damage to parts.



Contents:
• 1 x Mandrel 25mm x 120mm • 1 x Adaptor 40mm • 1 x Adaptor 44mm • 1 x Adaptor 50mm • 1 x Adaptor 59mm • 1 x Adaptor 63mm • 1 x Adaptor 65mm • 1 x Adaptor 72mm • 1 x Adaptor 76mm • 1 x Adaptor 81mm

Ref.10952 WHEEL BEARING INNER CIRCLIP REMOVAL / ASSEMBLY LEVER



Designed to remove internal bearing circlips.

Ref.9877 REAR AXLE WRENCH FOR MERCEDES

1/2"



Applications:
Mercedes Benz Sprinter (W901-W905)

Size:
Internal Diameter 58mm

Ref.7167 BEARING REMOVAL & INSTALLATION SET



· Universal set for the installation and removal of wheel bearings without disassembling the drive shaft.

Contents	Sizes
Adaptors	50mm, 55mm, 60mm, 64mm, 67mm, 70mm, 72mm, 74mm, 75mm, 78mm, 82mm,84mm, 88mm.
Extraction Plates	102mm, 92mm, 84.5mm, 76mm.
Thrust Bolt	210mm.
Pass Bolt	32mm ,38mm.

Ref.9598 CASTELLATED SOCKET SET (EXTERNAL) 1/2"DR



Inner	Outer
15.5mm	22mm
18.5mm	26mm
21.5mm	30mm
25.5mm	33mm
27.5mm	37mm
33.5mm	44mm
38.5mm	50mm
44.5mm	56mm
50.8mm	63mm
55.8mm	69mm
61.5mm	75mm

Ref.9599 CASTELLATED SOCKET SET (INTERNAL) 1/2" DR



Inner	Outer
20mm	26mm
23.5mm	31mm
26.5mm	34mm
29.5mm	38mm
34.5mm	42mm
40.5mm	50mm
46.5mm	58mm
59.5mm	75mm
65.8mm	82mm
71.8mm	88mm

Ref.9753 ADJUSTABLE BEARING RACE & SEAL DRIVER





- Adjustable diameter, simply loosen the security screw and turn the adjusting dial.
- Body built entirely from aluminum.
- Ensures a fast, safe installation without damage.
- Sizes: 18 - 90mm.

Ref.9901 HUB SOCKET & BIT SET

5 PC SET

1/2"



Aplications
• **Volkswagen:** Rear hubs • **Mercedes Benz:** Front hubs Clase C (204), Clase E (212), Class S (221)

Contents
• XZN Spline M18 x 78mm • E24 Torx x 38mm • Hex 14mm, 17mm, 19mm x 55mm

Ref.1022 XZN SPLINE M18 SECURITY BIT

3/4"



Applications include:
VW Golf - Seat León

Ref.3057 HUB PULLER

Can be used with the T-bar supplied or with any 1/2" Dr. breaker bar.



Capacity:
100-115mm.

Ref.9101 REAR SUSPENSION ARM BUSH REMOVER / INSTALLER FOR BMW X5



Specialist tool necessary when carrying out the removal or installation of the bushes on the rear suspension arm.

Specially designed for BMW X5 E53.

Applications:
• BMW: E53 X5 (99-07)

Ref.1154 FRONT SUSPENSION ARM BUSH REMOVER / INSTALLER FOR BMW MINI



Tool designed to replace the rubber bushing mounts (hydro-mounts) on the left and right front axle control arm on the car, saving time and money.

Applications:
• BMW Mini: One, Cooper, Cooper S (2001 on) R50/R53 Chasis W10/W11/W17

Ref.9100 FRONT SUSPENSION ARM BUSH REMOVER / INSTALLER FOR VAG



Tool for the removal and installation of the rear bush of the front wishbone.

Applications:
• Seat: Cordoba, Ibiza 2002 -2007. • Skoda: Fabia 2002 – 2007 • Volkswagen: Fox, Polo 2002 – 2007.

OEM
3301 / 472 / T10030 / T30035

Ref.9079 FRONT SUSPENSION ARM BUSH REMOVER / INSTALLER FOR VAG



To replace the front plastic bushing found on the front wishbone.

Applications:
• Seat: Cordoba, Ibiza 2002 -2007. • Skoda: Fabia 2002 – 2007 • Volkswagen: Fox, Polo 2002 – 2007.

OEM
3346

Ref.10001 TRANSMISSION SUPPORT REMOVAL & INSTALLATION SET FOR BMW



Used to remove and install Transmission Supports on BMW 4x4 Vehicles.

Applications:
• BMW: X3 (E83), X5 (E53, E70), X6 (E71)

OEM
22316864675 / 22324089252 / 22114088520 / 2231675404088 / 22316751760 / 2231 6864 675 /2232 4089 252 / 2211 4088 520 / 223106754 088

Ref.9103 REAR SUSPENSION ARM BUSH REMOVER / INSTALLER FOR VAG



Applications:
• Audi: A3, VW Golf IV & Bora

Ref.10725 BALL JOINT & BUSH INSTALLATION & REMOVAL SET FOR BMW



Comprehensive set which allows for the removal and installation of control arm bushes with the arm still in the car.

Applications:
BMW: E31/E36/E38/E39/E46/E52/E60/E61/ E63/E64/E65/E66/E67/E70/E83/E85/E86/E90/ E91/E92/E93.

Ref.9522 EXTRACTOR / INSTALADOR DE SINLENTBLOCK FOR VAG




Tool degined for extraction or intallation of the silentblock rear of the front fork.

Applications:
• SEAT: Cordoba, Ibiza 2002 -2007. • SKODA: Fabia 2002-2007 • VW: Fox, Polo 2002 - 2007.

Ref.9200 UNIVERSAL BUSH & BEARING REMOVAL / INSTALLATION TOOL SET

24 PC SET







Sizes
350mm x M10, M12, M14 & M16

Adaptor sizes:
Diameter: External x Internal(mm): 44x34, 46x36, 48x38, 50x40, 52x42, 54x44, 56x46, 58x48, 60x50, 62x52,64x54, 66x56, 68x58, 70x60, 72x62, 74x64 , 76x66, 78x68, 80x70 & 82x72.

*Spindle parts available

SPARE THRUST BOLTS

Ref..	Contents
9200-M10	M10
9200-M12	M12
9200-M14	M14
9200-M16	M16

Ref.10429 UNIVERSAL BUSH & BEARING REMOVAL / INSTALLATION TOOL SET

27 PC SET




Tool kit to remove & fit the rear suspension arm silent block without the need to dismantle the arm.

Contents:

- Spindles: M10 x 350mm / M12 x 350mm / M14 x 350mm / M16 x 350mm.
- Slotted thrust plates (2pcs).
- Cylinders: (20pcs) : Outer x Inner: 34 x 44mm, 36 x 46mm, 38 x 48mm, 40 x 50mm, 42 x 52mm, 44 x 54mm, 46 x56mm, 48 x 58mm, 46 x 56mm,48 x58mm, 50 x 60mm, 52 x 62mm, 54 x 64mm, 56 x 66mm, 58 x 68mm, 60 x 70mm, 60 x 70mm, 58 x 68mm, 60 x 70mm, 72 x 82mm.

Ref.10241 REAR SUSPENSION ARM BUSH REMOVAL / INSTALLATION TOOL SET FOR FORD / VOLVO



Set of tools that allows the removal and installation of the rear suspension arm bush without the need to disassemble the arm.

Contents

- **Ford**: Galaxy: 2006 Mondeo / Mondeo Estate: 2007 S-Max: 2006
- **Volvo**: S60 / V60: 2010 - S80: 2008 – XC60: 2008 XC70 / V70: 2007

Ref.9145 SUBFRAME ALIGNMENT PIN SET FOR VAG



Set of 4 M12 thread alignment pins used on many VAG vehicles.

Applications include:

VW Scirocco, Golf,Jetta, Polo, Fox, Passat,
Audi A3, A4 & TT.

Ref.9102 REAR SUSPENSION ARM BUSH REMOVAL / INSTALLATION 9099 TOOL SET FOR FORD



Applications:

- **Ford**: Fiesta IV (1996>) & KA

Ref.10877 UNIVERSAL C-FRAME SOCKET PRESS

C-frame socket press allows Standard impact sockets to be used as press cups for a wide variety of applications.
6 round socket adaptors to fi t 1/4", 3/8" & 1/2" Drive plus 2 anvil attachments.

Press width: 150 mm / **Press depth:** 90mm / **Max capacity** 2500kg

1/2" 1/4" 3/8"







06

WHEELS

Catalogue 2025
www.thetoolhub.co.uk

Ref.9082 HUB NUT SOCKET SET - 1/2" DR 12 POINT



CM Chrome Molybdenum | 12 | 1/2"

Sizes:
30mm, 32mm, 36mm
Length: 78mm

Ref.9148 SOCKET SET FOR ALUMINIUM WHEELS - 1/2" DR



CM Chrome Molybdenum | 6 | 1/2"

- Set of 3 impact sockets for common wheel nut Sizes.
- Made of Chrome Molybdenum steel.
- Nylon sleeve to protect the rims.

Wheel Nut Sizes:
17mm, 19mm, 21mm
Length: 85mm

INDIVIDUAL DEEP IMPACT SOCKETS





CM Chrome Molybdenum | 12 | 6 | 1/2"

Ref.	Sizes		Point
10328	17mm	78mm	6
10329	19mm	78mm	6
10330	21mm	78mm	6
10331	22mm	78mm	6
10332	23mm	78mm	6
10333	24mm	78mm	6
10337	24mm	78mm	12
3378	26mm	78mm	6
10334	27mm	78mm	6
1192	30mm	78mm	6
3379	30mm	78mm	12
1193	32mm	78mm	6
10338	32mm	78mm	12
3847	33mm	78mm	12
1056	34mm	78mm	6
1194	35mm	78mm	6
10335	36mm	78mm	6
1161	36mm	78mm	12
10339	39mm	78mm	12
10336	41mm	78mm	6

INDIVIDUAL DEEP IMPACT SOCKETS FOR ALUMINIUM WHEELS



CM Chrome Molybdenum | 6 | 1/2"

Ref.	Sizes		Point
10340	15mm	85mm	6
1004	17mm	85mm	6
1005	19mm	85mm	6
1112	21mm	85mm	6
1113	22mm	85mm	6
10341	23mm	85mm	6
10342	24mm	85mm	6
10343	27mm	85mm	6

Ref.11080 DOUBLE ENDED DAMGED WHEEL NUT SOCKET

1/2"



Sizes:
18.5mm / 19.5mm
6 Point

Ref.11081 DOUBLE ENDED DAMGED WHEEL NUT SOCKET

1/2"



Sizes:
20.5mm / 21.5mm
6 point

Ref.10227 CENTRAL LOCK WHEEL NUT SOCKET - PORSCHE





3/4"

- Designed to remove or install the centre locking wheel locknut.
- Made of high grade aluminum.
- NOT SUITABLE for use with impact wrenches

Applications:
Porsche 991.997: 2012-2016
Porsche 991.997: TURBO 2014-2016
Porsche 991.997: GT3 2014-2016

Ref.1144 IMPACT SOCKET FOR ALUMINIUM WHEELS - MERCEDES



CM Chrome Molybdenum | 1/2"

- Special convex profile for wheel nuts used on the latest Mercedes Class C & E models.
- Thin wall with sleeve to protect the rim.

Applications
Mercedes Clase M(W166), Clase S(W221) y CL500(W216).

Sizes
17mm WAF
Length 85mm

Ref.9945 IMPACT SOCKET FOR ALUMINIUM WHEELS HYUNDAI / KIA



CM Chrome Molybdenum | 1/2"

- Special convex profile for wheel nuts used on
Hyundai and Kia models.
- Thin wall with sleeve to protect the rim.

Applications:
Hyundai i30, Tucson y Kia

Sizes
21mm WAF
Length: 85mm

Ref.11306 STANDARD IMPACT SOCKET SET 1/2"DR. 6 POINT

10 PC SET | CM Chrome Molybdenum | 6 | 1/2"



Sizes
10, 12, 13, 14, 15, 17, 19, 21, 22, 24mm

Ref.11307 DEEP IMPACT SOCKET SET 1/2"DR. 6 POINT

10 PC SET | CM Chrome Molybdenum | 6 | 1/2"



Sizes
10, 12, 13, 14, 15, 17, 19, 21, 22, 24mm

Ref.11308 STANDARD IMPACT SOCKET SET 1/2"DR. 6 POINT

16 PC SET | CM Chrome Molybdenum | 6 | 1/2"



Sizes
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

Ref.11309 DEEP IMPACT SOCKET SET 1/2"DR. 6 POINT

16 PC SET | CM Chrome Molybdenum | 6 | 1/2"



Sizes
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

Ref.11310 STANDARD IMPACT SOCKET SET 3/4"DR. 6 POINT

8 PC SET | CM Chrome Molybdenum | 6 | 3/4"



Sizes
26mm - 27mm - 29mm - 30mm 32mm - 35mm - 36mm - 38mm

Ref.11311 DEEP IMPACT SOCKET SET 3/4"DR. 6 POINT

8 PC SET | CM Chrome Molybdenum | 6 | 3/4"



Sizes
26mm - 27mm - 29mm - 30mm 32mm - 35mm - 36mm - 38mm

Ref.11312 STANDARD IMPACT SOCKET SET 3/4"DR

17 PC SET | CM Chrome Molybdenum | 6 | 3/4"



Sizes
19mm, 22mm, 24mm, 26mm, 27mm, 29mm, 30mm, 32mm, 33mm, 34mm, 35mm, 36mm, 38mm, 40mm, 41mm, 46mm

Ref.11313 STANDARD IMPACT SOCKET SET 1"DR.

8 PC SET | CM Chrome Molybdenum | 6 | 1"



Sizes
24mm, 27mm, 30mm, 32mm, 33mm, 36mm, 38mm, 41mm

STANDARD IMPACT SOCKET 1/2"DR. 6PT

1/2"

REF.	SIZE
11127	10mm
11128	11mm
11129	12mm
11130	13mm
11131	14mm
11132	15mm
11133	16mm
11134	17mm
11135	18mm
11136	19mm
11137	20mm
11138	21mm
11139	22mm
11140	23mm
11141	24mm
11142	25mm
11143	26mm
11144	27mm
11145	29mm
11146	30mm
11147	32mm
11169	34mm
11170	35mm
11171	36mm
11172	38mm
11173	40mm
11174	41mm

STANDARD IMPACT SOCKET 3/4"DR. 6PT

3/4"

REF.	SIZE
11176	17mm
11177	19mm
11178	21mm
11179	22mm
11180	23mm
11181	24mm
11182	25mm
11183	26mm
11184	27mm
11185	28mm
11186	29mm
11187	30mm
11188	32mm
11189	33mm
11190	34mm
11191	35mm
11192	36mm
11193	38mm
11194	41mm
11195	44mm
11196	45mm
11197	46mm
11198	48mm
11199	50mm
11200	52mm
11201	55mm
11202	60mm
11203	65mm
11204	70mm

STANDARD IMPACT SOCKET 1"DR. 6PT

1"

REF.	SIZE
11232	17mm
11233	19mm
11234	21mm
11235	22mm
11236	23mm
11237	24mm
11238	25mm
11239	26mm
11240	27mm
11241	28mm
11242	29mm
11243	30mm
11244	32mm
11245	33mm
11246	34mm
11247	35mm
11248	36mm
11249	38mm
11250	41mm
11251	46mm
11252	50mm
11253	52mm
11254	55mm
11255	60mm
11256	65mm
11257	70mm
11258	75mm
11259	80mm
11260	85mm
11261	90mm
11262	92mm
11263	95mm
11264	100mm
11265	105mm
11266	110mm
11267	115mm
11268	120mm

DEEP IMPACT SOCKET 3/4"DR. 6PT

3/4"

REF.	SIZE
11205	17mm
11206	19mm
11207	21mm
11208	22mm
11209	23mm
11210	24mm
11211	25mm
11212	26mm
11213	27mm
11214	28mm
11215	29mm
11216	30mm
11217	32mm
11218	33mm
11219	34mm
11220	35mm
11221	36mm
11222	38mm
11223	41mm
11224	46mm
11225	50mm
11226	55mm
11227	60mm
11228	65mm
11229	70mm

DEEP IMPACT SOCKET 1/2"DR. 6PT

1/2"

REF.	SIZE
11148	10mm
11149	11mm
11150	12mm
11151	13mm
11152	14mm
11153	15mm
11154	16mm
11155	17mm
11156	18mm
11157	19mm
11158	20mm
11159	21mm
11160	22mm
11161	23mm
11162	24mm
11163	25mm
11164	26mm
11164	27mm
11165	28mm
11166	29mm
11167	30mm
11168	32mm
11175	36mm

DEEP IMPACT SOCKET 1"DR. 6PT

1"

REF.	SIZE
11269	17mm
11270	19mm
11271	21mm
11272	22mm
11273	23mm
11274	24mm
11275	25mm
11276	26mm
11277	27mm
11278	28mm
11279	29mm
11280	30mm
11281	32mm
11282	33mm
11283	34mm
11284	35mm
11285	36mm
11286	38mm
11287	41mm
11288	46mm
11289	50mm
11290	52mm
11291	55mm
11292	60mm
11293	65mm
11294	70mm
11295	75mm
11296	80mm
11297	85mm
11298	90mm
11299	92mm
11300	95mm
11301	100mm
11302	105mm
11303	110mm
11304	115mm
11305	120mm

STANDARD IMPACT SOCKET 3/4"DR. 12PT

3/4"

REF.	Sizes
11230	50mm
11231	65mm

Ref.10723 UNIVERSAL LOCKING WHEEL NUT REMOVAL SET

15 PC SET



This Universal Kit is for removing antitheft screws when the anti-theft cup is missing or the screw is damaged.
Contains 5 mouldable adapters that allow you to remove virtually any bolt with a pattern & 5 Standard adapters.
5 Standard type adapters.
The main tool has a metal sleeve to protect the rim.
Special adaptors for Jaguar & Land Rover anti-theft bolts.

Anti-theft screw upgrade for Jaguar and Land Rover.

Adapters	Moldable adapter
A, B, & D for wheel nut without contour.	C for nuts with contour



Ref. 10724
LOCKING WHEEL NUT BLADES "C"

5 PC SET









- Adapters are consumables and available as spares. Adapter "C" is single-use and adapts to the screw and can be used for all four identical screws. Ref. Toolhub 10724 (5 units)

Ref.10699 LOCKING WHEEL NUT REMOVAL SET, LAND ROVER

10 PC SET



Use with 17mm socket and breaker bar.
*Not for use with impact wrench.

Applications
Discovery 1 & 2, Defender & Range Rover

OEM
STC3420 – A, B, C, D, E, F, G, H, I, J.

Ref.10701 LOCKING WHEEL NUT REMOVAL SET - VAUXHALL / OPEL

7 PC SET



Use with 17mm socket and breaker bar.
*Not for use with impact wrench.

Applications
Agila, Astra F/G/H, Calibra, Corsa B/C/D, Meriva, Omega-B, Signum, Speedster, Tigra A/B, Vectra B/C, Zafira A/B.

OEM
Z16512-7461 / 7462 / 7463 / 7464 / 7465 / 7466 / 7467.

Ref.10248 LOCKING WHEEL NUT REMOVAL SET, BMW & BMW MINI








This special time saving tool is suitable for removing BMW & Mini locking wheel nuts which have a rotating outer ring. It uses a puller adaptor to pull off the front part of the wheel bolt and then a special spline bit which fits inside the inner profile is used to unscrew the bolt without damaging the wheel rim.

Applications
BMW & BMW Mini models with rotating outer ring wheel nuts.

Ref.1126 LOCKING WHEEL NUT REMOVAL SET





Ref.9674 LOCKING WHEEL NUT REMOVAL SET - BMW

10 PC SET



Sizes:				
30 / 13 Points	32 / 16 Points	34 / 18 Points	36 / 20 Points	38 / 22 Points
31 / 15 Points	33 / 17 Points	35 / 19 Points	37 / 21 Points	40 / 23 Points

For BMW Vehicles type "F" & MINI 17mm.

Ref.9613 LOCKING WHEEL NUT REMOVAL SET - BMW

22 PC SET



It allows the removal of anti-theft bolts from the rims when the original nut has been lost.
Drive: 17mm socket

Aplications BMW:
Serie 1: F20/F21 Serie 3: F30/F31 Serie 4: F32/F34/F36 Serie 5: F10/F11 Serie 6: F12/F13 Serie 7: F01/F02/F04

Ref.9605 LOCKING WHEEL NUT REMOVAL SET - AUDI

22 PC SET



Aplications:
AUDI (VAG)

Includes:
Adaptador de 21mm

OEM:
T40073

Ref.9884 LOCKING WHEEL NUT REMOVAL SET - VW

22 PC SET



Aplications:
UP Polo (2010-), Beetle (2012-), Golf (2009-), Jetta (2011-), EOS, Scirocco, Passat, Sharan,Touran,- Tiguan (2006-).

OEM:
T10313

Ref.9881 LOCKING WHEEL NUT REMOVAL SET AUDI / PORSCHE

20 PC SET



Includes
ABC-50, ABC-51, ABC-52, ABC-53, BC-54, ABC-55, ABC-56, ABC-57, BC-58, ABC-59, ABC-60, ABC-61, ABC-62, ABC-63, ABC-64, ABC-65, ABC-66, ABC-67,ABC-68, ABC-69.

OEM:
T10190

Ref.9882 LOCKING WHEEL NUT REMOVAL SET MERCEDES BENZ

12 PC SET



Aplications:
Clase A, B, C, GLK, CLC, CLS,CLK, E, SL, SLK, M, C300, C250, C350, E320, 204, 211, 212, R.

Ref.9769 DAMAGED BOLT SOCKET SET - 1/2" DR

3 PC SET



Sizes:
17mm, 19mm, 21mm. **Length:** 82mm

Ref.2393 DAMAGED BOLT SOCKET SET - 1/2" DR

4 PC SET

CM Chrome Molybdenum | 1/2" | Hex



Sizes:
17mm, 19mm, 21mm, 22mm **Lenght:** 50mm

Ref.9130 DOUBLE ENDED DAMAGED WHEEL NUT SOCKET SET

4 PC SET

CM Chrome Molybdenum | 1/2" | Hex | 6



On one end, a normal 6-point socket and on the other end, a fluted socket to remove damaged screws or anti-theft screws.

Sizes:
17mm, 19mm, 21mm **Lenght:** 67mm

WHEEL BOLT INSTALLATION TOOLS







Ref.	Ø	Vehicles
9942	14 mm	Cars
9943	22 mm	Industrial

Ref.9678 WHEEL STUD INTERNAL THREAD RESTORE SET

4 PC SET

HEX 12



Useful for recovering damaged threads and removing nicks or burrs

Sizes	
M12 x 1.25	PSA
M12 x 1.5	Mercedes BENZ & BMW
M12 x 1.75	Volvo
M14 x 1.5	VAG

Ref.9464 DRIVE SHAFT THREAD REPAIR TOOL

8 PC SET



Aplications:
Thread sizes: M24x1.50, M24x2.0, M22x1.0, M22x1.50, M20x1.50 y M20x1.25, 13/16"x20 and 3/4"x20. Used with 1-1/4" wrench or socket.

TYRE LEVERS



Tool used to carry out the tyre dismounting process

	Ref.	Sizes
01	1107	250mm
02	1108	500mm

Ref.9421 TELESCOPIC WHEEL NUT WRENCH



Sizes:
17, 19, 21 and 23mm

Ref.9694 WHEEL WEIGHT PLIERS



Designed to install or remove wheel balance weights

Sizes:
250 mm

Ref.9433 WHEEL NUT WRENCH

1/2"



Sizes:
17mm, 19, 21mm & 1/2" Dr.

Ref.10026 PNEUMATIC TYRE BEAD SEATER TOOL - 18 LITRES

Sometimes it is impossible for us to inflate a tire due to a large gap between the tire and the edge of the rim. This tool gets the job done by injecting a blast of air into this gap, lifting the tire bead in an instant and nailing it on the spot.





- Allows instant tire beading.
- For motorcycles, quads, cars, 4x4 and trucks.
- Glycerin pressure guage.
- **Max. Pressure:** 8 bar, limited by safety valve
- **Capacity** 18 Litres.
- **Weight:** 11 kgs

Ref.11104 PNEUMATIC TYRE INFLATOR





- Rubber coated gauge.
- **Range:** 0 – 12 bars / 0 – 170 PSI
- Standard Schrader clip type connector.
- **Hose length:** 600mm.

Ref.11069 DIGITAL TYRE TREAD DEPTH GAUGE





Tool designed to check tyre wear.

Specifications:
Minimum recommended depth: 1.6mm **Range:** 0mm - 28

Ref.9644 TYRE BEAD DEPRESSER

Useful to keep the tyre bead pressed down whilst removing the tyre. Attach it to the rim and press down for an easy tyre change.





Ref.11118 TWIN PUSH ON CONNECTOR FOR TYRE INFLATOR





Designed to help reach difficult to access valves.
Double action nozzle.

Compatible with Ref.11104

Ref.9664 WHEEL NUT CAP REMOVAL PLIERS



Easily remove the plastic plug that covers the wheel bolt from the vehicle.
Special format for Audi, VW, Opel, Etc,.

Ref.9443 TYRE VALVE INSTALLATION & REMOVAL SET



To remove and install tyre valves without removing the tyre.

Ref.10312 TYRE BEAD DEPRESSER



- Compact reinforced construction tyre bead breaker for a wide range of applications.
- Valid for passenger cars, vans, buses, ATVs, trucks and agricultural vehicles

Dimensions:
24.6 x14.0 x 104 cm.· **Weight::** 5.7 kg.

Ref.10692 BRAKE DISC THICKNESS & TYRE TREAD DEPTH GUAGE TOOL



Scale:
Scale: 0 – 60mm.

Ref.10679 TYRE VALVE CORE TOOL



Simple tool for installing and removing tyre valve cores.

Ref.9442 TPMS VALVE TOOL



To remove and install the 11 and 12mm hex nuts from TPMS valve sensors and to replace plastic rings.

Ref.10710 12V TYRE INFLATOR / PUMP


Compact design tyre inflator allows the user to quickly and efficiently maintain tyre pressures without the need to visit fuel stations or garages. Supplied with 12V cigarette lighter plug for universal vehicle use.



- **Power Supply:** 12V DC
- **Max. Current:** 6A
- **Discharge Current:** 2.5A
- **Inflation Speed:** Less than 10 minutes to inflate a 30 Psi tire
- **Max. Pressure:** 100 Psi
- **Gauge Accuracy:** 5 Psi
- **Working Temperature:** -100~600
- **Sizes:** 123 x 47 x 96mm
- **Net Weight:** 040kg

- Also supplied with ball and inflatables adaptors.
- 3m power cable

ROLLER FOR TYRE PATCHES



	REF.	DESCRIPTION
1	11099	SILICONE ROLLER FOR TYRE PATCHES
2	11100	GROOVED ROLLER FOR TYRE PATCHES

Ref.11094 EMERGENCY TYRE REPAIR SET

20 PC SET







Remove the nail, screw, or object that has become lodged in the tyre and simply screw in the emergency screw. This which will allow you to travel up to 100 km.

Sizes:
10PC 11.7 mm* 5.3 mm 10PC 12.7 mm*6.8 mm

TYRE TUBE REPAIR PATCHES ROUND / OVAL

	REF.	DIAMETER	TYPE	UNIT
1	11085	25mm	ROUND	65PC
2	11086	30mm	ROUND	36PC
3	11087	40mm	ROUND	20PC
4	11088	50mm	ROUND	16PC
5	11089	60mm	ROUND	12PC
6	11090	70mm	ROUND	9PC
7	11091	24mm*34mm	OVAL	48PC
8	11092	30mm*50mm	OVAL	24PC
9	11093	40mm*70mm	OVAL	12PC



Ref.11390 TYRE REPAIR SET

21 PC SET



Ideal for repairing tubeless tires without having to remove the tire.



Ref.11389 TYRE REPAIR SET

9 PC SET



Ideal for repairing tubeless tires without having to remove the tire.



Ref.11788 TYRE REPLACEMENT REPAIR SEALS

50 PC SET



Ref.11392 ANGLED TYRE VALVE CONNECTOR

5 PC SET



Sizes:	Length: 47mm

Ref.11393 SNAP-IN TUBELESS TYRE VALVE TYPE-413

25 PC SET



Sizes:	Lenght: 45mm Diameter: 15mm

Ref.11394 SNAP-IN TUBELESS TYRE VALVE TYPE-414

25 PC SET



Sizes:	Lenght: 50mm Diameter: 15mm

Ref.11395 TYRE VALVE CAPS

25 PC SET




ELECTRICAL
SYSTEM

Ref.9129 MULTIMETER CABLE & ACCESSORY SET

Complete set of cables and connectors for electrical checks. Compatible with most multimeters and testers.





2 PC: 5KΩ potentiometers (variable resistance).
Potentiometers facilitate many tests such as sensors for temperature, coolant, oil pressure, etc.



2 PC: Needle probes.
Its needle-shaped tip is very useful for working in confined spaces, it can also penetrate the insulation of the cables without damaging them.



2 PC: SRS connectors for seat belts



2 PC: 2 pin male connectors.
Useful to perform simultaneous checks on the same output.



4 PC: Female to male connectors.
Multiple uses, mainly as an extension cable



2 PC: LED light connectors.
The LEDs flash when they receive a signal or impulse. Ideal for testing Hall sensors (in manifolds), injectors and electromagnetic valves.



2 PC: Crocodile Clips.
Facilitate testing by being able to be attached to cables, parts or terminals quickly and safely.



2 PC: Test leads.
Can be used as an extension and to test circuits accurately



36 PC: Male connectors.
Pin, spade and round type connectors, various sizes supplied.



36 PC: Female connectors.
Pin, spade and round type connectors, various sizes supplied.

Ref.10975 DIGITAL MULTIMETER & TEMPERATURE TESTER



- **Static electricity:** about 4mA.
- **Net product weight:** 145 g (including battery).
- **Display:** 3 1/2 digit LCD (1999 count) of 0.6" high.
- **AC Voltage (Accuracy):** 200V, 600V (±2%)
- **DC Voltage (Accuracy):** 200mV (±0.5%), 2V (±0.8%), 20V (±0.8%), 200V (±0.8%), 600V (±0.8%)
- **DC Current (Accuracy):** 2mA (±1%), 20mA (±1%), 200mA (±1.2%), 10A (±2%)
- **Resistance (Accuracy):** 200Ω, 2kΩ, 20kΩ, 200kΩ (±0.8%), 2MΩ (±1.2%)
- **Temperature (Accuracy):** Range; -40°C-1000°C, (±1% up to 400°C), (±2% over 400°C)

Ref.1188 CROCODILE CLIP SET

2 PC SET



Ref.9428 AUTOMATIC WIRE STRIPPER







Fully automatic action, grips and strips all types of wire 0.2-6mm without damage to the inner core of the wire.
3 crimping elements for insulated, non-insulated (1.5-6mm) and auto-ignition terminals (7-8mm).

Ref.11322 PROFESSIONAL WIRE STRIPPER 6"



Professional drop forged chrome vanadium pliers, tempered and hardened for strength and durability
Induction hardened cutting edges.
Ergonomic dual material handles for extra comfort and grip.

Ref.10986 RETRACTABLE ELECTRIC REEL 12M 220V



- **Voltage:** 230v.
- **Cable length:** 11m + 1m.
- **Cable type:** H07RN-F3G1.5MM2.
- **Material:** PP Plastic.
- 2 Pin Euro Plug.

Ref.1102 SOLDERING IRON 100W - 220/240V



Ref.10972 SOLDER WIRE 100GRS



Weight: 100g
Thickness: 1mm
Composition: 60% tin and 40% pb.
Recommended for working with electronics.

Ref.1123 CIRCUIT TESTER 12/42V HYBRID CARS



12V and 42V circuit tester for hybrid cars

Ref.1151 CIRCUIT TESTER 3-28V



Safe for delicate electronic circuits.

Ref.9399 BRASS CIRCUIT TESTER 3-24V



Ref.9658 RELAY PLIERS



Allows the removal and mounting of relays in most vehicles. The fine tips and curve of the tool provide easier access than a traditional plier

Ref.9614 SURGE PROTECTOR 12/24 VOLTS



- Unit designed to avoid voltage spikes and surges.
- Allows welding and plasma cutting without damaging vehicle electronics.
- Indicator light to confirm correct operation.

Ref.11026 TERMINAL CRIMPING PLIER 3 IN 1









Ref.9541 RATCHET ACTION TERMINAL CRIMPING PLIERS



Allows efficient crimping of both insulated and non-insulated terminals. It incorporates interchangeable heads to change between insulated and noninsulated terminals.

Capacity:
Insulated: 0.5, 1.0, 1.5, 2.5, and 4-6 mm.
Non-insulated: 1.5, 2.5, 6 and 10 mm.

Ref.9714 TERMINAL CRIMPING PLIERS



- Insulated terminals 1.5mm, 2.5mm and 6.0mm.
- Wire strippers 0.75 - 1.0 - 1.5 - 2.5 - 4.0 and 6.0mm.
- Wire cutter 2.6 - 3.0 - 3.5 - 4.0 and 5.0mm.

Ref.9604 TERMINAL RELEASE TOOL SET

23 PC SET


- Set of 23 extractors for electrical terminals.
- Each tool has a specially designed tip to press the connector and the locking tab that secures the terminal.



Aplications include:
Mercedes, Ford, Bmw Toyota, Opel, Honda, Vw, Citroen, Audi, CHRYSLER, Jaguar, Fiat, Porsche, Mazda, Saab, Mitsubishi, Seat Renault and Skoda

Ref.9712 TERMINAL RELEASE TOOL SET

2 PC SET



- 2 piece tool set to remove the cables from the terminals without damaging them.
- They work on conventional terminals, as well as Pack-con & Weather-Pack terminals that are found in many vehicles

Ref.9713 TERMINAL RELEASE TOOL SET



19 PC SET

A set of terminal tools compatible with Weather-pack & Pack-con terminals.

- Separate wires from terminals without damage.
- Includes tool for sensor terminals refrigerant, TPS & flow meters.
- Suitable for most modern vehicles like Chrysler, Hyundai, Kia, Mitsubishi and VAG.

Ref.9835 GLASS FUSE ASSORTMENT

120 PC SET



Ref.9814 AUTOMOTIVE FUSE ASSORTMENT



120 PC SET

01	3A x 15 PC	04	3A x 15 PC	06	3A x 15 PC
02	5A x 15 PC	05	5A x 15 PC	07	5A x 15 PC
03	7.5A x 15 PC				

INDIVIDUAL FUSES - PACKS (10 PC.)

REF.	Type
9814-3A	Automotive Fuse 3A
9814-5A	Automotiv e Fuse 5A
9814-7.5A	Automotive Fuse 7.5A
9814-10A	Automotive Fuse 10A
9814-15A	Automotive Fuse 15A
9814-20A	Automotive Fuse 20A
9814-30A	Automotive Fuse 30A

Ref.9815 AUTOMOTIVE MINI-FUSE ASSORTMENT



100 PC SET

01	2A x 10 PC	05	7.5A x 10 PC	08	20A x 10 PC
02	3A x 10 PC	06	10A x 10 PC	09	25A x 10 PC
03	4A x 10 PC	07	15A x 10 PC	10	30A x 10 PC
04	5A x 10 PC				

INDIVIDUAL FUSES - PACKS (10 PC.)

REF.	Type
9815-2A	Automotive Mini-Fuse 2A
9815-3A	Automotive Mini-Fuse 3A
9815-4A	Automotive Mini-Fuse 4A
9815-5A	Automotive Mini-Fuse 5A
9815-7.5A	Automotive Mini-Fuse 7.5A
9815-10A	Automotive Mini-Fuse 10A
9815-15A	Automotive Mini-Fuse 15A
9815-20A	Automotive Mini-Fuse 20A
9815-25A	Automotive Mini-Fuse 25A
9815-30A	Automotive Mini-Fuse 30A

Ref.9816 AUTOMOTIVE MAXI-FUSE ASSORTMENT



36 PC SET

01	20A x 6 PC	04	50A x 6 PC	07	80A x 3 PC
02	30A x 6 PC	05	60A x 3 PC	08	100A x 30 PC
03	40A x 6 PC	06	70A x 3 PC		

INDIVIDUAL FUSES - PACKS (10 PC.)

REF.	Type
9816-20A	Automotive Maxi-Fuse 20A
9816-30A	Automotive Maxi-Fuse 30A
9816-40A	Automotive Maxi-Fuse 40A
9816-50A	Automotive Maxi-Fuse 50A
9816-60A	Automotive Maxi-Fuse 60A
9816-70A	Automotive Maxi-Fuse 70A
9816-80A	Automotive Maxi-Fuse 80A
9816-100A	Automotive Maxi-Fuse 100A

Ref.10283 VDE SCREWDRIVER SET



7 PC SET

Slotted
SL3 x 75mm
SL4 x 100mm
SL5.5 x 125mm
SL6.5 x 150mm
Philips
PH0 x 75mm
PH1 x 80mm
PH2 x 100mm

Ref.10284 VDE SCREWDRIVER SET



11 PC SET

Slotted	Philips	Pozi
3 x 75mm	PH0 x 75mm	PZ0 x 75mm
4 x 100mm	PH1 X 80mm	PZ1 x 80mm
5,5 x 125mm	PH2 x 100mm	PZ2 x 100mm
6,5 x 150mm		

Includes: Circuit tester

Ref.10281 VDE SCREWDRIVER SET



13 PC SET

Slotted	Philips	Pozi	Torx
6.5x100	PH1x80	PZ1x80	T10x100
1x5.5x100	PH2x100	PZ2x100	T15x100
0.8x4x100			T20x100
0.5x3x100			

- 1 x Circuit tester 140mm
- 1 x Handle.

Ref.9834 TERMINAL ASSORTMENT

160 PC SET



Contents	
	RV5.5-5 (x 4 PC.)
	RV5.5-8 (x 4 PC.)
	RV5.5-10 (x 4 PC.)
	MDD5-250 (x 5 PC.)
	FDD5-250 (x 5 PC.)
	BV5 (x 12 PC.)
	RV1.25-4L (x 8 PC.)
	FG2 (x 4 PC.)
	BV2 (x 18 PC.)
	BV1 (x 12 PC.)
	FG1 (x 4 PC.)
	RV2-6 (x 10 PC.)
	RV2-5L (x 10 PC.)
	RV2-4L (x 10 PC.)
	MPD2-156 (x 10 PC.)
	FRD2-156 (x 10 PC.)
	FDD2-250 (x 10 PC.)
	SV2-4M (x 10 PC.)
	MDD2-250 (x 10 PC.)

Ref.9831 HEAT SHRINK TUBE ASSORTMENT - BLACK

127 PC SET



Contents	
	2.0 x 40mm (x 30 PC.)
	2.5 X 40mm (x 25 PC.)
	3.5 x 40mm (x 20 PC.)
	5.0 x 40mm (x 20 PC.)
	7.0 x 80mm (x 16 PC.)
	10 x 80mm (x 8 PC.)
	13 x 85mm (x 8 PC.)

Ref.9832 HEAT SHRINK TUBE ASSORTMENT - COLOURED

100 PC SET



Contents	
	1.5 x 100mm (x 30 PC.)
	2.5 x 100mm (x 30 PC.)
	4.0 x 100mm (x 20 PC.)
	6.0 x 100mm (x 10 PC.)
	10 x 100mm (x 6 PC.)
	13 x 100mm (x 4 PC.)

Ref.9833 BRANCH CONNECTOR ASSORTMENT

50 PC SET



Contents	
	1.5 - 2.5mm (Blue) (x 25 PC).
	0.5 - 1.5mm () (x 25 PC).

Ref.1085 ALTERNATOR PULLEY BIT SET



24 PC SET

- Comprehensive set of bits and adaptors for assembly and removal of alternator pulleys.
- Wide coverage including Bosch, Denso, Toyota and Honda pulleys.

Ref.9191 ALTERNATOR PULLEY BIT SET



13 PC SET

- Socket Bits 1/2' Torx T50 x 113mm, XZN M10 x 113mm. With 33 teeth adapter.
- Adapters Hexagonal 22 x 28mm and XZN 15mm x 33 teeth and 22mm. x 33 teeth.
- Adapter Round 35mm with 4 pins.
- Bits 10mm Torx T40, T50, XZN M8 and M10 and Allen H8 and H10.
- Adapter 1/2' x 10mm hexagonal.

ALTERNATOR PULLEY BIT SOCKETS



	Ref.	Size
01	1009	XZN M10
02	1010	Torx T50

Ref.9403 BATTERY LIQUID TESTER



Used to check the specific gravity of the electrolyte of battery liquid.

- Measuring range: 1100-1300 Kg / m3.
- 5 scale points.
- Resistant glass body.

Ref.9337 BATTERY HOLDER



Sizes:
Min: 115mm Max: 175mm

Ref.10204 BATTERY & ALTERNATOR TESTER



- Checks the starting capacity of the battery.
- Checks the alternator voltage.
- Detects if there is a problem in the vehicle's charging circuit that could damage the battery or onboard electronics.
- Quick analysis result (<10 seconds) with simplified reading thanks to color codes.
- For 6V and 12V batteries, charging system output (<16V).
- Easy-to-read analog display.
- Suitable for lithium ion batteries.

Ref.9305 BATTERY TERMINAL CLEANER



- Battery terminal scraper.
- Eliminates accumulated corrosion on battery terminals, which improves the electrical contact of the terminals.

Ref.1124 EOBD / 12V MEMORY SAVER



Connects to an auxiliary battery to power the vehicle circuit while the battery is disconnected. It can be connected directly to the vehicle's EOBD diagnostic socket or using the adaptor to connect through the 12V cigarette lighter plug.

Ref.9457 CABLE INSTALLATION TOOL SET

13 PC SET



Set of tools that allow you to push, pull and insert cables in difficult-to-access areas.

Ref.11397 ELECTRICAL DISCONNECT PLIER





Ideal to remove electric connections without breaking the plastic clip.

Ref.9671 ELECTRICAL CONNECTOR TOOL - VAG

Fits directly onto the connector and gives just the right amount of leverage to release the connector without breaking the tab.



Ref.10940 ALTERNATOR PULLEY BIT SOCKET - FORD 2.0 TDCI ECOBLUE





Size
1/2" Dr. Socket with T50 bit . Length 93mm 17mm go-thru insert adaptor with 24mm drive

OEM
414-009, 414-009/1 & 414-009/2

Ref.10911 HYBRID STARTER GENERATOR BELT TENSIONER COMPRESSION TOOL HYUNDAI / KIA



Developed to compress the tensioner that connects to the motor's high-voltage starter unit, it has a small spring that must be compressed upon disassembly.

OEM
09244621000 - 92522E100

Engines
1.6L GHEV

Ref.11041 SLEEVE SOCKET FOR BATTERY COVER - TESLA 1/2" DR. 5 POINT

1/2"



- 5 Points
- Suitable for Model 3/Y

Ref.10931 REAR TAILLIGHT NUT REMOVAL SOCKET - TESLA

3/8"



Designed to remove and fit the headlight nut on the Tesla Model 3, in order to remove the bumper.

Ref.10928 EV BATTERY CONNECTOR RELEASE TOOL - VAG



Designed to release the communication connector on HV battery modules.

Applications
AUDI e-Tron since 2021 **Porsche** Taycan since 2020

OEM
T90027

Ref.10954 ADAS PARK ASSIST CAMERA POSITIONING TOOL - VOLVO



- Designed to position the Parking Assistance Camera during calibration
- Made of aluminium

Ref.10953 ADAS RADAR ANGLE SETTING TOOL - VOLVO



- Designed to position the front radar sensor during calibration
- Made of aluminium

Application
S60/V60 (2010-2018), S80/V70 (2007-2016), XC60 (2008-2017)

OEM
9997407



8

ENGINE TIMING TOOLS

Catalogue 2025

www.thetoolhub.co.uk

Ref.10310 DIESEL ENGINE TIMING SET FOR BMW / BMW MINI – B37 / B47



This set contains the necessary tools to keep the engine in the correct position to replace the timing chain of the latest BMW 1.5 (B37) and 2.0 (B47) diesel engines from 2014.

Applications:
BMW: Serie 1, Serie 2, Serie 3, Serie 4, Serie 5, Serie 6, X1, X2, X3, X4, X5.
BMW Mini: Clubman, Convertible, Countryman, Mini Hatch.

Engines:	1.5L. & 2.0L.	Engine Codes:	B37 / B47	Year:	From 2014

Ref.10390 CRANKSHAFT TURNING & FLYWHEEL LOCKING TOOL SET FOR BMW

Set of special tools for setting the latest diesel and petrol engines from BMW and BMW Mini.



Applications:	BMW / BMW Mini

Engine codes:
B37 / B38 / B47 / B48

OEM:	
114180	Special bit for the flywheel screw.
116480	Crankshaft turning tool
119811	Flywheel locking tool
119265	Spacer
Year:	2014 - 2021

Ref.10409 CRANKSHAFT PULLEY HOLDING TOOL FOR BMW

Special tool to hold the crankshaft pulley during loosening and tightening of the setscrew. The wrench holds the inner part of the pulley to prevent damaging the vibration damper and keep the crankshaft fixed.



OEM:	117220
Applications:	BMW / BMW Mini
Engine Codes:	N47 / N57
Year:	2007 – 2017.

Ref.9998 DIESEL ENGINE TIMING SET FOR BMW / BMW MINI – N47 / N57



This kit contains the essential tools to keep the engine in the correct position to replace the timing chain. Additionally they include tools to align and lock the crankshaft and balance shaft.

Applications:			
BMW	Series 1, 2, 3, 4, 5, 6, 7, X1, X3, X4, X5, X6.	**BMW Mini**	Clubman, Mini, Coupe, Roadster, Countryman, Paceman.

Engine:	1.6L, 2.0L. 3.0L
Engine Codes:	**1.6** – N47 C16A / N47 D16A / N47 D16C
	2.0 – N47 C20A / N47 D20A / N47 D20B /N47 D20C / N47 D20D
	3.0 – N57 D30A / N57 D30B / N57 D30C / N57 D30D /N57 D30T0 / N57 D30UO
Year:	2007 to 2017

* For Engines from 06/2013: another crankshaft positioner is required, Toolhub reference 10315. Other tools are also required for the balance shaft, Toolhub Ref.10321

Ref.9608 DIESEL ENGINE TIMING FOR SET BMW / BMW MINI – N47 / N57



This set contains the essential tools to keep the engine in the correct position to replace the timing chain of the BMW N47, 1.6L, 2.0L and 3.0L Engines. Contains OEM 114320 crankshaft positioner.

Applications::			
BMW	Series 1, 2, 3, 4, 5, 6, 7, X1, X3, X4, X5, X6.	**BMW Mini**	Clubman, Mini, Coupe, Roadster, Countryman, Paceman.

Engines:	1.6L, 2.0L. 3.0L
Engine Codes:	**1.6** – N47 C16A / N47 D16A / N47 D16C
	2.0 – N47 C20A / N47 D20A / N47 D20B /N47 D20C / N47 D20D
	3.0 – N57 D30A / N57 D30B / N57 D30C / N57 D30D /N57 D30T0 / N57 D30UO
Year:	From 2007 to 2017

For Engines after 06/2013: another crankshaft positioner is required, reference Toolhub 10315

Ref.9140 DIESEL ENGINE TIMING SET FOR BMW / BMW MINI – N47 / N57

The set contains the camshaft locking tool, camkshaft turning tool and the injection pump puller.



Applications:	
BMW	Series 1, 2, 3, 4, 5, 6, 7, X1, X3, X4, X5, X6.
BMW Mini	Clubman, Mini, Coupe, Roadster, Countryman, Paceman.
Engine Codes:	N47 / N57
Engines:	1.6D / 2.0D / 3.0D
Year:	From 2007 to 2017.

Ref.1110 DIESEL INJECTION PUMP PULLER FOR BMW



OEM:	118740
Applications:	BMW N47 / N57

Ref.10311 CRANKSHAFT POSITIONING TOOL FOR BMW / BMW MINI



OEM:	2357904
Applications:	BMW / BMW Mini - 1.5D / 2.0D / 1.2i / 1.5i / 2.0i / 3.0i
Engine Codes:	B36 / B37 / B47 / B38 / B48 / B58
Year:	From 2014

Ref.10315 CRANKSHAFT POSITIONING TOOL FOR BMW / BMW MINI



OEM:	2285671
Applications:	BMW / BMW Mini - 1.6D / 2.0D
Engine Codes:	N47 / N57
Year:	From 06/2013

Ref.10316 CRANKSHAFT POSITIONING TOOL FOR BMW



OEM:	2420824
Applications:	BMW 3.0D
Engine Codes:	B57

Ref.9568 CRANKSHAFT POSITIONING TOOL FOR BMW / BMW MINI



OEM:	114320
Applications:	BMW / BMW Mini
Engine codes:	N47 / N57
Year:	2007 - 05/2013

Ref.9853 BALANCE SHAFT ALIGNMENT TOOL FOR BMW



OEM:	Balance shaft alignment tool – 118750 Crankshaft locking tool – 118791/118793.
Applications:	BMW N47
Year:	Up to 05/2013

Ref.10231 SPLIT GEAR ALIGNMENT TOOL FOR BMW / OPEL DIESEL



OEM:	115370 / EN-50509
Applications:	BMW 1.5D / OPEL 1.3CDTI
Engine Codes:	B37 / LKU/B13DTE, LKU/B13DTC, LKU/B13DTR
Year:	From 2014

Designed to keep gears aligned for easy disassembly and assembly of the balance shafts.

Ref.10321 BALANCE SHAFT ALIGNMENT TOOL & REMOVAL SET FROM BMW / BMW MINI

Contains the tools to remove, install and align the balance shaft gears of the latest BMW diesel and petrol engines.



OEM:	2288054 y 2361286
Applications:	BMW / BMW Mini
Engine Codes:	N47 / B47 / B48
Year:	From 2013

Ref.10322 BALANCE SHAFT ALIGNMENT TOOL & REMOVAL SET FROM BMW / BMW MINI

Contains the tools to remove, install and align the balance shaft gears of the latest BMW diesel and petrol egines.



OEM:	2358646, 2288942 y 2288943
Applications:	BMW / BMW Mini
Engine Codes:	B36 / B37 / B38
Year:	From 2014

Ref.1036 DIESEL ENGINE TIMING SET FOR BMW - M47 / M57



This set allows the correct timing on the BMW 2.0D, 2.5D and 3.0D diesel engines with engine types M47 and M57.

Applications:					
BMW	Series 1, 3, 5, 6, 7, X3, X5, X6.	Land Rover	Freelander 2.0 TD4	Rover	75 2.0D
Opel	Omega-B 2.5DT	Range Rover	3.0 TD6		

Engine:	2.0D / 2.5D / 3.0D

Engine Codes:					
BMW 2.0	20 4D 1 / 20 4D 4	Land Rover 2.0	20 4D 3/TD4	Rover 2.0	M47R
BMW 2.5	25 6D / 25 6D 2	Opel 2.5	Y25DT	BMW 3.0	30 6D 1 / 30 6D 2 / 30 6D 3 / 30 6D 4/ 30 6D 5
Land Rover / Range Rover	30 6D 1/TD6				

Year:	1998 - 2013

Ref.9159 DIESEL ENGINE TIMING SET FOR BMW M41 & M51



This set is for the timing of the 1.7L and 2.5L BMW diesel engines used in BMW, Land Rover, Range Rover and Opel vehicles between 1991 and 2003.

Applications:			
BMW	Series 3, 5, 7	Land Rover / Range Rover	2.5 Turbo
Opel	Omega-B 2.5 Turbo		

Engine:	BMW 1.7D & 2.5D	Year:	1991 - 2003

Engine Codes:			
BMW	17 4T1 / 25 6T 1	Land Rover / Range Rover	256T
Opel	25DT / X25DT		

Ref.1165 DIESEL ENGINE TIMING SET FOR BMW MINI W16D



Applications:	BMW Mini – Mini, Clubman
Engine Codes:	W16 D16

Engine:	1.6
Year:	2007 - 2010

Ref.10368 CRANKSHAFT PULLEY HOLDING TOOL FOR BMW



Special wrench to hold the vibration damper in order to loosen and tighten the crankshaft pulley.

Applications:	Series 3 & Series 5
Engine Codes:	M47 – 20 4D 1
OEM:	116310 (116311 & 116312)

Ref.1035 DIESEL INJECTION PUMP PULLER FOR BMW M47 / M57



Aplicaciones:	
BMW	20 4D 1 / 20 4D 4 / 25 6D 1 / 25 6D 2 / 30 6D 1 / 30 6D 2 / 30 6D 3 / 30 6D 4 / 30 6D 5
Land Rover	20 4D 3 / TD4 / 30 6D 1 / TD6
Opel	Y25DT
Rover	M47R
OEM:	135190 / LRT 12-178
Year:	1998 – 2013.

Ref.1024 DIESEL INJECTION PUMP PULLER FOR BMW M41 / M51





Applications:	
BMW	17 4 T1 / 25 6T 1
Land Rover	256T
Opel	X25DT
Year	1991 - 2003

Ref.9994 PETROL ENGINE TIMING SET FOR BMW / BMW MINI – B36 / B38 / B48 / B58



This set contains the necessary tools to keep the engine in the correct position to replace the timing chain of the latest BMW petrol engines from 2014.

Applications:	
BMW	Series1, 2, 3, 4, 5, 6, 7, 8, i8, X1, X2, X3, X4, X5, X6, X7, Z4.
BMW Mini	Clubman, Convertible, Countryman, Mini Hatch.
Engine:	1.2i, 1.5i, 1.6i, 2.0i & 3.0i.
Engine Codes:	B36 / B38 / B48 / B58
Year:	From 2014

Ref.9592 PETROL ENGINE TIMING SET FOR BMW – N20 / N26



Applications:	
BMW	Series 1, Series 2, Series 3, Series 4, Series 5, X1, X2, X3, X4, X5, Z4.
Engine:	1.6i & 2.0i
Engine Codes:	N20 / N26
Year:	2011 - 2018

Ref.10236 BALANCE SHAFT & OIL PUMP ALIGNMENT TOOL SET FOR BMW



Applications:	
BMW	Series1, Series 2, Series 3, Series 4, Series 5, X1, X2, X3, X4, X5, Z4.
Engine:	1.6i & 2.0i
Engine Codes:	N20 / N26
OEM:	2212825 / 114120 / 2318117
Year:	2011 – 2018

Ref.10043 VARIABLE CAMSHAFT TIMING ADJUSTER SOCKET FOR BMW / FORD / MINI



To adjust the central valve of the BMW VANOS unit and the FORD VCT module.

Applications:	
BMW / BMW Mini	B36 / B38 / B48
Ford	1.0 Ecoboost
OEM:	2450487 / 303-1661
Size:	1/2" Dr. 22mm, 16 point
Length:	30mm

Ref.9593 PETROL ENGINE TIMING SET FOR BMW / BMW MINI – N13 / N18



Applications:	
BMW	Series 1, Series 3
BMW Mini	Clubman, Countryman, Coupe, Mini, Paceman, Roadster
Engine:	1.6i
Engine Codes:	N13 / N18
Year:	2010 - 2017

Ref.10974 CAMSHAFT DRIVE CHAIN WEAR INDICATOR FOR BMW / BMW MINI

Tool designed to indicate timing belt wear



Engine:	N12, N13, N16, N18, N47, N57.
OEM:	2 353 281

Ref.1079 PETROL ENGINE TIMING SET - BMW N43



Applications:	
BMW	Series 1, Series 3, Series 5.

Engine:	1.6i & 2.0i
Engine Codes:	N43
Year:	From 2007- 2014

* Additionally, the flywheel locking tool is required, Toolhub Ref. 9582.

Ref.9142 PETROL ENGINE TIMING SET - BMW MINI / PSA – N12 / N14 / EP3 / EP6



Set that allows the correct synchronization of the egnie to be maintained during replacement of the timing chain in the "Prince" engine series developed together by BMW and the PSA Group.

Applications:	
BMW Mini	Clubman, Countryman, Coupe, Mini, Paceman, Roadster.
Citrõen	Berlingo, C3, C3 Picasso, C4, C4 Picasso,C4 SpaceTourer, C5, C5 Aircross, DS3, DS4, DS5.
Peugeot	Partner, RCZ, 207, 207 CC, 208, 308, 308 CC, 3008, 508, 5008
Engines:	14i & 1.6i.
Engine Codes:	BMW Mini - N12 / N14. PSA – EP3 / EP6.
Year:	2006- 2021

Ref.1105 PETROL ENGINE TIMING SET FOR BMW – N42 / N46



Applications	
BMW	Series 1, Series 3, Series 5, X1, X3, Z4.

Engines:	1.8i & 2.0i.
Engine Codes:	N42 / N46 / N46T
Year:	2001 – 2015

Ref.9158 PETROL ENGINE TIMING SET FOR BMW – N40 / N45



Applications:	
BMW	Series 1, Series 3.

Engines:	1.6i & 2.0i.
Engine Codes:	N40 / N45 / N45T.
Year:	2002 – 2010.

Ref.9997 VALVETRONIC SYSTEM REPAIR SET FOR BMW N42 / N46 / N46T



This set is essential for the disassembly and rebuilding of the Valvetronic system on the BMW N42, N46 and N46T double camshaft engines. It is used for the disassembly, installation and reconstruction of the camshaft supports and the VANOS / Valvetronic unit.

Applications:	
BMW	Series 1, Series 3, Series 5, X1, X3, X4, Z4
Engines:	1.8i & 2.0i.
Engine Codes:	N42 / N46 / N46T
Year:	From 2001- 2015

Ref.9440 BALANCE SHAFT TIMING TOOL SET FOR BMW



Set of tools to align the balance shafts of BMW petrol engines.

Applications:	
BMW	Series 1, Series 3, Series 5, X1, X3, Z4.
Engines:	1.6i, 1.8i & 2.0i.
Engine Codes:	N40 / N42 / N43 / N45 / N45T / N46 / N46T.
Year:	2001 – 2015

Ref.1073 PETROL ENGINE TIMING SET FOR BMW MINI W10



Applications:	
BMW Mini	Mini (R50 / R52 / R53)
Engines:	14i & 1.6i.
Engine Codes:	W10B14A / W10B16A / W10B16BA
Year:	2001 – 2009

Ref.1030 PETROL ENGINE TIMING SET FOR BMW – M42/M44/M50/ M52/M54



Applications:	
BMW	Series 3, Series 5, Z3.
Engine:	1.8i, 1.9i, 2.0i & 2.5i
Engine Codes:	18 4S 1 / 19 4S 1 / 20 6S 1 / 20 6S 2 / 20 6S 3 / 20 6S 4 / 22 6S 1 / 25 6S 1 / 25 6S 2 / 25 6S 3 / 25 6S 4 / 25 6S 5 / 28 6S 1 / 28 6S 2 / 30 6S 3
Year:	1989 - 2007.

Ref.1029 PETROL ENGINE TIMING SET FOR BMW – M40/M43/M70/ M73/ S70



Applications:	
BMW	Series 3, Series 5, Series 7, Series 8, Z3.
Engine:	1.6i, 1.8i, 1.9i, 5.0i, 54i y 5.6i.
Engine Codes:	16 4E 1 / 16 4E 2 / 16 4 E3 / 18 4E 1 / 18 4E 2 / 19 4E 1 / 50 12 A / 54 12 1/ 54 12 2 / 56 12 1
Year:	1983 - 2003.

Ref.10317 PETROL ENGINE TIMING SET FOR BMW VANOS ENGINES - M42 / M44 / M50 / M52 / M54

Set of tools for BMW gasoline engines with VANOS variable valve timing.



Applications:	
BMW	Series 3, Series 5, Z3.
Engine:	2.0i, 2.2i & 2.5i, 2.8i y 3.0i.
Engine Codes:	20 6S 4 / 22 6S 1 /25 6S 4 / 25 6S 5 / 28 6S 2 / 30 6S 3
Year:	1998 – 2007

Use together with Toolhub Ref. 1030

Ref.11787 VIBRATION DAMPER CRANKSHAFT HOLDING TOOL FOR BMW N40 / N42 / N43 / N45 / N46.



Applications:	
BMW	Series 1, Series 3, Series 5, X1, X3, Z4.
Engine:	1.6i, 1.8i & 2.0i.
Engine Codes:	N40 / N42 / N43 / N45 / N45T / N46 / N46T.
Year:	2001 – 2015

Ref.9995 PETROL ENGINE TIMING SET FOR BMW – N52 / N53 / N54 / N55



Applications:	
BMW	Series 1, Series 2, Series 3, Series 4, Series 5, Series 6, Series 7, X1, X3, X4, X5, X6, Z3, Z4.
Engine:	2.5i and 3.0i.
Engine Codes:	N52 / N52K / N53 / N54 / N55
Year:	2004 - 2019

Ref.9590 PETROL ENGINE TIMING SET FOR BMW M3 – S54



Set of tools for the BMW M3 (E46) with 6 cylinder, 24 valve 3.2L engine.

Applications:	
BMW	M3, Z3 & Z4.
Engines:	3.2i.
Engine Codes:	32 6S 4
Year:	2000 - 2009.

Ref.9594 PETROL ENGINE TIMING SET FOR BMW M3 – S65



Set of tools for the BMW M3 (E90/E91/E92/E93) with 8 cylinder, 32 valve 4.0L engine.

Applications:	
BMW	M3
Engines:	4.0i.
Engine Codes:	S65 B40A
Year:	2007 - 2013

Ref.9999 PETROL ENGINE TIMING SET FOR BMW – M60 / M62



Tool set for BMW M60 and M62 engines, with and without VANOS, used in BMW and Range Rover models.

Applications:	
BMW	Series 5, Series 7, Series 8, X5
Land Rover	Range Rover
Engines:	3.0i, 3.5i, 4.0i, 4.4i & 4.6i
Engine Codes:	
BMW	30 8S 1 / 35 8S 1 / 35 8S 2 / 40 8S 1 / 44 8S 1 / 44 8S 2 / 46 8S 1
Range Rover	V8/44 8S 2
Year:	1992 – 2005.

Ref.9591 PETROL ENGINE TIMING SET FOR BMW – N62 / N73



Set of tools for the timing of the BMW N62 V8 and N73 V12 non-turbo engines that allows the timing chain to be replaced without altering the valve timing.

Applications:	
BMW	Series 5, Series 6, Series 7, X5
Engines:	3.6i, 4.0i, 4.4i, 4.8i & 6.0i.
Engine Codes:	N62 B36A / N62 B40A / N62 B44A / N62 B48A / N62 B48B / N73 B60A
Year:	2002 – 2013.

Ref.9996 PETROL ENGINE TIMING SET FOR BMW – N63/N74/S63

Set of tools for the timing of the BMW N63 4.4i V8 turbo engine, the S63 bi-turbo high performance variant "M" version and the N74 6.0i V12 bi-turbo Engine.



Applications:	
BMW	Series 5, Series 6, Series 7, X5, X6.
Engines:	4.4i, 6.0i.
Engine Codes:	N63 B44A/ N74 B60A / S63 B44A
Year:	2008 - 2017.

Ref.9582 FLYWHEEL LOCKING TOOL SET FOR BMW / BMW MINI



It is used to lock the engine flywheel through the gearbox bell-housing of diesel and petrol engines.

Engine codes:	
BMW	M47, M57, N43, N45, N45T, N46, N46T, N47, N52, N53, N54.
BMW Mini	W17
OEM:	118180 / 118181 / 118182 / 118183 / 118184 / 118185

Ref.10002 PETROL ENGINE TIMING SET FOR BMW – N63 / S63



Timing set for the BMW N63 and S63 engines, including the "M" version, with Valvetronic variable valve control system.

Applications:	
BMW	Series 5, Series 6, Series 7, Series 8, M5, M6, X5, X6, X7.
Engines:	4.0i & 4.4i
Engine Codes:	N63 B40A / N63 B44B / N63 B44C / S63 B44B.
Year:	2008 - 2021.

Ref.10247 FLYWHEEL LOCKING TOOL FOR BMW / BMW MINI



Flywheel locking tool set for the latest generations of BMW petrol and diesel engines used From 2014.

Applications:	BMW / BMW Mini
Engine Codes:	B37, B38, B47, B48, B57, B58, N47.
OEM:	119260 / 119261 / 119262 / 119263 / 119264 / 119265 / 119810 / 119811
Years:	From 2014

Ref.1198 CAMSHAFT PULLEY VANOS WRENCH FOR BMW




Applications:	
BMW	Series 3, Series 5, Series 7, Z3.
Engine:	2.0i, 2.5i & 2.8i.
Engine Codes:	25 6S 3 / 28 6S 1 With variable distribution: 20 6S 1 / 20 6S 2 / 25 6S1 / 25 6S 2
OEM:	115490
Year	1989 - 2002

Ref.1034 CRANKSHAFT LOCKING PIN FOR BMW



Applications:	BMW
Engine codes:	M40, M41, M42, M43, M44, M47, M50, M52, M54, M57, M60, M62, M70, M73, S70.
OEM:	116480 / 112300.

Ref.10323 FLYWHEEL LOCKING PIN FOR BMW / BMW MINI



This pin is used to lock the engine flywheel and the transmission disc of the last generations of BMW engines for diesel and petrol..

Applications:	
BMW / BMW Mini	
Engine codes:	N47 / N57 / S65
OEM:	115320
Year:	From 2014

Ref.10000 TIMING CHAIN PRETENSION TOOL FOR BMW



Applications:	Engine Codes:
BMW / Mini	N12, N13, N14, N18, N40, N42, N45, N46, N62, N73.
PSA	EP3, EP6, EP6DTS.
OEM:	119340 / 119341

Ref.10400 TIMING CHAIN PRETENSION TOOL FOR BMW N63/S63



Special tool used to preload the timing chain with the pretensioner.

OEM:	2249162

Ref.9851 DIESEL ENGINE TIMING SET FOR VAG – 1.4/ 1.6 / 2.0 TDI



Timing kit for 1.4, 1.6 and 2.0 TDi engines, first introduced in 2010 and used in all ranges of Audi, VW, Seat and Skoda.

Applications:			
Audi	A1, A3, A4, A5, A6, A7, Q2, Q3, Q5, TT.	Seat	Alhambra, Arona, Ateca Ibiza, Leon, Tarraco, Toledo.
Skoda	Fabia, Karoq, Kodiaq, Octavia, Rapid, Superb, Yeti.		
VW	Amarok, Arteon, Beetle, Caddy, CC,Crafter, Golf, Jetta, Passatt. Polo, Scirocco, Sharan, Tiguan, Touran, Transporter, T-Roc.		

Engine Codes:	
1.4 TDi	CUSA / CUSB / CUTA
1.6TDi	CLHA / CHLB / CHLC / CRKA / CRKB / CXMA / CXXA / CXXB / DBKA / DCXA / DCZA / DDYA / DDYB / DGDA / DGDB / DGTA / DGTC / DGTD / DGTE
2.0 TDi	ASUD / CDBA / CDCA / CGLD / CGLE / CJAA / CJCA / CJCB / CJCC / CJCD / CKFB / CKFC / CNEA / CNFA / CNFB / CNHA / CNHC / CRBB / CRBC / CRBD / CRFA / CRFC / CRLB / CRLC y CRLD / CRMB / CRUA / CRVA / CRVC / CSHA / CSUA / CSUB / CSUD / CSUE / CUAA / CUNA / CUPA / CUUA / CUUB / CUUC / CUUD / CUUE / CUUF / CUVA / CUVB / CUVC / CUVD / CUVE / CUWA / CXEB / CXEC / CXFA / CXGA / CXGB / CXHA / CXHB / CYKA / CYKB / CZJA / DBGA / DBGB / DBGC / DCYA / DCYB / DDAA / DDCA / DDCB / DDDA / DEJA / DEJB / DESA / DETA / DETB / DEUA / DEUB / DEUC / DEZD / DFBA / DFCA / DFEA / DFEB / DFFA / DFGA / DFGB / DFGC / DFHA / DFLA / DFLD / DFMA / DFSA / DFSB / DFSC / DFSD / DFSE / DFSF / DFTA / DFTB / DFTC / DFUA / DGCA / DGTA / DGTD / DJGA / DKTA / DLTA / DLTC / DLUB / DSRA / DSRB / DSUD / DTRB /DTRD / DTSA / DTSB / DTTA / DTTC / DTUA.

Year:	2010 - 2021

Ref.9179 DIESEL ENGINE TIMING SET FOR VAG – 1.2 / 1.6 / 2.0 TDI



Timing kit for 1.2, 1.6 and 2.0 TDi, Bluemotion engines.

Applications:			
Audi	A1, A3, A4, A5, A6, Q3, Q5, TT.	Seat	Alhambra, Altea, Exeo, Ibiza, Leon, Toledo.
Skoda	Fabia, Octavia, Praktik, Rapid,Roomster, Superb, Yeti.		
VW	Amarok, Beetle, Caddy, CC, Crafter, Eos, Golf, Jetta, Passatt. Polo, Scirocco, Sharan, Tiguan, Touran, Transporter.		

Engine Codes:	
1.2 TDi	CFWA
1.6TDi	CAYA / CAYB / CAYC / CAYD / CAYE / CLNA
2.0 TDi	AVQ /AXB / AXC / AZV / BDJ / BGM /BJB / BKC / BKD / BLS / BMM / BMN / BMP/ BNM / BRM / BRR / BRS / BRU / BST / BSU / BUY / BXE / BXF / BXJ / CAAA / CAAB / CAAC / CAAD / CAAE / CAGA / CAGB / CAGC / CAHA / CAHB / CBAA / CBAB / CBAC / CBBA / CBBB / CBDA / CBDB / CBDC / CCHA / CCHB / CDBA / CDCA / CEGA / CFCA / CFFA / CFFB / CFFD / CFFE / CFGB / CFGC / CFHA / CFHB / CFHC / CFHD / CFHE / CFHF / CFJA / CFJB / CGLA / CGLB / CGLC / CGLD / CGLE / CJAA / CJCA / CJCB / CJCC / CJCD

Year:	2007 - 2021

Ref.9143 DIESEL ENGINE TIMING SET FOR VAG – 1.2 / 1.4 / 1.9 / 2.0 TDI



Engine Codes:	
1.2TDi	ANY / AYZ
1.4TDi	AMF / ATL / BAY / BHC / BMS / BNM / BNV / BWB
1.9TDi	AJM / ANU / ANW / ARL / ASZ / ATD / ATJ / AUY / AVB / AVF / ASZ / ATD / ATJ / AWX / AXB / AXC / AXR / BLT / BKC / BMT / BRM / BSW / BTB / BVK
2.0TDi	BGW / BLB / BKD / BKP / BMA / BMR / BNA / BPW / BRC / BRD / BRE / BRF / BVA / BE / BVF / BVG / BWV.

Year:	2000 - 2018

Ref.10694 CRANKSHAFT PULLEY / VIBRATION DAMPER PULLER



Special tool needed to separate the vibration damper from the crankshaft pulley without damaging it

Applications:
Volkswagen Transporter T6 2.0TDi (from 2017).

OEM:	T50071

Ref.9892 CRANKSHAFT LOCKING TOOL FOR VAG - 1.4 / 1.6 / 2.0 TDI

Special tool to lock the crankshaft in position through the sprocket and the oil seal housing.



Applications:	See timing set Ref.9851.
OEM:	T10490

Ref.9557 CRANKSHAFT LOCKING TOOL FOR VAG - 1.2 / 1.4 / 1.6 / 1.9 / 2.0TDI



Tool to lock the crankshaft through the sprocket teeth of the crankshaft sprocket. Compatible with TDi engines versions from 1998 to 2011 approximately.

OEM:	T10050

Ref.9558 CRANKSHAFT LOCKING TOOL FOR VAG - 1.2 / 1.4 / 1.9 / 2.0 TDI



Tool designed for the fifth generation TDi engine to lock the crankshaft using the teeth. of the crankshaft sprocket sprocket.

OEM:	T10100

Ref.10245 DIESEL INJECTION PUMP AND PULLER FOR VAG - 1.4 / 1.6 / 2.0 TDI



Tool to remove the diesel pump sprocket on 1.4, 1.6 and 2.0 TDi engines to allow removal of the pump.

Engine:
1.4 / 1.6 / 2.0 TDi

Consult OEM information for exact applications.

OEM:	T10489
Year:	2008 - 2021

* for use with hand tools only.

Ref.9870 DIESEL FUEL PUMP PULLEY REMOVAL TOOL FOR VAG



Engine:
6-cyl. TDI Common Rail, 2.0L 4-cyl TDI Common Rail 1.6L

OEM:
T40064

Ref.10012 CAMSHAFT FITTING SET FOR VAG / PORSCHE - 1.2 / 1.6 / 2.0 / 2.7 / 3.0 / 4.0 / 4.2 TDI.



Special tool that allows the camshafts to be mounted within their retaining frame in order to be able to mount them correctly.

Engine codes:			
1.2TDi	CFWA	1.6TDi	CAYA / CAYB / CAYC / CAYD / CAYE
2.0TDi	CAAA / CAAB / CAAC / CAAD / CAAE / CAGA / CAGB / CAGC / CAHA / CAHB / CBAA / CBAB / CBAC / CBBA / CBBB / CBDA / CBDB / CBDC / CCHA / CCHB / CDBA / CDCA / CEGA / CFCA / CFFA / CFFB / CFFD / CFFE / CFGB / CFGC / CFHA / CFHB / CFHC / CFHD / CFHE / CFHF / CFJA / CFJB / CGLA / CGLB / CGLC / CGLD / CGLE / CJAA / CJCA / CJCB / CJCC /CKTB / CKTC / CKUB / CKUC / CLCA / CNEA / CNFA / CNFB / CSHA / CSLA / CSLB / CSLC / CSNA		
2.7TDi	BPP / BSG / CAMA / CAMB / CANA / CANB / CANC / CY / CGKA / CGKB		
3.0TDi	ASB / BKN / BKS / BMK / BNG / BUG / BUN / CAPA / CARA / CASA / CASB / CASC / CASD / CATA / CCLA / CCMA / CCWA / CCWB / CDUC / CDYA / CDYB / CDYC / CEXA / CEXB / CMMA		
4.0TDi	ASE	4.2TDi	BHR / BVN / CCFA / CCFC / CDSB / CKDA / CTEC
OEM:	T40094 / T40095 / T40096.		

Ref.9653 CAMSHAFT MOUNTING TOOL FOR VAG



Tool to facilitate the assembly of the camshafts of VAG TDi engines.

OEM:	T40095

Ref.1076 DIESEL ENGINE TIMING SET FOR VAG – 2.7 / 3.0 / 4.0 / 4.2 TDI

Set containing the special tools for changing the timing chain of a wide range of 2.7, 3.0, 4.0 and 4.2 TDi diesel engines.



Applications:			
Audi	A4, A5, A6, A8, Q5,Q7	VW	Phaeton, Touareg.

Engine Codes:	
2.7TDi	BPP / BSG / CAMA / CAMB / CANA / CANB / CANC / CY / CGKA / CGKB
3.0TDi	ASB / BKN / BKS / BMK / BNG / BUG / BUN / CAPA / CARA / CASA / CASB / CASC / CASD / CATA / CCLA / CCMA / CCWA / CCWB / CDUC / CDYA / CDYB / CDYC / CEXA / CEXB / CMMA
4.0TDi	ASE
4.2TDi	BHR / BVN / CCFA / CCFC / CDSB / CKDA/ CTEC These motors also need 3 tensioner locks, Toolhub ref 10431.

Year:	2004 - 2015

Ref.10702 DIESEL FUEL PUMP LOCKING TOOL SET FOR VAG - 2.7 / 3.0 TDI

Special tool set to lock the diesel fuel pump in its timed position to allow safe removal of the drive belt or check the timing of the diesel pump.



Applications:
Audi A4, A5, A6, Q5, Q7.
VW Phaeton, Touareg.
Porsche Cayenne

Engine Codes:
2.7 - CAMA / CAMB / CANA / CANB / CANC / CY / CGKA / CGKB.
3.0 - CARA / CASA / CASB / CASC / CASD / CAS.M05.9E / CATA / CCLA / CCMA / CCWA / CCWB / CDYA / CDYB / CDYC / CEXA / CEXB / M05/9D[CAS]

OEM:
T40135, T10320, T40058, 3242.

Ref.10893 DIESEL ENGINE TIMING SET FOR VAG - 3.0 TDI



Applications:
Audi A4, A5, A6, A7, A8, Q5, Q7

Engine codes:
CRTC, CRTD, CRTE, CRTF, CSWB, CVZA, CZVA, CZVB, CZVC, CZVD, CZVE, CZVF, CZZA, CZZB, DCPC, DDVC, DDXA, DDXB, DDXC.

Year:
2015 - 2018

Ref.9154 DIESEL ENGINE TIMING SET FOR VW - 2.5 / 4.9 TDI PD

This kit contains the tools necessary for the 2.5 and 4.9 TDi PD diesel engines that incorporate a gear system in the distribution.



Applications:	
VW	Phaeton, Touareg, Transporter

Engine Codes:	
2.5 TDi	AXD / AXE / BAC / BLJ / BLK / BNZ / BPC / BPD / BPE
4.9 TDi	AJS / AYH / BKW / BLE / BWF. The 4.9TDi Engines also require the gear guide pins and the crankshaft locking tool, Toolhub Ref. 9155
Year:	2002 - 2010

Ref.9155 DIESEL ENGINE TIMING SET FOR VW - 4.9 TDI PD

Set of specific tools for the 4.9 TDI PD engine used in the Volkswagen Phaeton and Touareg models. Contains a crankshaft locking tool and gear guide pins. It is used in conjunction with Toolhub Ref 9154.



Applications:	
VW	Phaeton, Touareg, Transporter

Engine Codes:	
4.9TDi	AJS / AYH / BKW / BLE / BWF.
OEM	T10195 / T10200.
Year:	2002 - 2010

Ref.1189 WATER PUMP REMOVAL SET FOR VW - 2.5TDI PD

Tool kit for disassembling the water pump of 2.5TDi engines with gear transmission of some Touareg & Transporter models.



Applications:	
VW	Touareg, Transporter

Engine Codes:	
2.5TDi	AXD / AXE / BAC / BLJ / BLK / BNZ / BPC / BPD / BPE
OEM:	T10225 / T10221A / T10222A.
Year:	2002 - 2010

Ref.9077 CAMSHAFT LOCKING TOOLS FOR VW - 2.5 / 4.9 TDI PD



Applications:	
VW	Phaeton, Touareg, Transporter

Engine Codes:	
2.5TDi	AXD / AXE / BAC / BLJ / BLK / BNZ / BPC / BPD / BPE
4.9TDi	AJS / AYH / BKW / BLE / BWF.
OEM:	T10193 / T10194.
Year:	2002 - 2010

Ref.9157 DIESEL ENGINE TIMING SET FOR VW - 2.4D / 2.5 TDI-SDI

Set of timing tools for the 24 and 2.5 diesel engines used in Volkswagen commercial vehicles.



Applications:	
VW	Crafter, LT, Transporter.

Engine Codes:	
2.4D	AAB / AJA
2.5TDi/SDi	ACV / AGX / AHD / AHY / AJT / ANJ / APA / AUF / AVR / AXG / AXL / AYC / AYY / BBE / BBF / BJJ / BJK / BJL / BJM / CEBA / CEBB / CECA / CECB.
Year:	1995 - 2013

Ref.1038 DIESEL ENGINE TIMING SET FOR VAG - 2.5 TDI

Timing Kit for the V6, 2.5 TDi diesel engine used in Audi, Skoda and Volkswagen models from 1997 to 2008. Also covers the 3.3TDi engine used in the Audi A8 from 2000 to 2009.



Applications:	
Audi	A4, A6, A8, Allroad.
VW	Passat
Skoda	Superb

Engine Codes:	
2.5TDi	AFB / AKE / AKN / AYM / BAU / BCZ / BDG / BDH / BFC.
3.3TDi	AKF
Year:	1997 - 2009

Ref.1134 DIESEL ENGINE TIMING SET - 1.6D / 1.7D-SDI / 1.9D-SDI-TDI / 2.4D



Applications:			
Audi	A3, A4, A6, Cabriolet,	Seat	Alhambra, Arosa, Cordoba, Ibiza, Inca, Leon, Toledo,
Skoda	Felicia, Octavia		
VW	Bora, Caddy,Fox, Golf, LT, Lupo, Passat, Polo,Sharan, Transporter, Vento		

Engine Codes:	
1.7 TDi/SDi	AHB / AHG / AKU / AKW /
1.9TDi/SDi	1X / 1Y / 1Z / ABL / AAZ / AEF / AEY / AFF / AFN / AGD / AHF / AHH / AHU / AGP / AGR / ALE / ALH / AQM / ASV / ASY / ASX / AVG / AYQ
2.4D	1G / 1S / DW / DV / ACL / ACT
Year:	1982 - 2007

Ref.10960 SPROCKET HOLDING TOOL FOR HIGH PRESSURE FUEL PUMP FOR VAG



Designed to hold the fuel pump pulley so that the centre bolt on the pulley can be removed.

Engine:	1.4, 1.6, 2.0 TDI Cr
OEM:	T10051
Year:	2000 onwards.

Ref.10894 HIGH PRESSURE FUEL PUMP LOCKING PIN



Designed to block the injector pump.

Applications:
Audi A4,A5,A6,A7,A8,Q5,Q7

Engine Codes:
CRTC, CRTD, CRTE, CRTF, CSWB, CVZA, CZVA, CZVB, CZVC, CZVD, CZVE, CZVF, CZZA, CZZB, DCPC, DDVC, DDXA, DDXB, DDXC

OEM:	T40245
Sizes:	7mm with 5mm recess

Ref.10937 FRONT CRANKSHAFT SEAL INSTALLATION TOOL FOR VAG - 4.0 TDI



Designed to install crankshaft seal.

Applications:	Audi SQ7 4.0L TDI
Engine Codes:	CZAC
OEM:	T40320/3 06M 103 051 B

Ref.10373 PULLEY LOCKING & HOLDING SET FOR VAG

Complete set of tools to hold pulleys and sprockets of camshafts, crankshafts, oil pumps and water pumps. Allows locking and holding of pulleys to facilitate loosening and tightening of set screws. Essential tool with coverage in the entire range of VAG engines.



OEM:	T10172A / T10554

Ref.10969 CRANKSHAFT RADIAL SEALING RING ASSEMBLY TOOL SET FOR VAG / PORSCHE - 3.0 TDI



Suitable for Engines:
3.0 TDI VAG & Porsche

Applications:
Porsche Cayenne **Volkswagen** Touareg (7P5, 7LA, 7L6, 7L7), Phaeton (3D2) **Audi** A4 Avant (8K5, B8), A4 Cabrio (8H7, B6, 8HE, B7), A4 Avant (8ED, B7), A4 Allroad Wagon (8KH), A4 (8EC, B7), A4 (8K2, B8), A5 (8T3), A5 Cabrio (8F7), A5 Sportback (8TA), A6 (4F2, C6), A6 Avant (4FS, C6), A6 Allroad (4FH, C6), A8 (4E), Q5 (8R)

Ref.2869 UNIVERSAL PULLEY HOLDING TOOL FOR VAG



Universal wrench for holding pulleys with many applications in the VAG range of engines.

Ref.1153 UNIVERSAL PULLEY HOLDING TOOL SET FOR VAG



Universal adjustable wrench for holding pulleys with many applications in the VAG range of engines.

Adaptors:	6, 8, 10, 16mm.

Ref.9872 CRANKSHAFT SEAL INSTALLATION TOOL FOR VAG - 1.9 / 2.0 TDI & 1.4 / 1.6 PETROL



Special tool to install the crankshaft seal and ensure that the sensor is correctly aligned.

OEM:	T10134

Ref.10387 CRANKSHAFT SEAL INSTALLATION TOOL VW CRAFTER - 2.5 TDI



Special tool to install the crankshaft seal and ensure that the sensor is correctly aligned.

OEM:	T50100

Ref.9688 PETROL ENGINE TIMING SET FOR VAG - 1.0 / 1.2 / 1.4 / 1.6 FSI – MPI - TFSI – TSI

Set of tools covering a wide range of the latest generation of VAG petrol engines 1.0, 1.2, 1.4 and 1.6



Applications:			
Audi	A1, A3, A4, A5, Q2, Q3	Seat	Alhambra, Ateca, Ibiza, Leon, Mii, Toledo
Skoda	Citigo, Fabia, Kodaq, Octavia, Rapid, Superb, Yeti		
VW	Beetle, Caddy, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Tiguan, Touran,Up!.		

Engine Codes:	
1.0	CHYA / CHYB / CHYC / CHYE / CHZA / CHZB / CHZC / CHZD / CHZE / CHZG / CHZJ / CHZK / CHZL / CPGA / DBYA / DFNA / DFNB / DKJA / DKLA / DKLB / DKLC / DKLD / DKRA / DKRB / DKRD / DKRE / DKRF / DLAA / DLAC / DSGB / DSGD
1.2	CHYB / CHZA / CJZA / CJZB / CJZC / CJZD / CYVA / CYVB / CYVC / CYVD.
1.4	CHPA / CHPB / CMBA / CPWA / CPVA / CPVB / CRJA / CUKB / CUKC/ CVNA / CXSA / CXSB / CZCA / CZCB / CZCC / CZDA / CZDD / DGEB / DJKA / DJKD.
1.4COD	CZEA / CPTA / CZDB The engines with COD system (cylinder on demand) also require Toolhub Ref 10309
1.6	CWVA / CWVB.

It is necessary to use a wrench to hold the crankshaft pulley to loosen and tighten the crankshaft pulley bolt.

Year:	2011 - 2021

Ref.10309 PETROL ENGINE TIMING SET FOR VAG - 1.4 TSI (C.O.D)

This set is for a new version of the 14TFSi / TSi engine that incorporates the COD (cylinder on demand) technology that allows the engine to change operation to 2 or 4 cylinders according to the need and to save energy.
It is necessary to use a wrench to hold the crankshaft pulley to loosen and tighten the crankshaft pulley bolt.



Applications:	
Audi	A1, A2, A3, Q2, Q3
Seat	Ateca, Ibiza, Leon
Skoda	Karoq, Kodiaq, Superb,
VW	Golf, Passat, Polo, Tiguan

Engine Codes:	
1.4	CPTA / CZDB / CZEA.

Year:	2012 - 2021

Ref.9869 CRANKSHAFT PULLEY HOLDING TOOL FOR VAG - 1.0 / 1.2 / 1.4 / 1.5 / 1.6 FSI – MPI - TFSI – TSI



Wrench to hold the crankshaft to facilitate loosening and tightening the setscrew.

OEM	T10475

Ref.9652 PETROL ENGINE TIMING SET FOR VAG - 1.2 TSI / TFSI

Timing kit for the 1.2 TFSi / FSi engine used in passenger cars of the VAG brands between approximately 2010 and 2015.



Applications:	
Audi	A1, A3
Seat	Altea, Ibiza, Leon,Toledo
Skoda	Fabia, Octavia, Praktik, Rapid, Roomster, Yeti.
VW	Beetle, Caddy, Golf, Jetta, Polo, Tauran

Engine Codes:	
1.2	CBZA /CBZB / CBZC

Year:	2010 - 2015

You need to use a pulley wrench to hold the crankshaft to loosen and tighten the pulley bolt.

Ref.1072 PETROL ENGINE TIMING SET FOR VAG - 1.2

Tool to lock the camshaft and crankshaft on 3 cylinder 1.2 engines with 6 and 12 valves.



Applications:	
Seat	Cordoba, Ibiza, Toledo.
Skoda	Fabia. Praktik, Rapid, Roomster.
VW	Fox, Polo

Engine Codes:	
1.2	AWY / AZQ / BBM / BMD / BME / BXV / BZG / CEVA / CGPA / CGPB / CGPC / CHFA / CHFB.

Year:	2002 - 2014

You need to use a pulley wrench to hold the crankshaft to loosen and tighten the pulley bolt.

Ref.1067 PETROL ENGINE TIMING SET - 1.2 / 1.4 / 1.6 FSI - TFSI - TSI

Set designed for a wide range of VAG petrol engines, covering versions 1.2, 1.4 and 1.6. Includes a dial gauge to allow TDC measurement.



Applications:			
Audi	A1, A3, S1	Seat	Alhambra, Altea, Cordoba, Ibiza, Leon, Toledo.
Skoda	Fabia, Octavia, Praktik, Taoid, Roomster, Superb, Yeti.		
VW	Beetle, Caddy, CC, Eos, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Tiguan, Touran.		

Engine Codes:	
1.2	CBZA /CBZB / CBZC.
1.4	AXU / BKG / BLG / BLN / BMY / BWK / CAVA / CAVB / CAVC / CAVD / CAVE / CAVF / CAVG / CAXA / CAXC / CDGA / CKMA / CMSA / CMSB / CNVA / CTHA / CTHB / CTHC / CTHD / CTHE / CTHF / CTHG / CTJB / CTJC / CTKA
1.6	BAG / BLF / BLP / BTS / CFNA / CFNB / CLRA / CLSA / CNKA

Year:	2002 - 2020

Ref.10009 PETROL ENGINE TIMING SET - 1.4 / 1.6 FSI – TFSI - TSI



Este kit contiene las herramientas básicas para los motores 1.4 y 1.6.

Applications:			
Audi	A1, A3, S1	Seat	Alhambra, Altea, Cordoba, Ibiza, Leon, Toledo.
Skoda	Fabia, Octavia, Praktik, Taoid, Roomster, Superb, Yeti.		
VW	Beetle, Caddy, CC, Eos, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Tiguan, Touran.		

Engine Codes:	
1.4	AXU / BKG / BLG / BLN / BMY / BWK / CAVA / CAVB / CAVC / CAVD / CAVE / CAVF / CAVG / CAXA / CAXC / CDGA / CKMA / CMSA / CMSB / CNVA / CTHA / CTHB / CTHC / CTHD / CTHE / CTHF / CTHG / CTJB / CTJC / CTKA
1.6	BAG / BLF / BLP / BTS / CFNA / CFNB / CLRA / CLSA / CNKA.

Year:	2002 - 2020

Ref.1147 CAMSHAFT ALIGMENT TOOL FOR VAG – 1.4 / 1.6



Tool to lock the camshaft using the camshaft sprockets

Applications:	
Audi	A2, A3, A4, A6, Cabriolet.
Seat	Altea, Arosa,Cordoba,Ibiza, Inca,Leon, Toledo.
Skoda	Fabia, Octavia, Praktik, Roomster
VW	Beetle, Bora, Caddy, Golf, Jetta, Lupo, Passat, Polo,

Engine Codes:	
1.4	AFK / AHW / AKQ / APE / ARR / AUA / AUB / AXE / BBY / BBZ / BCA / BKY / BUD / CGGA.
1.6	AJV / ARC / ATN / AUS / AVY / AZD / BAD / BCB

Year:	1998 - 2014

Ref.10366 CRANKSHAFT PIN FOR VAG



Crankshaft locking pin with M14 thread.

Applications:	
VAG	1.0 / 1.2 / 1.4 / 1.6 FSI – TFSi - TSi

OEM	T10340

Ref.1148 CRANKSHAFT PULLEY HOLDING TOOL FOR VAG – 1.4 / 1.6



Applications:	
Audi	A2, A3, A4, A6, Cabriolet.
Seat	Altea, Arosa, Cordoba, Ibiza, Inca, Leon, Toledo
Skoda	Fabia, Octavia, Praktik, Roomster
VW	Beetle, Bora, Caddy, Golf, Jetta, Lupo, Passat, Polo,

Engine Codes:	
1.4	AFH / AFK / AHW / AKQ / APE / ARR / AUA / AUB / AXE / BBY / BBZ / BCA / BKY / BUD / CGGA
1.6	AJV

Year:	1998 - 2014

Ref.1149 CRANKSHAFT PULLEY HOLDING TOOL FOR VAG – 1.6



Applications:	
Audi	A2
Seat	Leon, Toledo.
VW	Bora, Golf,Lupo, Polo.

Engine Codes:	
1.6	ARC / ATN / AUS / AVY / AZD / BAD / BCB

Year:	1994 - 2006

Ref.1066 PETROL ENGINE TIMING SET - 1.8 / 2.0 TFSI – FSI



Timing kit for 1.8 and 2.0 petrol engines used on VAG brands from 1995 to 2014.

Applications:					
Audi	A3, A4,A6, S3, TT.	Seat	Altea,Exeq, Leon, Toledo.	Skoda	Octavia
VW	Beetle, Bora, Eos, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Touran.				

Engine Codes:	
1.8	ADR / AFY / AGN / AGU / AJL / AJQ / AMB / AMU / ANB / APG / APP / APT / APU / APX / AQA / ARG / ARK / ARX / ARY / ARZ / AUM / AUQ / AVC / AVJ / AVQ / AVV / AWC / AWT / AWU / BAM / BEX / BFB / BFV / BKB / BVP / BVR
2.0	AWA / AXA / AXW / AXX / BGB / HD / BBHZ / BLR / BLX / BLY / BMB / BPG / BPJ / BPY / BUL / BVX / BVY / BVZ / BWA / BWE / BWT / BYD / BYK / BZC / CDLA / CDLB / CDLC / CDLF / CDLG / CDLJ / CDLK / CDMA

Year:	1995 - 2014

Ref.9852 PETROL ENGINE TIMING SET FOR - 1.8 / 2.0 TFSI – FSI





More complete set for the first 3 generations of the VAG 1.8 & 2.0 TFSI / FSi engine range.

Ref.10314 VIBRATION DAMPER & CRANKSHAFT HOLDING TOOL SET FOR VAG - 1.8 / 2.0 TFSI – FSI



Essential tool to hold the crankshaft pulley that allows to remove the sprocket and the crankshaft pulley. It also allows the vibration damper to be removed if necessary.

OEM:	T10531 (T10531/1, T10531/2, T1053/3, T1053/4).

Ref.10992 CAMSHAFT SPACER SET FOR VAG - 1.8 / 2.0 TFSI




Applications:
VAG 1.8/2.0 TFSi

OEM:
TI401PL

Ref.9740 CHAIN TENSOR ADJUSTMENT LEVER FOR VAG - 1.8 /2.0 TFSI – FSI





Essential tool for Generation III 1.8 and 2.0 engines and very useful to save time on Generation I and II Engines. The wrench is used to readjust the chain tensioner and makes it easier to mount the tensioner lock.:

OEM:	T40243

Applications:			
Audi	A1, A3, A4, A5, A6, A7, A8, Q2, Q3, Q5, Q7, S1, S3, TT.		
Seat	Alhambra, Altea, Ateca, Exeo, Ibiza, Leon, Toledo.	Skoda	Kodiaq, Octavia,Superb, Yeti.
VW	Amarok, Arteon, Beetle, CC, Eos, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Tiguan,Touareg, Touran, T-Roc, Transporter.		

Engine Codes:	
1.8	BPU / BYT / BZB / CABA / CABB / CABD / CDAA / CDAB / CDHA / CDHB / CGYA / CJEB / CJED / CJEE / CJSA / CJSB / CJSCJ / CYGA / DAJB
2.0	CAWA / CAWB / CBFA / CCTA / CCZA / CCZB / CCZC / CCZD / CDNB / CDNC / CDND / CESA / CETA / CFKA / CFPA / CHHA / CHHB / CHHC / CHJA / CJKA / CJKB / CJSA / CJSC / CJXA / CJXB / CJXC / CJXD / CJXE / CJXG / CJXH / CNCB / CNCD / CNCE / CPLA / CPPA / CPSA / CULA / CULB / CULC / CVKB / CVLA / CWZA / CXDA / CYNB / CYPA / CYPB / CYRB / CYRC / CZPA / CZPB / CZPC / DAJA/ DAJB / DAXB / DEDA / DEMA / DGUA / DGVA / DHGA / DJHA / DJHB / DJHC / DKNA / DKTA / DKTB / DKYA / DKZA / DKZB / DKZC / DLBA/ DLVA / DLVB / DNFG / DNJA / DNLA / DNNA / DNPA / DNUE

Year:	2006 - 2021

Ref.9746 CAMSHAFT ADJUSTER HOLDING & TURNING TOOL FOR VAG - 1.8 / 2.0 TFSI – FSI



Socket for adjusting camshaft adjusters on Generation III 1.8 and 2.0 FSi engines.

Applications:	
Audi	A1, A3, A4, A5 A6, A7, Q2, Q3, Q5, Q7. S3
VW	Arteon, Beetle, Golf, Jetty, Passat, Polo, Scirocco, Sharan, Tauran, Terament, Tiguan, Touareg, TT

Engine Codes:
CJEB / CHHA / CHHB / CHHC / CJED / CJEE / CJSA / CJSB / CJSC / CJXA / CJXB / CKXC / CJXD / CJXE / CJXF / CJXG / CNCB / CNCD / CNCE / CPLA / CPPA / CULA / CULB / CULC / CXDA / CYGA / CYNB / CYPA / CYPB / CYRB / CYRC / CZPA / CZPB / CZPC / DAJA / DAJB / DAXB / DAXC / DDWA / DEDA / DGVA / DHGA / DHHA / DJHA / DJHB / DJHC / DKNA / DKTA / DKTB / DKTC / DLBA / DLGA / DNTA / DNUA / DNUE / DNUF /
* CVLA / CVKB / DEMA / DKYA / DKZA / DKZB / DKZC / DLVA /DLVA

*Depending on the engine version, it may be necessary to use Toolhub 9746 or 10049. Consult OEM information of the vehicle.

OEM:	T40266	Year:	2011 - 2021

Ref.10401 CRANKSHAFT PULLEY HOLDING TOOL FOR VAG - 1.8 / 2.0 TFSI – FSI



Wrench to hold the crankshaft to facilitate loosening and tightening the setscrew.

OEM:	T10355

Ref.10049 CAMSHAFT ADJUSTER HOLDING & TURNING TOOL FOR VAG - 1.8 / 2.0 TFSI – FSI





Socket for adjusting the camshaft adjusters on Generation III 1.8 and 2.0 FSi engines. Valid for engines from 2016 on wards that have a different camshaft adjuster profile.

Applications:			
Audi	A1 Sportback, A3, A4, A5, A6, TT.	VW	Tiguan, T-Roc.

Engine Codes:

CZPB / DGUA / DKZA / DNJA / DNLA.
* CVLA / CVKB / DEMA / DKYA / DKZA / DKZB / DKZC / DLVA / DLVB
*Depending on the engine version, it may be necessary to use Toolhub 9746 or 10049. Consult OEM information of the vehicle.

OEM:	T10567	Year:	2015 - 2021

Ref.10892 PETROL ENGINE TIMING SET – AUDI 3.0 TSI - TFSI - eHIBRID



Applications

Audi A6, A7, A8, Q8, RS4/S4, RS5/S5, SQ5
Volkswagen Touareg

Engine Codes:

2.9 DECA
3.0 CWGD / CZSA / CZSE / DCBD / DCBE / DLZA

Year:

2017 - 2025

Ref.9576 CAMSHAFT CONTROL VALVE SOCKET SET FOR VAG - 1.8 / 2.0 TFSI – FSI

Socket set used to remove the camshaft control valves on the 1.8 and 2.0 TFSI & FSi engines.



Applications:			
Audi	A1, A3, A4, A5, A6, A7, A8, Q2, Q3, Q5, Q7, S1, S3, TT.	Seat	Alhambra, Altea, Ateca, Exeo, Ibiza, Leon, Toledo.
Skoda	Kodiaq, Octavia,Superb, Yeti.		
VW	Amarok, Arteon, Beetle, CC, Eos, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Tiguan,Touareg, Touran, T-Roc, Transporter.		

Engine codes:	
1.8	BPU / BYT / BZB / CABA / CABB / CABD / CDAA / CDAB / CDHA / CDHB / CGYA / CJEB / CJED / CJEE / CJSA / CJSB / CJSCJ / CYGA / DAJB
2.0	CAWA / CAWB / CBFA / CCTA / CCZA / CCZB / CCZC / CCZD / CDNB / CDNC / CDND / CESA / CETA / CFKA / CFPA / CHHA / CHHB / CHHC / CHJA / CJKA / CJKB / CJSA / CJSC / CJXA / CJXB / CJXC / CJXD / CJXE / CJXG / CJXH / CNCB / CNCD / CNCE / CPLA / CPPA / CPSA / CULA / CULB / CULC / CVKB / CVLA / CWZA / CXDA / CYNB / CYPA / CYPB / CYRB / CYRC / CZPA / CZPB / CZPC / DAJA/ DAJB / DAXB / DEDA / DEMA / DGUA / DGVA / DHGA / DJHA / DJHB / DJHC / DKNA / DKTA / DKTB / DKYA / DKZA / DKZB / DKZC / DLBA/ DLVA / DLVB / DNFG / DNJA / DNLA / DNNA / DNPA / DNUE

OEM	T10352, T10352/1, T10352/2.	Year:	2006 - 2021

Ref.11398 CAMSHAFT VALVE ADJUSTMENT TOOL SET FOR VAG



Set of sockets used to remove the camshaft control valves of the 1.8, 2.0 TFSI and FSi engines of the VAG Group.

Applications:			
Audi	A1, A3, A4, A5, A6, A7, A8, Q2, Q3, Q5, Q7, S1, S3, TT.	Seat	Alhambra, Altea, Ateca, Exeo, Ibiza, Leon, Toledo.
Skoda	Kodiaq, Octavia,Superb, Yeti.		
VW	Amarok, Arteon, Beetle, CC, Eos, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Tiguan,Touareg, Touran, T-Roc, Transporter.		

Engine codes:	
1.8	BPU / BYT / BZB / CABA / CABB / CABD / CDAA / CDAB / CDHA / CDHB / CGYA / CJEB / CJED / CJEE / CJSA / CJSB / CJSCJ / CYGA / DAJB
2.0	CAWA / CAWB / CBFA / CCTA / CCZA / CCZB / CCZC / CCZD / CDNB / CDNC / CDND / CESA / CETA / CFKA / CFPA / CHHA / CHHB / CHHC / CHJA / CJKA / CJKB / CJSA / CJSC / CJXA / CJXB / CJXC / CJXD / CJXE / CJXG / CJXH / CNCB / CNCD / CNCE / CPLA / CPPA / CPSA / CULA / CULB / CULC / CVKB / CVLA / CWZA / CXDA / CYNB / CYPA / CYPB / CYRB / CYRC / CZPA / CZPB / CZPC / DAJA/ DAJB / DAXB / DEDA / DEMA / DGUA / DGVA / DHGA / DJHA / DJHB / DJHC / DKNA / DKTA / DKTB / DKYA / DKZA / DKZB / DKZC / DLBA/ DLVA / DLVB / DNFG / DNJA / DNLA / DNNA / DNPA / DNUE

OEM	T10352, T10352/1, T10352/2, T1035213
Year:	2006 - 2021

Ref.10418 PETROL ENGINE TIMING SET FOR VAG / PORSCHE -2.5 / 2.8 / 3.0 / 3.2 TFSI – FSI



Timing kit with the basic tools for a wide range of petrol engines used in Audi, Porsche and VW models.

Applications:					
Audi	A4, A5, A6, A7, A8, Q7, SQ5	Porsche	Cayenne, Panamera	VW	Touareg

Engine codes:			
2.5	CLXB / CPAA. * Also needed: Toolhub Ref. 10415, 10416 and 104311	2.8	BDX / CCDA / CCEA / CJBA.
2.8	CHVA / CNYA. * Also needed Toolhub Ref. 10415 and 10416.		
3.0	M06-EC / CAJA / CAKA / CCAA / CGEA / CGWA / CGWB / CGWC / CGXC / CJTA / CJTB / CJWC / CMDA / CMUA / CNAA / CTWA / CTWB. * Also needed Toolhub Ref.10431. CCVA / CGWD / CGXB / CHMA / CHMB / CTTA / CTUA / CTUD / CTXA. * Also needed Toolhub Ref. 10416, 10431 and 10430. CREC / CRED. * Also needed Toolhub Ref. 10684.		
3.2	CALA		

Year:	2007 - 2018

Ref.9717 PETROL ENGINE TIMING SET FOR VAG - 2.4 / 3.2 / 4.2 / 5.0 / 5.2 TFSI - FSI

Tool kit for the 24 and 3.2 FSi petrol engines used in VAG models from 2004 to 2010.
It also contains the basic tools to cover the 4.2 and 5.0 FSi engines used in Audi RS and S models.



Applications:	
Audi	A4, A5, A6, A7, A8, Q5, Q7, R8, RS4, RS5, RS6, S4, S5, S6, S8
VW	Touareg

Engine Codes:	
24	BDW
3.2	AUK / BKH /BPK The 3.2 engine also needs Ref Toolhub 10431.
4.2	BAR / BNS / BVJ / CAUA / CDRA / CFSA / BYH / CNDA
5.0	BUH
5.2	BSM / BUJ / BXA / CMPA / CTPA / CTYA

Year:	2004 - 2015

Ref.10431 CRANKSHAFT TURNING TOOL FOR VAG



Special tool used to turn the crankshaft in a wide range of VAG diesel and petrol engines.

Petrol Engine:

3.0 FSi -TFSi / 3.2 FSi – TFSi / 4.2 FSI – TFSi

Diesel Engine:

2.7 TDi / 3.0TDi / 4.0TDi / 4.2TDi

OEM:	T40049

Ref.10053 PETROL ENGINE TIMING SET FOR AUDI 2.5 FSI / TFSI / RS



Timing kit for the 2.5 chain engine in RS3 and TT modes.

Applications:
Audi: RS3, RS Q3, TT.

Engine codes:
2.5: CEPA / CEPB / CTSA / CZGA / CZGB

Year:	2009 - 2018

Discover the fastest and easiest way to access our catalogues.
Scan the QR code and access our Catalogues in digital format, ready to be saved and consulted without the need for an Internet connection.

www.thetoolhub.co.uk

Ref.10414 PETROL ENGINE TIMING SET FOR AUDI 4.0 FSI / TFSI



Timing kit for the VAG 4.0 petrol engine used in Audi models.

Applications:
Audi: A8, RS6, RS7, S6, S7, S8.

Engine Codes:
CEUA / CEUC / CGTA / CRDB / CTFA / CTGA / CTGE / CWUB / CWUC / DDTA.

Year:	2012 - 2018

Ref.10420 CAMSHAFT ADJUSTER HOLDING TOOL FOR AUDI 3.0 TFSI



Special tool used to remove, install and turn the camshaft adjusters.

OEM
T90001

Applications:
Audi A6, A7, A8, Q7, Q8, RS4, RS5, S4, S5, SQ5

Engine Codes:
2.9/3.0 - CEGD / CZSA / CZSE / DCBD / DECA / DLZA

Years:
2016 - 2021

Ref.10421 PETROL ENGINE TIMING SET FOR AUDI - 4.2 FSI / TFSI



Timing kit for the VAG 4.2 petrol engine used in Audi models.

Applications:
Audi: A6, A8, Allroad, S4

Engine Codes:
4.2: BAS / BAT / BBK / BHF / CAKA

Year:	2002 - 2012

Ref.10697 PETROL ENGINE TIMING SET FOR PORSCHE 4.5 / 4.8



Applications:
Porsche – Cayenne & Panamera..

Models
M48/00, M48/01, M48/01G, M48/02, M48/02G, M48/20, M48/40, M48/40G, M48/50, M48/50T, M48/51, M48/51S, M48/51T, M4852, M48/52S, M48/52T,M48/70, M48/70S, M48/70T, MCF.TB(CFT), MCW/BA, MCW/CA, MCX/PA, MCX/RA,

Year:	2003 - 2017

Ref.10703 PETROL ENGINE TIMING SET FOR PORSCHE (M96) 2.5/2.7/3.2/3.4



Applications:
Porsche 911, Boxster

Engine codes:
2.5 M96/20,
2.7 M96/22
3.2 M96/21
3.4 M96/01, M96/01S, M96/04,

Year:
1996 - 2004

Ref.10754 PETROL ENGINE TIMING SET FOR VAG / PORSCHE 2.3 / 2.8 / 2.9 / 3.0 / 3.2 / 3.6 / 4.0 / 6.0 / 6.3



Applications:			
Audi – A3, A8, TT		**Porsche** – Cayenne	
VW – Beetle, Bora, Eos, Golf, Passat, Passat CC, Phaeton, Sharan, Touareg, Transporter			

Engine codes:			
2.3	AGZ, AQN, AYT, BKL, BRK		
2.8	AAA, AMV, AMY, AQP. AUE, AYL, BDE		
2.9	ABV	3.0	CPFA
3.2	AXJ, AXZ, AYT, AZZ, BAA, BDB, BDL, BFH, BHE, BHK, BHL, BJS, BKJ, BKK, BKL, BMJ, BML, BMV, BMX, BRJ, BRK, BUB, CBRA, M02/2Y		
3.6	BHK, BHL, BWS, CDVA, CGRA, CHNA, CMTA, CMVA, M55/01, M55/02		
4.0	BDN, BDP		
6.0	AZE, BAN, BAP, BHT, BJN, BRN, BRP, BSB, BTE, BTT		
6.3	CEJA, CTNA		

Ref.9135 PETROL ENGINE TIMING SET FOR AUDI - 3.0 V6



Timing kit containing the necessary tools to keep the camshafts and the crankshaft in the correct position.

Applications:
Audi: A4, A6, A8.
Engine Codes:
3.0: ASN / BBJ

Year:	2001 - 2008

Ref.10415 CRANKSHAFT PULLEY TURNING TOOL FOR VAG 2.5 - 2.8 - 4.0 TFSI / FSI

Special tool to turn the crankshaft pulley on VAG 2.5, 2.8 and 4.0 FSi / TFSi engines.



Applications:
Audi: A7, A8, RS6, RS7, S6, S7, S8.
Engine Codes:
2.5: CLXB / CPAA. **4.0:** CEUA / CEUC / CGTA / CRDB / CTFA / CTGA / CTGE / CWUB / CWUC / DDTA.

OEM:	T40272

Year:	2012 - 2018

Ref.10684 CAMSHAFT ADJUSTER TURNING TOOL FOR VAG



Special tool used to hold and turn the camshaft adjusters.

Applications:
Audi: A4, A5, A6, A7, Q7, S4, S5.
Engine Codes:
2.5: DAZA **3.0:** CREC / CRED

OEM	T40297

Ref.10430 CAMSHAFT ADJUSTER TURNING TOOL FOR VAG



Special tool used to hold and turn the camshaft adjusters.

Applications:
Audi: A6, A8, Q7, R8, RS4, RS5, RS6, S5, S6, S8. **VW:** Touareg.
Engine Codes:
2.5: CEPA, CTSA, CZGA, CZGB **3.0:** CCVA / CGWD / CGXB / CHMA / CHMB / CTTA / CTUA / CTUD / CTXA. **4.2:** BAR / BNS / BVJ / BYH / CAUA / CDRA / CFSA / CNDA. **5.0:** BUH **5.2:** BSM / BUJ / BXA / CMPA / CTPA / CTYA

OEM	T40079

Ref.10416 CAMSHAFT ADJUSTER TURNING TOOL FOR VAG

Special tool used to hold and turn the camshaft adjusters.



Applications:
Audi: A7, A8, RS3, RSQ3, RS6, RS7, S6, S7, S8, TT
Engine Codes:
2.5: CLXB / CPAA **3.0:** CCVA / CGWD / CGXB / CHMA / CHMB / CTTA / CTUA / CTUD / CTXA **4.0:** CEUA / CEUC / CGTA / CRDB / CTFA / CTGA / CTGE / CWUB / CWUC / DDTA.

OEM	T40269

Year:	2012 - 2018

Ref.1039 PETROL ENGINE TIMING SET FOR AUDI - 2.6 / 2.8

This kit contains the basic timing tools for 2.6L and 2.8L engines used in some Audi models from 1991 to 2000. It contains the plate to align the camshafts and the crankshaft locking pin.



Applications:		Engine Codes:				Year:	
Audi	100, A4, A6, A8, Cabriolet.	2.6	ABC	2.8	AHH	1991 - 2000	

Ref.1040 PETROL ENGINE TIMING SET FOR VAG - 2.4 / 2.7 / 2.8

This kit contains the basic tools for timing the 2.4L, 2.7L & 2.8L engines used in some Audi and Volkswagen models from 1995 to 2009.
It contains the plate to align the camshafts and the crankshaft locking pin.



Applications:	
Audi	A4, A6, A8, Allroad, RS4, S4
VW	Passat
Year:	1995 - 2009

Engine Codes:	
2.4	AGA / AJG / ALF/ ALW / AML / AMM / APC /APS / APZ / ARJ / ARN / ASM / BDV.
2.7	AGB / AJK / ARE / ASJ / AZA / AZB / AZR / BES
2.8	ACK, AGE, ALG, AMX, APR, AQD, ATQ, ATX, BBG

Ref.1041 PETROL ENGINE TIMING SET FOR VAG - 3.7 / 4.2

This kit contains the basic tools for timing 3.7L and 4.2L engines used in some Audi and Volkswagen models from 2002 to 2013.
It contains the plate to align the camshafts and the crankshaft locking pin.



Applications:	
Audi	A8
VW	Phaeton, Touareg.

Engine Codes:	
3.7	BFL
4.2	AXQ / BFM / BGH / BGJ / BHX.

Year:	2002 - 2013

Ref.10010 CAMSHAFT PULLEY PULLER SET FOR VAG



Applications:	Wide range of models and engines from Audi, Seat, Skoda and Volkswagen
OEM:	T40001

Ref.9138 SUPPORT GUIDE SET FOR VAG

Set of guides designed to support the front part of the engine, radiator etc and allow better access to work on the distribution.



OEM:	3369 / 3411 / T10093.

TENSION WRENCHES FOR VAG





Individual wrenches used for preloading the camshaft belt tensioners. Essential tools in the entire range of VAG Engines.
2 x 3mm pins with 18mm pin spacing.

OEM:	MatraV159 / 3389 / T10020.

	Ref.	Type
01	1031	Short wrench offset at 90 /l Length: 160mm
02	1032	Long wrench offset at 90 /l Length 235mm
03	1033	Long wrench offset at 15 /l Length 235mm

Ref.10422 TENSIONER LOCKING PIN FOR VAG



OEM:	T40071

Ref.10363 CRANKSHAFT PIN FOR VAG



Crankshaft locking pin with M12 thread.

Applications:	
Petrol:	3.0: ASN/BBJ
OEM:	T40026

Ref.10364 CRANKSHAFT PIN FOR VAG



Crankshaft locking pin with M14 thread.

Applications:	
Petrol:	2.4 / 2.5 / 2.8 / 3.0 / 3.2
OEM:	T40069

Ref.10365 CRANKSHAFT PIN FOR VAG



Crankshaft locking pin with M18 thread.

Applications:	
Petrol:	2.4 / 2.6 / 2.7 / 2.8 / 3.7 / 4.0 / 4.2 / 6.0 /
Diesel:	2.5TDi / 2.7TDi / 3.0TDi / 4.0TDi / 4.2TDi /
Wide range of models and engines from Audi, Seat, Skoda and Volkswagen	
OEM:	3242 / T40237.



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

Ref.10733 DIESEL ENGINE TIMING SET FOR MERCEDES – OM651 - 1.8 / 2.0 CDI



This kit contains the necessary tools to align and lock the camshafts, crankshafts and balance shafts for the Mercedes OM651 diesel engine used after 2012.
The set also includes a flywheel locking tool.

Applications:	
Mercedes	A, B, C, CLA, CLS, E, GLA, GLC, GLE, GLK, M, S, SLC, SLK, V, Sprinter, Vito.

Engine codes:	OM 651	Engines	1.8 CDi & 2.1 CDi
Year:	2012 - 2021		
OEM:	651589004000 / 651589094000 / 651589034000 / 651589024000		

Ref.10734 CAMSHAFT ALIGNMENT TOOL FOR MERCEDES - OM651



Updates camshaft alignment locking tool for Mercedes OM 651 diesel engines used after 2012.

Applications:	
Mercedes	A, B, C, CLA, CLS, E, GLA, GLC, GLE, GLK, M, S, SLC, SLK, V, Sprinter, Vito.

Engine codes:	OM 651	OEM:	651589026300	Year:	From 2012

Ref.10708 BALANCE SHAFT LOCKING TOOL FOR MERCEDES - OM651



Locking tool used to lock the balance shafts in the correct position.

OEM:	651589026300

Ref.10004 CRANKSHAFT OIL SEAL INSTALLATION SET MERCEDES - OM651



Tools to install the crankshaft seal of the Mercedes OM651 engine.

Applications:	
Mercedes	OM651
Engine:	1.8 & 2.1 CDI.
OEM	651589006100 / 651589016100
Year:	From 2006

Ref.9857 DIESEL ENGINE TIMING SET FOR MERCEDES – OM 651



Applications:	
Mercedes	A, B, C, CLA, CLS, E, GLA, GLC, GLE, GLK, M, S, SLC, SLK, V, Sprinter, Vito.
Engines:	1.8CDi & 2.1CDi.
Engine codes:	OM 651.
OEM:	651589004000 / 651589014000 / 651589026300.
Year:	2006 - 2011

Ref.9983 DIESEL ENGINE TIMING SET FOR MERCEDES – OM 651



This kit contains the necessary tools to align and lock the camshafts and crankshaft of Mercedes diesel engines type OM651.

Applications:	
Mercedes	A, B, C, CLA, CLS, E, GLA, GLC, GLE, GLK, M, S, SLC, SLK, V, Sprinter, Vito.
Engine:	1.8CDi & 2.1CDi.
Engine codes:	OM 651.
OEM:	651589014000 / 651589004000 / 651589026300.
Year:	2006 - 2011

Ref.10967 DIESEL ENGINE TIMING SET FOR MERCEDES - (OM654)



Applications:
Merecedes Clase: A, B, C, CLA, CLS, E, GLB, GLC, GLE, V & Vito.
Engine Codes:
654.916 / 654.920
OEM:
W654589004000 / W654589014000 / W654589002100.
Years:
2016 - 2025

Ref.1045 TIMING PIN SET FOR MERCEDES - OM607/OM608



Contains camshaft and crankshaft locking pins required for 1.5CDi engines produced by Renault for Mercedes Benz.

Applications:	
Mercedes	A, B, Citan, CLA, GLA.
Engine:	1.5CDI
Engine Codes:	607.951 (K9K) / 608.915 (K9K)
OEM:	607589001500 / 607589011500
Year:	2012 – 2021.

Ref.11786 TIMING CHAIN HOLD DOWN TOOL FOR MERCEDES - OM642



Engine Codes:	OM 642
OEM	642589014000
Year:	From 2018

Ref.9859 DIESEL ENGINE TIMING SET FOR MERCEDES – OM 642



This kit contains the bars to keep the camshafts in position for the Mercedes 3.0 V6 diesel engine (OM642).

Aplicaciones:	
Mercedes	C, CLK, CLS, E, G, GL, GLE, GLK, GLS, M, R, S, Sprinter, Viano, Vito, X
Engines:	3.0 CDI
Engine codes:	OM 642
OEM:	642589003100
Year:	From 2005

Ref.9588 PETROL ENGINE TIMING SET FOR MERCEDES – M133 / M270 / M274.

For 1.6 and 2.0 direct injection Mercedes petrol engines. Contains the camshaft aligners/locking tools and a camshaft adjuster wrench.



Applications:	
Mercedes	A, B, C, CLA, E, GLA, GLC, GLE, GLK, SLC, SLK.
Engines:	1.6 & 2.0.
Engine codes:	133.980 / 270.910 / 270.920 / 274.910 / 274.920 / 260.920
OEM:	270589016100 / 27158900100
Year:	2011 - 2021

Ref.10054 DIESEL ENGINE TIMING SET FOR MERCEDES - OM 622/626/699

Set designed for the Renault diesel engine range and includes the 1.6L R9M engine type used by Mercedes Benz in its models with 1.6CDi and 2.3CDi Bluetec Engine.



Applications:	
Mercedes	Clase C & Vito.
Engines:	1.6CDI / 2.3CDI
Engine codes:	622.951 (R9M) / 626.951 (R9M) / 699.300 / 699.301
Year:	2014 - 2019

Also wide coverage on Renault / Nissan / Opel - 1.6 / 2.0 /2.3 DCi / CDTi.

Ref.1075 DIESEL & PETROL ENGINE TIMING SET FOR MERCEDES / CHRYSLER



This kit covers a wide range of diesel and petrol Mercedes engines from 1984. Contains two models of flywheel locking tool and camshaft locking pins.

Applications: Petrol Engines Year - 1980-2021	
Mercedes	M102/M103/M104/M111/M112/M113/M119/M120/M137/M272/M273/M274/M276

Applications: Diesel Engines Years - 1983 - 2021	
Mercedes	OM601/OM602/OM603/ OM604/OM605/OM611/OM612/OM613/OM642/OM646/OM647/OM648
Chrysler	EDJ – PT Cruiser, 2002 – 2005.
Jeep	Gry Cherokee 2.7 CRD, 2001 – 2005.

OEM - Camshaft Locking Pins:	111589031500 / 602589004000 / 8929.		
OEM - Flywheel Locking Tool 1:	601589024000 / 8933	OEM - Flywheel Locking Tool 2:	112589034000 / 8932.
Year:	1983 -2021.		

Ref.10695 PETROL ENGINE TIMING SET FOR MERCEDES 1.3L (M282 / H5H)



Applications:	
Mercedes	A, B, CLA, GLA y GLB
Renault	Arkana, Captur, Clio V, Kadjar,Megane, Scenic & Talisman

Engines Codes:
Renault- H5H / Mercedes – 282.914.

Year:	From 2017

Ref.11400 FLYWHEEL LOCKING TOOL FOR MERCEDES - 1.3L PETROL



Engines Codes:
H4BT , H5H , H4M , HR13DDT , 282.914

OEM
Mot.2188

Ref.10324 FLYWHEEL LOCKING TOOL FOR MERCEDES



Applications:	
Mercedes	A, B, Citan, CLA, GLA
Engine:	Diesel 1.5CDI Petrol 1.6 / 2.0
Engine Code:	133.980 / 270.910 / 270.920 / 607.951 / 608.915
OEM	607589014000
Year:	2005 – 2021.

Ref.10007 PETROL ENGINE TIMING SET FOR MERCEDES – M271.



For Mercedes 1.8 petrol engines installed between 2002 & 2018. Contains the camshaft clamping tool, the chain retaining bridge, the tensioner wedge, the tensioner chuck and a wrench for the camshaft adjusters. cams.

Applications:	
Mercedes	C, CLK, CLS, E, SLK, Sprinter.
Engine:	1.6 & 1.8.
Engine Codes:	M271
Year:	2002 - 2018.

Ref.10005 CRANKSHAFT PULLEY HOLDING WRENCH FOR MERCEDES M271.

Designed to hold the crankshaft during disassembly or assembly of the crankshaft pulley fixing bolts and to protect the elastic component of the vibration damper.



Aplicaciones:	
Mercedes	C, CLK, CLS, E, SLK, Sprinter.
Engine:	1.6 & 1.8.
Engine codes:	M271
OEM	271589004000.
Year:	2002 – 2018.

Ref.10006 CRANKSHAFT PULLEY HOLDING WRENCH FOR MERCEDES M272 / M273

Designed to hold the crankshaft during disassembly or assembly of the crankshaft pulley fixing bolts and to protect the elastic component of the vibration damper.



Applications:	
Mercedes	C, CLC, CLK, CLS, E, GL, GLK M, R, S, SL, SLK, Sprinter, Vito, Viano.
Engines:	2.5 / 3.0 / 3.5 / 4.7 / 5.5.
Engine codes:	M272 / M273
Year:	2004 - 2014

Ref.10391 PETROL ENGINE TIMING SET FOR MERCEDES / ASTON MARTIN – M176 – M177 – M178



Timing set for Mercedes-AMG 4.0 V8 bi-turbo petrol engine used mainly in Mercedes AMG models and also in some Aston Martin models.

Applications:	
Aston Martin	DB11 V8, DB11 Volante, DBX, Vantage
Mercedes	AMG GT, Clase C, Clase E, Clase G, GLC, GLE, GLS, Maybach Clase S, Clase S.
Engine:	4.0i
Engine codes:	176.980, 177.980, 178.980.
Year:	2015- 2021.

Ref.10008 PETROL ENGINE TIMING SET FOR MERCEDES – M152 / M157 / M276 / M278

Camshaft fastener set for Mercedes V6 and V8 petrol engines.



Applications:	
Mercedes	C, CLS, E, GL, GLC, GLE, GLK, M, R, S, SL, SLC, SLK.
Engine:	3.0 / 3.5 / 4.7 / 5.5
Engine codes:	M152 / M157 / M276 / M278
OEM:	276589014000
Year:	2010 - 2021

Ref.11791 CAMSHAFT ADJUSTER FOR MERCEDES BENZ - M152, M157, M276, M278.



Applications:
C, CLS, E, GL, GLC, GLE, GLK, M, R, S, SL, SLC, SLK.
Engine codes:
M152, M157, M276, M278
OEM W278589002300
Year: 2010 - 2024

Ref.9858 PETROL ENGINE TIMING SET FOR MERCEDES – M112 / M113



Timing kit covering a wide range of Mercedes V6 petrol engines. These tools are essential to replace the timing chain and when it is necessary to disassemble the cylinder head or camshafts

Applications:	
Mercedes	C, CLK, CLS, E, G, M, R, S, SL, SLK, Viano, Vito.
Engines:	2.4 / 2.6 / 2.8 / 3.2 / 3.7 / 4.3 / 5.0.
Engine Codes:	M112 / M113.
Year:	1997 – 2012.

Ref.10709 PETROL ENGINE TIMING SET FOR MERCEDES – M156 6.2 / 6.3 AMG



Applications:	
Mercedes	C Class, CL Class, CLK, CLS, E Class, M Class, R Class, S Class
Engine Codes:	156.980 / 156.982 / 156.983 / 156.984 / 156.985
Year:	2006 - 2015

Ref.10004 CRANKSHAFT OIL SEAL INSTALLATION SET FOR MERCEDES - OM651



Applications:	
Mercedes	OM651
Engine:	1.8 & 2.1 CDI.
OEM	651589006100 / 651589016100
Year:	From 2006

Ref.10003 CRANKSHAFT OIL SEAL INSTALLATION SET FOR MERCEDES



It is used to install the front and rear crankshaft oil seal.

Engine Codes - Petrol:	
Mercedes	M102 / M111 / M112 / M113 / M137 / M156 / M159 / M272 / M275 / M278 / M285
Engine Codes - Diesel:	
Mercedes	OM601 / OM602 / OM603 / OM604 / OM605 / OM606 / OM628 / OM629.
OEM	119589011400 / 651589016100.

Ref.10061 BELT TENSIONER COMPRESSION TOOL FOR MERCEDES



Tool to compress the hydraulic tensioner for vehicles with Stop / Start function and/or air conditioning.

Applications:	
Mercedes	Clase A
Engine:	1.5 / 1.7 / 2.0.
Engine Codes:	266.920 / 266.940 / 266.960 / 266.980.
OEM	266589003100
Year:	2004 - 2012

Ref.10392 TIMING CHAIN SPLITTING TOOL SET FOR MERCEDES



Set of tools to open and assemble the links of the timing chain on Mercedes engines.

Engine Codes - Petrol:
M102, M103, M112, M113, M120, M133, M152, M157, M166, M264, M266, M270, M271, M272, M273, M274, M278.
Engine Codes - Diesel:
OM601, OM602, OM603, M604, OM605, OM606, OM611, OM612, OM613, OM628, OM629, OM640, OM642, OM647, OM648, OM651, OM668.

Ref.10304 DIESEL ENGINE TIMING SET FOR FORD - 2.0 TDCI ECOBLUE



Ref.10353 CRANKSHAFT PULLEY PULLER FOR FORD - 2.0 TDCI ECOBLUE



Ref.10319 DIESEL INJECTOR PUMP REMOVAL & INSTALLATION TOOL FOR FORD - 2.0 TDCI ECOBLUE



For the latest Ford Ecoblue 2.0 diesel engine design which uses the wet timing belt system that keeps the belt lubricated with engine oil.

Applications:	
Ford	Edge, Focus, Galaxy, Kuga, Mondeo, Ranger, Tourneo Custom, Transit & Transit Custom.

Engine codes:
BC2X / BCCA / BCCB / BCCC / BCDA / BCFB / BCRA / BJFA / BJFB / BJFC / BJFD / BJRA / BJRB / BKFA / BKFB / BKFC / BKFD / BKRA / BKRB / BLFA / BLFB / BLFC / BLFD / BLHA / BLRA / BLRB / YL2X / YLCA / YLCB / YLCC / YLDA / YLDC / YLF6 / YLFA / YLFB / YLFS / YLR6 / YLRA / YMCA / YMCB / YMCC / YMDA / YMF6 / YMFA / YMFB / YMFS / YMHA / YMR6 / YMRA / YN2X / YNCA / YNF6 / YNFA / YNFB / YNFS / YNR6 / YNRA

Year:	2016 - 2021

Ref.9189 DIESEL ENGINE TIMING SET FOR FORD - 2.0 / 2.2 TDCI

Kit designed for 2.0 and 2.2 Ford diesel engines used in Ford, LandRover, Volvo and PSA Group vehicles. Contains the tools to lock the camshaft, crankshaft and engine flywheel.



Applications:	
Ford	C-Max, Focus, Focus C-Max, Kuga, Galaxy, Mondeo, S-Max & Gry S-Max.

Engine codes:	
2.0	AZBA / AZBC / AZWA / AZWC / G6DA / G6DB / G6DC / G6DD / G6DE / G6DF / G6DG / IXDA / KLBA / KLWA / LPBA / QXBA / QXBB / QXWA / QXWB / T7CA / T7CE / T7CF / T7CJ / T7CK / T7CL / T7CN / T7DA / T7DB / T7DD / T7MA / T7MB / T8CA / T8CC / T8CD / T8CH / T8CI / T8CJ / T8CL / T8CM / T8DA / T8DE / T8DF / T8MA / T8MB / T9CA / T9CB / T9CC / T9CD / T9CE / TCBA / TXBB / TXDA / TXDB / TXMA / TXWA / TYBA / TYDA / TYWA / UFBA / UFBB / UFCA / UFCB / UFCD / UFDA / UFDB / UFMA / UFWA / UKBA / UKBB / UKDA / UKDB / UKMA / UKWA / XRMA / XRMB.
2.2	KNBA / KNBB / KNWA / KNWB / Q4BA / Q4WA / QJBA.

Year:	2004 - 2019

Ref.10055 BALANCE SHAFT ALIGNMENT TOOL FOR FORD - 2.2 DIESEL



Special tools to lock and align the balance shafts of the 2.2 diesel engine used in Ford, PSA, Land Rover and Range Rover Vehicles.

Applications:	
Ford	Galaxy, Mondeo y S-Max.

Engine codes:	
2.2	KNBA / KNBB / KNWA / KNWB / Q4BA / Q4WA.

OEM:
303-1328 / 303-1329 / 303-1330.

Year:	2008 - 2015

Ref.11399 CRANKSHAFT PULLEY REMOVAL TOOL FOR FORD - 2.0L ECOBLUE

Tool designed to remove the crankshaft pulley, the silver bushing is placed first and then the bushing with bolt to exert pressure and release the pulley.



Applications:
Ford Transit, Ford Ranger

OEM:	303-1657

Year:	2018 - 2024

Ref.9743 DIESEL ENGINE TIMING SET FOR FORD - 2.2 HDI



Set of special tools to maintain the correct timing position during service of the timing chain of the 2.2 TDCI engine used in the Ford Transit, Tourneo, Ranger and Land Rover Defender.

Applications:	
Ford	CVF5 / CVFF / CVR5 / CYF4 / CYF5 / CYFA / CYFB / CYFC / CYFF / CYFG / DRF4 / DRF5 / DRFA / DRFB / DRFC / DRFE / DRFF / DRFG / DRR5 / GBVAPF / GBVAJQ / GBAVJQJ / GBVAJQW / P8FA / P8FB / PGFA / PGFB / QVFA / QWFA / SRFA / SRFB / SRFC / SRFD / SRFE / UHFA / UHFB / USR6 / UYR6.
Land Rover	ID4 / DT224.

Year:	2006 - 2019

Ref.1080 DIESEL ENGINE TIMING SET FOR FORD DIESEL - 2.0 / 2.2 / 2.4



This set contains the pins to assist in changing the timing belt or chain of the Ford Duratorq 2.0, 2.2 and 24 engines and also the PSA / Ford 1.4 and 1.6 HDi Engines. Additionally, they include special tools to allow removing the diesel high pressure pump without altering the timing of the timing chain.

Applications:	
Ford	Mondeo, Ranger & Transit.

Applications:	
2.0	ABFA / D3FA / D5BA / D6BA / FMBA / FMBB / HJBA / HJBB / HJBC / HJBE / N7BA / N7BB / SDBA / F3FA / FIFA.
2.2	QJBB / QJBC / QJBD.
2.4	D0FA / D2FA / D2FB / D4FA / F4FA / FXFA / JXFA / JXFC / H9FA / H9FB / H9F / PHFA / PHFC.

Year:	2000 - 2012

Ref.11735 DIESEL ENGINE TIMING SET FOR FORD - 1.4/1.5/1.6/2.2.



Engine Codes FORD:	
1.4 TDCI	F6JA / F6JB / F6JC / F6JD / HHJA / HHJB / KVJA.
1.6 TDCI	G8DA / G8DB / G8DC / G8DD / G8DE / G8DF / GPDA / GPDB / GPDC / GPDD / HHDA / HHDB / HHJA / HHJB / HHJC / HHJD / HHJE / HHJF / MTDA / NGCA / NGDA / NGDB / T1BA / T1BB / T1BC / T1DA / T1DB / T1GA / T1WA / T1WB / T3CA / T3CB / T3CC / T3DA / T3DB / T3JA / T3JB / TZGA / TZGB / TZJA / TZJB / U3CA / UBGA / UBJA.
1.5 TDCI	AEDA / BEGA / ENUG / UGCA / UGCB / UGCC / UGJC / UGJE / XUCA / XUCC / XUCD / XUGA / XUJA / XUJB / XUJF / XUJG / XUJH / XUJK / XUJL / XUJM / XUJN / XUKE / XVCA / XVCB / XVCC / XVGA / XVGB / XVGC / XVJA / XVJB / XVJC / XVJD / XWCA / XWCB / XWDA / XWDB / XWDC / XWDD / XWDE / XWDG / XWGA / XWGB / XWJB / XWJC / XWMA / XWMB / XWMC / XWMD / XWME / XXCA / XXCC / XXDA / XXDB / XXDC / XXDD / XXDE / XXGA / Z2DA / Z2GA / Z2JA / ZTDA / ZTGA / ZTJA / ZTJB / ZTJC / ZTJD / ZTJE.
2.2 TDCI	CVF5 / CVFF / CVR5 / CYF4 / CYF5 / CYFA / CYFB / CYFC / CYFF / CYFG / DRF4 / DRF5 / DRFA / DRFB / DRFC / DRFE / DRFF / DRFG / DRR5 / GBVAPF / GBVAJQ / GBAVJQJ / GBVAJQW / P8FA / P8FB / PGFA / PGFB / QVFA / QWFA / SRFA / SRFB / SRFC / SRFD / SRFE / UHFA / UHFB / USR6 / UYR6 / ID4 / DT224.

Ref.10376 CRANKSHAFT PULLEY HOLDING WRENCH FOR FORD DIESEL - 2.0 / 2.2 / 2.4 / 3.2 DURATORQ



Wrench with a special profile that allows access to each crankshaft pulley bolt using a long socket (not supplied) while holding the pulley.

Applications:	
Ford	Mondeo, Ranger, Tourneo Custom, Transit y Transit Custom.

Engine:	
2.0 / 2.2 / 24 / 3.2 DI / TDCI/ TDDI /	

OEM:	303-1310.

Year.	2006 - 2019

Ref.9136 DIESEL ENGINE TIMING SET FOR FORD - 2.0 / 2.2 / 2.4 / 3.2

Set of pins to lock the engine flywheel, crankshaft, camshaft and injection pump on a wide range of Ford diesel engines. They are also used for some Land Roverand Jaguar models.



Applications:	
Ford	Mondeo, Ranger & Transit.

Applications:	
2.0	ABFA / D3FA / D5BA / D6BA / FMBA / FMBB / HJBA / HJBB / HJBC / HJBE / N7BA / N7BB / SDBA / F3FA / FIFA.
2.2	QJBB / QJBC / QJBD.
2.4	D0FA / D2FA / D2FB / D4FA / F4FA / FXFA / JXFA / JXFC / H9FA / H9FB / H9F / PHFA / PHFC.
3.2	SAFB

Year:	2000 – 2012.

Ref.10233 FRONT CRANKSHAFT SEAL REMOVAL & INSTALLATION TOOL FOR FORD DURATORQ - 2.0 / 2.2 / 2.4 / 3.2



This set of tools is designed to assist in the replacement of the front crankshaft seal of the Ford Duratorq 2.0, 2.2, 24 and 3.2 engines used in Ford, Jaguar and Land Rover models. Contains a seal cover remover / Installer and front engine cover aligner.

Applications:	
Ford	Mondeo, Ranger y Transit.
Jaguar	X400
Land Rover	Defender

OEM:	303-679A / 303-682

Year:	2000 - 2019

Ref.10239 CRANKSHAFT LOCKING PIN FOR FORD DIESEL - 2.2/3.2



This pin locks the crankshaft via the engine flywheel.

Applications:	
Ford	Ranger & Transit.

Engine Codes:	
2.2	CVRA / CVRB / CYRA / CYRB / DRRA / DRRB / USRA / USRB,
3.2	SAFA

Year:	2007 - 2015

Ref.10370 DIESEL ENGINE TIMING SET FOR FORD DIESEL - 1.8 TD / TDDI /TDCI

This kit is for 1.8 Ford diesel engines and includes tools to remove the diesel high pressure pump sprocket and to align the front cover of the timing chain.



Applications:	
Ford	C-Max, Fiesta, Focus, Focus C-Max, Galaxy, Mondeo, S-Max, Tourneo Connect, Transit Connect.

Engine codes:	
1.8 TDCI	BHPA / F9DA / F9DB / FFBA / FFDA / FFWA / HCPA / HCPB / KHBA / KKDA / KKDB / P7PA / P7PB / P9PA / P9PB / P9PC / P9PD / QYBA / QYWA / R2PA / R3PA / RWPA / RWPC / RWPD / RWPE / RWPF
1.8 TDDI	BHDA / BHDB / C9DA / C9DB / C9DC
1.8 D TURBO	RTP / RTN / RTQ.

Year:	1996 - 2013

Ref.10371 DIESEL PUMP SPROCKET PULLER & FRONT COVER ALIGNER FOR FORD - 1.8 TD / TDCI / TDDI

Special tools for removing the diesel high pressure pump sprocket and for aligning the front cover of the timing chain.



OEM:	310-095 / 310-652.

Ref.10369 CAMSHAFT PULLEY PULLER FOR FORD DIESEL - 1.8 TD / TDDI / TDCI



Applications:	
Ford	C-Max, Fiesta, Focus, Focus C-Max, Galaxy, Mondeo, S-Max, Tourneo Connect, Transit Connect.

Engine codes:	
1.8 TDCI	BHPA / F9DA / F9DB / FFBA / FFDA / FFWA / HCPA / HCPB / KHBA / KKDA / KKDB / P7PA / P7PB / P9PA / P9PB / P9PC / P9PD / QYBA / QYWA / R2PA / R3PA / RWPA / RWPC / RWPD / RWPE / RWPF
1.8 TDDI	BHDA / BHDB / C9DA / C9DB / C9DC
1.8 D TURBO	RTP / RTN / RTQ.

OEM:	303-65 / 21-229.	Year:	1996 - 2013

Ref.10395 DIESEL ENGINE TIMING SET FOR FORD - 1.4 / 1.5 / 1.6 TDCI



Set of pins to lock the camshaft, crankshaft and sprocket of the diesel high pressure pump of Ford and PSA, TDCi and HDi, engines used in a wide range of Ford, PSA and Volvo models.


Applications:	
Ford	B-Max, C-Max, Ecosport, Fiesta, Focus, Focus C-Max, Fusion, Galaxy, Ka+. Puma, Kuga, Mondeo, S-Max, Tourneo Connect, Transit Courier, Transit Connect.

Engine codes:	
1.4 TDCI	F6JA / F6JB / F6JC / F6JD / HHJA / HHJB / KVJA.
1.6 TDCI	G8DA / G8DB / G8DC / G8DD / G8DE / G8DF / GPDA / GPDB / GPDC / GPDD / HHDA / HHDB / HHJA / HHJB / HHJC / HHJD / HHJE / HHJF / MTDA / NGCA / NGDA / NGDB / T1BA / T1BB / T1BC / T1DA / T1DB / T1GA / T1WA / T1WB / T3CA / T3CB / T3CC / T3DA / T3DB / T3JA / T3JB / TZGA / TZGB / TZJA / TZJB / U3CA / UBGA / UBJA.
1.5 TDCI	AEDA / BEGA / ENUG / UGCA / UGCB / UGCC / UGJC / UGJE / XUCA / XUCC / XUCD / XUGA / XUJA / XUJB / XUJF / XUJG / XUJH / XUJK / XUJL / XUJM / XUJN / XUKE / XVCA / XVCB / XVCC / XVGA / XVGB / XVGC / XVJA / XVJB / XVJC / XVJD / XWCA / XWCB / XWDA / XWDB / XWDC / XWDD / XWDE / XWDG / XWGA / XWGB / XWJB / XWJC / XWMA / XWMB / XWMC / XWMD / XWME / XXCA / XXCC / XXDA / XXDB / XXDC / XXDD / XXDE / XXGA / Z2DA / Z2GA / Z2JA / ZTDA / ZTGA / ZTJA / ZTJB / ZTJC / ZTJD / ZTJE.

Year:	2002 - 2021

For Engines 1.5 / 1.6 TDCI it is also necessary to use Flywheel locking tool . Ref. Toolhub 10399.

Ref.10242 AUXILIARY BELT TENSION WRENCH FOR FORD - 1.4 / 1.6 DIESEL



To lock and tension the auxiliary belt tensioners of PSA (HDI) and Ford (TDCI) 1.4 and 1.6 diesel engines.

Applications:	
Ford	1.4 & 1.6 TDCI
PSA	1.4 & 1.6 HDI

Ref.10355 FRONT CRANKSHAFT INSTALLATION TOOL FOR FORD



Special tool to install the front crankshaft seal on PSA / Ford DV4 and DV6 engines and Ford DV5 engine. Also for some Volvo, Mini and Land Rover models.

Applications:	
Ford	1.4 / 1.5 / 1.6 TDCI. (DV4 / DV5 / DV6).
PSA	1.4 / 1.6 HDI (DV4 / DV6).

OEM:	303-373

Ref.9438 DIESEL ENGINE TIMING SET FOR FORD 1.3 TDCI



Complete set of essential tools to be able to change the timing chain and assist in assembling and checking the timing after disassembling engine components. It has a very wide coverage on 1.3 diesel engines from Ford, Opel, Fiat, PSA and Suzuki.

Applications:	
Ford	Ka

Engine Codes:	
1.3TDCi	169A1.000/BAAA/B / 169A1.000/BBAB / 169A1.000/BBCB

Year:	2008 - 2015

Ref.9849 CAMSHAFT PULLEY HOLDING WRENCH FOR FORD 1.3 TDCI



This wrench is used to hold the camshaft pulley in order to loosen and tighten the sprocket fasteners without moving the camshafts or damaging the other locking tools. Also for the 1.3 diesel engine used by PSA, Fiat and Alfa Romeo.

OEM:	303-1475.

Ref.9760 DIESEL PUMP PULLEY PULLER FOR FORD 2.2TDCI



Allows removal of the diesel pump without disturbing the timing of the Ford 2.2 Diesel engine timing chain used in the Ford Transit and Land Rover Defender.

OEM:	303-249 / 303-249/01.

Ref.10240 CAMSHAFT LOCKING PINS FOR FORD 2.0D



Set of pins to lock the camshaft pulley on the DW10F 2.0 diesel engine. They are used to keep the camshafts aligned so that the diesel high pressure pump can be removed.

Applications:
C-Max, Edge, Focus, Galaxy, Gry C-Max, Kuga, Mondeo, S-Max.

Engine Codes:	
2.0D	DW10F

OEM:	303-1667/1 / 303-1667/2
Year:	2014 - 2018

Ref.9141 DIESEL & PETROL ENGINE TIMING SET FOR FORD



This timing set contains the most common setting tools for a very wide range of Ford petrol and diesel engines..

Applications:	
Engine Diesel:	1.4TDCI / 1.5 TDCI / 1.6 TDCI / 1.8 TD / 1.8TDDI / 1.8TDCI / 2.0TDCI / 2.2 TDCI.
Engine Petrol:	1.25 / 1.4 / 1.6 / 1.7 / 1.8 / 2.0 / 2.3.

Ref.10399 DIESEL & PETROL ENGINE FLYWHEEL LOCKING TOOL FOR FORD



Engine Flywheel lock set with adapters used in a wide range of petrol and diesel engines from the entire Ford range. It is also used in some Volvo and Land Rover models.

OEM:
303-393 / 303-393A / 303-393-01 / 303-393-02 / 303-393-03.

Not suitable to counterhold the crankshaft pulley for removing the crankshaft fixing bolt. Always use an appropriate counter holding tool, for example Toolhub ref 2869.

Ref.1043 CRANKSHAFT LOCKING PIN FOR FORD DIESEL 1.6 / 1.8.



Applications:
Ford – C-Max, Escort, Fiesta, Focus, Galaxy, Mondeo, Orion, TourneoConnet, Transit Connect,


OEM:	21-104 / 303-193
Year:	1989 - 2007

Ref.10871 BELT TENSIONER WRENCH FOR FORD 2.2D

Tensioning tool, for Ford 2.0 and 2.2L TDDi, TDCi engines. Without this tool the tensioning unit cannot be accessed and adjusted.



Ref.10897 FLYWHEEL LOCKING PIN FOR FORD DURATORQ 2.0 / 2.2 / 2.4 DIÉSEL



Flywheel locking pin for non common rail engines.

Applications:
Ford, Mazda, PSA, Fiat, Land Rover

Engine:
2.0 / 2.2 / 2.4 / 3.2

OEM:	303-675 21-234

Ref.10968 CRANKSHAFT ALIGNMENT TOOL FOR FORD - 2.0, 2.2, 2.4, 3.2.



Crankshaft locking and flywheel locking pin.

Applications:
Ford, Mazda, PSA, Fiat, Land Rover

Engine:
2.2 / 3.2

OEM:	303-698, 21-251

Ref.1037 PETROL ENGINE TIMING SET FOR FORD 1.25 / 1.4 / 1.6 / 1.7 / 1.8 / 2.0 / 2.3



Camshaft alignment plate and set of timing pins for a wide range of Ford petrol engines.

Applications:
C-Max, Cougar, Escort, Fiesta, Focus, Galaxy, Maverick,Mondeo, Orion, Puma, S-Max, Transit.

Engine Codes:	
1.25	DHA / DHB / DHC / DHD / DHE / DHF / DHG.
1.4	FHA / FHD / FHE / FHF
1.6	L1E / L1F / L1E / L1H / L1J / L1K / L1L / L1N / L1Q / L1T / L1V / L1W.
1.7	MHA / MHB.
1.8	CDBB / CGBA / CGBB / CHBA / CHBB / CSDA / CSDB / EYDB / EYDC / EYDD / EYDE / EYDF / EYFG / EYDI / EYDJ / EYDL / EYPA / EYPC / Q7DA / QQDA / QQDB / QQDC / QQDD / RDA / RKA / RKB / RKC / RKF / RKH / RKJ / RKK / RQB
2.0	ALDA / AOBA / AOBC / AODA / AODB / AODE /AOWA / AOWB / CJBA / CJBB / EDBA / EDBB / EDBC / EDBD / EDDB / EDDC / EDDD / EDDF / HMDA / N4JB / NGA / NGB / NGC / NGD / SYDA / TBBA / TBBB / TBWA / TBWB / UADA / UACA / UACB / UACD / YF / YTMA.
2.3	GZFA / GZFB / GZFC / SEBA / SEWA.

Year:	1991 - 2018

Ref.10945 PETROL ENGINE TIMING SET FOR FORD 1.2 / 1.5 DURATEC



Timing belt replacement applications
Ford Ka+ / Ford Ka+ Active 1.2 Ti-VCT

Engine Codes:
B1KE / ENAP / ENB1

Applications for rebuilding engines:
Ford Fiesta, Focus, Kuga & Puma. 1.5L EcoBoost / Duratec: UNDA, YZJA, Y1DA & YZDA

OEM:
303-1639 / 303-1643./ 303-1647 / 303-1648

Year:	from 2018

Ref.10394 CRANKSHAFT PULLEY ALIGNMENT TOOL FOR FORD 1.5 & 1.6 ECOBOOST



Special tool used to align the crankshaft pulley on Ford 1.5 and 1.6 Ecoboost engines.

Applications:
1.5 SCTI Ecoboost – BNMA / BNMB / BNMC / M8DA / M8DB / M8DD / M8DE / M8DF / M8MA / M8MB / M8MC / M8MD / M8MEM9DA / M9DB / M9DG / M9DH / M9MA / M9MB / M9MC / M9MD / M9ME / UNCA / UNCB / UNCC / UNCD / UNCE / UNCF / UNCI / UNCJ / UNCK / UNCM / UNCN / UNCP. **1.6 SCTI Ecoboost** – JQDA / JQDB / JQGA / JQMA / JQMB / JTBA / JTBB / JTDA / JTDB / JTMA / JTWA / JTWB.

Year:	2010 - 2020

Ref.10372 CAMSHAFT SETTING BAR FOR FORD 1.5 & 1.6 ECOBOOST



Special tool used to lock the camshaft during engine repair or when it is necessary to remove the camshaft adjusters.

Applications:
1.5 SCTI Ecoboost –M8DA / M8DB / M8DD / M8DE / M8DF / M9DA / M9DB / M9DG / M9DH / UNCA / UNCB / UNCC / UNCD / UNCE / UNCF / UNCI / UNCJ / UNCK / UNCM / UNCN / UNCP. **1.6 SCTI Ecoboost** – JQDA / JQDB / JQGA / JQMA / JQMB / JTBA / JTBB / JTDA / JTDB / JTMA / JTWA / JTWB.

Year:	2010 - 2020

Ref.10900 PETROL ENGINE TIMING SET FOR FORD - 1.25 / 1.4 / 1.5 / 1.6



Set designed for a wide range of Ford petrol engines.

Applications:	
Ford	B-Max, C-Max, Ecosport, Fiesta, Focus, Focus C-Max, Fusion, Galaxy, Ka+., Kuga, Mondeo, S-Max, Tourneo Connect, Transit Connect, Gry Tourneo Connect

Engine Codes:			
1.2 Ti VCT	B2KA/ YSKD / YSKE.	1.25	ASDA / F8JA / F8JB / FUJA / FUJB / M7JA / M7JB / SNJA / SNJB / SNJC / SNJD / STJA / STJB / STJC / STJD.
1.4	FXDA / FXDB / FXDC / FXDD / FXJA / FXJB / FXJC / RTJA / RTJB / RTJC / RTJD / RTJE /SPJA / SPJB / SPJC / SPJD / SPJE / UTJA.	1.5 Ti VCT	UEJB / UEJE.
1.5 SCTI Ecoboost	BNMA / BNMB / BNMC / M8DA / M8DB / M8DD / M8DE / M8DF / M8MA / M8MB / M8MC / M8MD / M8MEM9DA / M9DB / M9DG / M9DH / M9MA / M9MB / M9MC / M9MD / M9ME / UNCA / UNCB / UNCC / UNCD / UNCE / UNCF / UNCI / UNCJ / UNCK / UNCM / UNCN / UNCP		
1.6	FYDA / FYDB / FYDC / FYDD / FYDH / FYJA / FYJB / FYJC / HWDA / HWDB / SHDA / SHDB / SHDC.		
1.6 Ti VCT	HXDA / HXDB / HXJA / HXJB / HXJE / IQDA / IQDB / IQDC / IQJA / IQJC / IQJE /JJTA / JJTB / JJTC / KGBA / MUDA / MUDD / PNBA / PNDA / PNDB / RHBA / RVJA / SIDA / USJA / XTDA / XTDB.		
1.6 SCTI Ecoboost	JQDA / JQDB / JQGA / JQMA / JQMB / JTBA / JTBB / JTDA / JTDB / JTMA / JTWA / JTWB.		

Year:	1998 - 2018

Ref.9865 PETROL ENGINE TIMING SET FOR FORD - 1.0 / 1.1 ECOBOOST



Set of tools to maintaln the correct timing position whilst changing the timing belt on 1.0 and 1.1 Ford three cylinder petrol engines. It also contains the camshaft adjuster alignment tools.

Applications:	
Ford	B-Max, C-Max, Ecosport, Fiesta, Focus, Mondeo, Tourneo Connect, Transit Courier, Transit Connect

Engine Codes:	
1.0	B3DA / B3GA / M1CA / M1CB / M1DA / M1DC / M1DD / M1DH / M1FA / M1JA / M1JC / M1JE / M1JH / M1JJ / M1JL / M1JM / M1JP / M1JU / M2DA / M2DB / M2DC / M2GA / M2GB / P4JA / P4JB / P4JC / P4JD / QQJA / QQJB / QQJC / QQJD / SFCA / SFCB / SFCC / SFCD / SFCE / SFCF / SFDA / SFDB / SFDC / SFJA / SFJB / SFJC / SFJD / SFJE / SFJH / SFJJ / SFJK / SFJL / SFJN / SFJP / XMJA / XMJC / XMJC / XMJD / YYJA / YYJB / YYJC / YYJD / YYJE / YYJF / YYJG.
1.1	XPJA / XPJB / XPJC / XPJD / XYJA / XYJB / XYJC / XYJD / XYJD / XYJE

Year:	2012 - 2021

Ref.10891 CRANKSHAFT PULLEY REMOVER/ INSTALLER FOR FORD ECOBOOST



5:1 torque multiplier to remove and install the crankshaft pulley at the manufacturer's recommended torque to prevent engine damage.

Engine:
Ford 1.0 Ecoboost

OEM:
303-1611

Ref.10991 PETROL ENGINE TIMING SET FOR FORD 1.0 ECOBOOST (FOX)



Engine Codes:
B3DA, B7DA, B7JA, M0JA, M0JB, B7JB , BZJA, B7DC, M0DC, B3GA, B3GB.

Year:
From 2018

Ref.10901 PETROL ENGINE TIMING SET FOR FORD 1.5 ECOBOOST



Applications:
Ford Fiesta, Focus, Kuga, Puma

Engine:
1.5 Ecoboost, Duratec

Engine Codes:
YZJA, YZDA, Y1DA, YZDA, UNDA

Year:
2018 - 2023

Ref.10043 VARIABLE CAMSHAFT TIMING ADJUSTER SOCKET FOR FORD



To adjust the central valve of the BMW VANOS unit and the FORD VCT module.

PETROL

1/2"

Applications:	
BMW/MINI	B36 / B38 / B48
Ford	1.0 Ecoboost
OEM:	2450487 / 303-1661.
Sizes:	1/2" Dr. 22mm, 16 point.
Length:	30 mm

Ref.10393 CRANKSHAFT POSITION SENSOR ALIGNMENT TOOL FOR FORD



PETROL

Applications:			
Ford	C-Max. Focus. Galaxy, Kuga, Mondeo, Mustang, S-Max.		
Engine Codes:			
2.0	MGDA / R9CB / R9CD / R9CF / R9CH / R9CI / R9DA / R9DB / R9DC / R9DD / R9MA / R9MC / TNBA / TNBB / TNCC / TNCD / TNCF / TNWA / TNWB / TPBA / TPWA / UACA / UACB / UACD / UADA / XQDA		
2.3	YVDA / VIN8=H.	2.5	YTMA
OEM:	303-1521 / 999-7146.		

Ref.9572 PETROL ENGINE TIMING SET FOR FORD - 2.0 / 2.3 ECOBOOST



PETROL

Applications:	
Ford	Focus, Galaxy, Kuga, Mondeo, Mustang, S-Max.
Engine Codes:	
2.0	MGDA / R9CB / R9CD / R9CF / R9CH / R9CI / R9DA / R9DB / R9DC / R9DD / R9MA / R9MC / TNBA / TNBB / TNCC / TNCD / TNCF / TNWA / TNWB / TPBA / TPWA / XQDA.
2.3	YVDA / VIN8=H.
Year:	2010 - 2020

Ref.9742 CRANKSHAFT HOLDING WRENCH – FORD 2.5 DURATEC



1/2"

PETROL

Allows you to hold the crankshaft while loosening the center pulley bolt. With 1/2 " drive to allow the use of a handle to apply more force.

Applications:	
Ford	Mondeo
Engine Codes:	
2.5	YTMA.
OEM:	303-1416 / 999-7128.
Year:	2014 - 2015

Ref.9864 PETROL ENGINE REPAIR SET FOR FORD - 2.5 RS / ST

This kit contains the special tools to align the camshafts and crankshaft during the repair of the variable valve unit and the removal and installation of the camshafts. It also contains the 9569 wrench to hold the crankshaft pulley.



PETROL

Applications:	
Ford	Focus, Galaxy, Kuga, Mondeo, S-Max.
Engine Codes:	
2.5 RS / ST	HUBA / HUWA / HYDA / HYDB / HYDC / JZDA.
OEM:	999-5451. 999-5452, 999-5453, 999-5433, 303-1178, 303-1179, 303-1182, 303-1183.
Year:	2005 - 2013

Ref.9139 PETROL ENGINE TIMING SET FOR FORD - 1.2 8V



PETROL

Timing set for 1.2L and 1.4L engines used in Ford, Fiat, Alfa Romeo and Lancia vehicles.

Applications:	
Ford	KA
Engine Codes:	
169A4.000 / AAAA / ABAA / ABCA / ABDA	
Year:	2008 - 2016

Ref.10377 AUXILIARY BELT INSTALLATION TOOL FOR FORD - 1.4 / 1.6



PETROL

Set of two tools that facilitate the installation of the auxiliary belt when the width of the crankshaft pulley restricts access. One piece is put on the crankshaft pulley and the other on the water pump pulley and using a 17mm socket it is rotated to place the belt on the pulleys.

Applications:
Ford 1.4 / 1.6 – C-Max, Focus, Mondeo.
Volvo 1.6 – C30, S40, V50.

Ref.2869 CRANKSHAFT PULLEY HOLDING WRENCH FOR FORD DIESEL & PETROL



PETROL DIESEL

This universal wrench is used in a wide range of Ford diesel and petrol engines and is a primary use tool. Used to hold the crankshaft pulley to facilitate tightening and loosening of the crankshaft bolts.

OEM:	205-072 / 15-030.

Ref.10307 DIESEL ENGINE TIMING SET FOR JAGUAR / LAND ROVER - 2.0D



Set designed for the timing of the latest 2.0 diesel version of the "Ingenium" engine series developed by Jaguar Land Rover.

Applications:	
Jaguar	E Pace, F Pace, XE, XF.
Land Rover	Defender, Discovery, Discovery Sport, Range Rover Evoque, Range Rover Sport, Range Rover Velar.

Engine Codes:
204DTA / 204DTD / AJ20-204DT / AJ20-204DTA / AJ200D / AJ200-204DTA / AJ200-204DTD / AJ200D-204DT / AJ200D-204DTA.

Year:	2015 - 2021

Ref.10412 BALANCE SHAFT TIMING SET FOR JAGUAR/ LAND ROVER - 2.0D



Set of special tools to adjust the balance shafts on the 2.0 Ingenium diesel engine used by Jaguar and Land Rover.

Applications:	
Jaguar	E Pace, F Pace, XE, XF.
Land Rover	Defender, Discovery, Discovery Sport, Range Rover Evoque, Range Rover Sport, Range Rover Velar.

Engine Codes:
204DTA / 204DTD / AJ20-204DT / AJ20-204DTA / AJ200D / AJ200-204DTA / AJ200-204DTD / AJ200D-204DT / AJ200D-204DTA.

Year:	2015 - 2021

Ref.10308 DIESEL PUMP PULLEY LOCKING TOOL FOR JAGUAR / LAND ROVER - 2.0D



Locks the fuel pump sprocket and chain so that the pump can be removed and replaced.

Applications:	
Jaguar	E Pace, F Pace, XE, XF.
Land Rover	Defender, Discovery, Discovery Sport, Range Rover Evoque, Range Rover Sport, Range Rover Velar.

Engine Codes:
204DTA / 204DTD / AJ20-204DT / AJ20-204DTA / AJ200D / AJ200-204DTA / AJ200-204DTD / AJ200D-204DT / AJ200D-204DTA.

OEM:	JLR-303-1627	Year:	2015 - 2021

Ref.1138 DIESEL ENGINE TIMING SET FOR JAGUAR LAND ROVER - 2.7 / 3.0.



Set of tools for the adjustment of 2.7L and 3.0L Jaguar and Land Rover diesel engines SDV6/TDV6.

Applications:	
Jaguar	F-Pace, S-Type, XF, XJ, XJ6.
Land Rover	Discovery, Range Rover, Range Rover Sport, Range Rover Velar.

Engine Codes:
276DT / 306DT / 7G / AJ-V6-306DT

Year:	2004 - 2020.

Ref.9871 DIESEL PUMP LOCKING TOOL FOR LAND ROVER - 3.0 TDV6



Special tools necessary to lock the fuel pump in position whilst changing the high pressure pump auxiliary belt.

Applications:	
Jaguar	F-Pace, XF, XJ
Land Rover	Discovery, Range Rover, Range Rover Sport, Range Rover Velar.

Engine Codes:
306DT / AJ-V6-306DT

OEM:	303-212.
Year:	2009 - 2020

Ref.10408 VISCOUS FAN HUB SPANNER SET FOR JAGUAR / LAND ROVER DIESEL



Tools required to remove viscous water pump fan on Land Rover and Jaguar diesel engines 2.7 and 3.0.

Applications:	
Jaguar	F-Pace, XF, XJ.
Land Rover	Discovery, Range Rover, Range Rover Sport, Range Rover Velar.

Engine Codes:
276DT / 306DT

OEM:	303-1142 / 303-1143
Year:	2004 - 2020

Ref.10229 CRANKSHAFT TRIGGER WHEEL INSTALLATION TOOL FOR JAGUAR / LAND ROVER



Special tool used to install the crankshaft position sensor ring on some Land Rover engines and to install the crankshaft drive wheel on some Jaguar engines.

Applications:	
Jaguar	S-Type X200, AF X250, XJ X350, XJ X351
Land Rover	Discovery, Range Rover Sport.

OEM	303-1130

Ref.9136 DIESEL ENGINE TIMING SET FOR FORD / JAGUAR / LAND ROVER - 2.0 / 2.2 / 2.4 / 3.2



Set of pins to lock the engine flywheel, crankshaft, camshaft and injection pump on a wide range of Ford diesel engines. They are also used for some Land Rover and Jaguar models.

Applications:	
Jaguar	X-Type – 2.0 – FMBA/B(6B). 2.2 – QJBA(BG).
Land Rover	Defender – 244DT

Year:	2003 – 2011

Ref.9743 DIESEL ENGINE TIMING SET FOR JAGUAR / LAND ROVER - 2.2



Applications:	
Land Rover	Defender
Engine Codes:	ID4/TD224
Year:	2011 - 2016

Ref.10376 CRANKSHAFT PULLEY HOLDING WRENCH FOR FORD DIESEL - 2.0 / 2.2 / 2.4 / 3.2 DURATORQ



Wrench with a special profile that allows access to each crankshaft pulley bolt using a long socket (not supplied) while holding the pulley.

Applications:	
Land Rover	Defender
Engine Codes:	ID4/TD224
OEM:	303-1310.
Year:	2011 - 2016

Ref.9134 DIESEL ENGINE TIMING SET FOR LAND ROVER - 2.5 TD5



Set of timing pins for the Land Rover 2.5 TD5 engine.

Applications:	
Land Rover	Defender, Discovery II.
Engine Codes:	10P / 15P / 16P.
Year:	1998 - 2007.

Ref.9189 DIESEL ENGINE TIMING SET FOR JAGUAR / LAND ROVER - 2.0 / 2,2 TDCI

Kit designed for 2.0 and 2.2 Ford diesel engines used in Ford, LandRover, Volvo and PSA Group vehicles. Contains the tools to lock the camshaft, crankshaft and engine flywheel.



Applications:	
Jaguar	XF
Land Rover	Discovery Sport, Freelander 2, Range Rover Evoque.

Engine Codes:
Land Rover 2.2 – 224DT / DW12BTED-224DT / DW12CTED-224DT Jaguar 2.2 – AJ4D-224DT.

Year:	2006 - 2015

Ref.10065 CRANKSHAFT SEAL INSTALLATION TOOL FOR LAND ROVER - 2.2 DIESEL

Tool that helps the installation of the rear crankshaft seal without damaging it on 2.2 diesel engines.



Applications:	
Jaguar	XF
Land Rover	Discovery Sport, Freelander 2, Range Rover Evoque.

Engine Codes:
Land Rover 2.2 – 224DT / DW12BTED-224DT / DW12CTED-224DT Jaguar 2.2 – AJ4D-224DT.

OEM	303-1271	Year:	2006 - 2015

Ref.10055 BALANCE SHAFT ALIGNMENT TOOL SET FOR LAND ROVER - 2.2 DIESEL

Special tools to lock and align the balance shafts of the 2.2 diesel engine used in Ford, PSA, Land Rover and Range Rover Vehicles.



Applications:	
Land Rover	Discovery Sport, Freelander 2, Range Rover Evoque

Engine Codes:
Land Rover 2.2 – 224DT / DW12BTED-224DT / DW12CTED-224DT

OEM	303-1328 / 303-1329 / 303-1330.

Year:	2006 - 2015

Ref.10407 DIESEL ENGINE TIMING SET FOR LAND ROVER - 3.6D



Set of tools to lock the camshafts, crankshaft and flywheel of the Land Rover 3.6 diesel engine used in Range Rover models.

Applications:	
Land Rover	Range Rover, Range Rover Sport.

Engine Codes:
368DT

Year:	2006 - 2011

Ref.1036 DIESEL ENGINE TIMING SET FOR LAND ROVER / ROVER - M47 / M57



Applications:	
Land Rover	Freelander 2.0 TD4, Range Rover
Rover	75

Engine Codes:
Land Rover – 20 4D 3-TD4 / 30 6D 1-TD6 Rover M47R

Year:	1999 - 2006

Ref.1035 DIESEL INJECTION PUMP PULLER FOR LAND ROVER / ROVER - M47 / M57



Applications:	
Land Rover	20 4D 3-TD4 / 30 6D 1-TD6
Rover	M47R
OEM:	135190 / LRT 12-178.
Year:	1999 - 2006

Ref.9159 DIESEL ENGINE TIMING SET FOR LAND ROVER - M41 & M51

This set is for the timing of the 1.7L and 2.5L BMW diesel engines used in BMW, Land Rover, Range Rover and Opel Vehicles between 1991 and 2003.



Applications:	
Land Rover	Range Rover 2,5 Turbo

Engine Codes:
256T

Year:	1994 – 2002.

Ref.1024 DIESEL INJECTION PUMP PULLER FOR RANGE ROVER



Applications:	Range Rover 2,5 Turbo		
Engine Codes:	256T	Year:	1994 - 2002

Ref.10233 FRONT CRANKSHAFT SEAL REMOVAL & INSTALLATION TOOL FOR LAND ROVER / JAGUAR - 2.0 / 2.2 / 2.4 / 3.2



This set of tools is designed to assist in the replacement of the front crankshaft seal of the Ford Duratorq 2.0, 2.2, 2.4 and 3.2 engines used in Ford, Jaguar and Land Rover models.
Contains a seal cover remover / Installer and front engine cover aligner.

Applications:	
Land Rover	Defender
Jaguar	X400
OEM:	303-679A / 303-682.

Ref.10406 PETROL ENGINE TIMING SET FOR JAGUAR / LAND ROVER - 2.0



Timing set for the new Land Rover 4 cylinder petrol Ingenium engineused in a wide range of Jaguar Land Rover models

Applications:	
Jaguar	E-Pace, F-Pace, F-Type, XE, XF, XJ.
Land Rover	Defender, Discovery, Discovery Sport, Range Rover, Range Rover Evoque, Range Rover Sport, Range Rover Velar.

Engine Codes:
AJ200P / AJ20-PT204 / AJ200-PT204 / PT204

Year:	2017 - 2021

Ref.10961 CRANKSHAFT PULLEY LOCKING TOOL FOR LAND ROVER - 2.D 2.0



OEM
303-1630

Year:
2017 - 2023

Ref.10320 PETROL ENGINE TIMING SET FOR JAGUAR / LAND ROVER - 2.0 GTDI



Timing set for the 2.0 GTDI petrol engine based on Ford's Ecoboost engine and used in a wide range of Jaguar and Land Rover models.

Applications:	
Jaguar	XE, XF, XJ
Land Rover	Discovery Sport, Freelander 2, Range Rover Evoque

Engine Codes:
204PT

Year:	2011 - 2017

Ref.9739 PETROL ENGINE TIMING SET FOR LAND ROVER - 3.0 / 3.2



Adjustment set for Volvo 6-cylinder 3.0 and 3.2 gasoline engines used in Volvo vehicles and also Land Rover Freelander 2.

Applications:	
Land Rover	Freelander 2

Engine Codes:	
3.2	B6324S

Year:	2006 – 2013.

Ref.9449 PETROL ENGINE TIMING SET FOR LAND ROVER / ROVER / MG - 2.0 / 2.5



Timing tool kit for the KV6 engine of the former Rover Group used in Rover, MG and Land Rover brands.

Applications:	
Land Rover	Freelander
MG	ZR, ZS, ZT
Rover	45, 75, 825.

Engine Codes:	
2.0 / 2.5	KV6

Year:	1999 - 2006

Ref.9580 PETROL ENGINE TIMING SET FOR JAGUAR / LAND ROVER - 3.2 / 3.5 /4.0 / 4.2 / 4.4



Timing kit for a wide range of Land Rover and Jaguar gasoline engines.

Applications:	
Jaguar	S-Type, XJ8, XJR, XK8, XKR.

Engine Codes Land Rover:					
3.2	AC, KA, KB.	3.5	RB	4.0	BC, CC, CE, DC, EC, GB, GC, LB, LC, MA. MB, NB, NC, PA, PB.
4.2	1B, 1G, 2B, 3B, 5G, 9G, HB, HG, PC, SB, TB.				

Applications:	
Land Rover	Discovery 3,Range Rover, Range Rover Sport.

Engine Codes Land Rover:			
4.2	428PS	4.4	448PN

Year:	1997 - 2013.

* It is also necessary to use Toolhub Ref. 10403 to hold and remove the crankshaft pulley.

Ref.10403 CRANKSHAFT HOLDING & REMOVAL TOOL SET FOR JAGUAR / LAND ROVER - 3.2 / 3.5 /4.0 / 4.2 / 4.4



Essential tool for engine repair work and timing chain changes. The crankshaft bolt has a torque of up to 375Nm and it is necssary to hold the crankshaft pulley whilst removing and installing a new bolt.

Applications:	
Jaguar	S-Type, XJ8, XJR, XK8, XKR.

Engine Codes Land Rover:					
3.2	AC, KA, KB.	3.5	RB	4.0	BC, CC, CE, DC, EC, GB, GC, LB, LC, MA. MB, NB, NC, PA, PB.
4.2	1B, 1G, 2B, 3B, 5G, 9G, HB, HG, PC, SB, TB.				

Applications:	
Land Rover	Defender, Discovery 3, Range Rover, Range Rover Sport.

Engine Codes Land Rover:					
4.0	30G, 36D, 42D, 56D, 58D, 94D.	4.2	428PS.	4.4	448PN.

OEM	303-191, 303-191-03, 303-191-04, 303-893, LRT-12-080.	Year:	1997 - 2013

Ref.10398 PETROL ENGINE TIMING SET FOR JAGUAR / LAND ROVER – 3.0 / 5.0



This set contains the necessary tools for the correct synchronization of the 3.0 and 5.0 Jaguar and Land Rover petrol engines.

Applications:	
Jaguar	F-Pace, F-Type, XE, XF, XFR, XJ, XJR, XK8, XKR.

Engine Codes Jaguar:			
3.0	AJ126 / AJ126-306PS	5.0	AJ133-508PN / AJ133-508PS

Applications:	
Land Rover	Discovery, Discovery 4, Range Rover, Range Rover Sport, Range Rover Velar.

Engine Codes Land Rover:			
3.0	306PS	5.0	508PN / 508PS

Year:	2009 - 2021

* Use Toolhub ref. 10380 to remove and hold the crankshaft pulley.

Ref.10380 CRANKSHAFT HOLDING & REMOVAL TOOL SET FOR JAGUAR / LAND ROVER - 3.0 / 5.0



Tool kit to hold the crankshaft pulley to facilitate the tightening and loosening of the central bolt and also to allow the pulley to be removed.

Applications:	
Jaguar	F-Pace, F-Type, XE, XF, XFR, XJ, XJR, XK8, XKR.

Engine Code Jaguar:			
3.0	AJ126 / AJ126-306PS	5.0	AJ133-508PN / AJ133-508PS

Applications:	
Land Rover	Discovery, Discovery 4, Range Rover, Range Rover Sport, Range Rover Velar.

Engine Code Land Rover:			
3.0	306PS	5.0	508PN / 508PS

OEM:
303-1437, 303-1438, 303-1439, 303-1439-01, 303-1440, 303-1441

Year:	2009 - 2021

Ref.9999 PETROL ENGINE TIMING SET FOR LAND ROVER - 4.4



Tool set for BMW M60 and M62 Engines, with and without VANOS, used in BMW and Range Rover models.

Applications:	
Land Rover	Range Rover

Engine:
4.4

Engine Codes:
44 8S 22

Year:	2002 - 2006



We offer tools and equipment for precise timing and adjustment of the distribution system, optimizing power delivery and ensuring optimal engine performance.

Scan the QR code and access our catalogue of Engine Timing and Tuning Kits

www.thetoolhub.co.uk

Ref.9659 CRANKSHAFT HOLDING WRENCH FOR VOLVO



This wrench allows you to hold the crankshaft pulley and keep the crankshaft in the correct position to loosen and tighten the center bolt. It is an essential tool for a wide range of Volvo diesel and petrol engines.

Applications:	
Volvo	850 / C30 / C70 / S40 / S60 / S70 / S80 / V40 / V50 / V60 / V70 / XC60 / XC70 / XC90

Engine Petrol	Engine Diesel
1.6 / 1.8 / 1.9 / 2.0 / 2.3 / 2.4 / 2.5 / 2.8 / 2.9 / 3.0.	2.0D / 24D
Engine Code Petrol	**Engine Code Diésel**
B4164S / B4184S / B4194T / B4204S / B4204Tx / B5234Tx / B5234FS / B5244Sx / B5244Tx / B5244SGx / B5254Tx / B6284Tx / B6294Sx / B6294T / B6304S3	D5204Tx / D5244Tx / D5244D82 / D5244D87 / D5244D97.
Year: 1996 - 2018	**Year:** 2000 - 2016

Ref.10395 DIESEL ENGINE TIMING SET FOR VOLVO - 1.6D



This timing kit is for 1.6 diesel engines fitted to PSA, Ford and Volvo Vehicles. Contains camshaft, crankshaft and Flywheel locking pins.

Applications:
C30, S40, S60, S80, V40, V50, V60, V70
Engine Diesel: 1.6D
Engine Code Diesel: D4162T / D4164T
Year: 2004 - 2015

Ref.10374 DIESEL ENGINE TIMING SET FOR VOLVO - 2.0D



This kit contains the special tools to lock the crankshaft and the high pressure diesel pump in order to change the timing belt.

Applications:
S60 / S80 / S90 / V40 / V60 / V70 / V90 / XC40 / XC60 / XC70 / XC90
Engine: 2.0D
Engine Codes: D4204T T4 / T5 / T6 / T7 / T8 / T9 / T11 / T12 / T13 / T14 / T16 / T20 / T23.
Year: 2010 - 2021

Ref.10360 DIESEL ENGINE TIMING SET FOR VOLVO 2.0 / 2.4D



This set contains the wrench to hold the crankshaft in order to allow the change of the timing belt. Additionally it contains the camshaft and crankshaft locking pins essential for removing the sprockets from the balance shafts.

Applications:
C30, C70, S40 S60, S80, V40, V50, V60, V70, XC60, XC70, XC90.
Engine Diesel: 2.0D / 24D
Engine Code Diesel: D5204T / T2 / T3 / T4 / T5 / T6 / T7. D5244T / T2 / T4 / T5 /T6 / T7 / T8 / T9 / T10 / T11 / T12 / T13 / T14 / T15 / T16 / T17 / T18 / T19. D5244D82 / D5244D87 / D5244D97.
Year: 2000 - 2017

Ref.9189 DIESEL ENGINE TIMING SET FOR VOLVO - 2.0D

Kit designed for 2.0 and 2.2 Ford diesel engines used in Ford, Land Rover, Volvo and PSA Group vehicles. Contains the tools to lock the camshaft, crankshaft and engine flywheel.



Applications:
C30, C70, S40, S80, V50, V70.
Engine Diesel: 2.0D
Engine Codes: D4204T / D4204T2
Year: 2004 - 2010

Ref.10375 PETROL ENGINE TIMING SET FOR VOLVO - 1.5 / 2.0



It contains the necessary tools to change the timing belt, service engine and valves of the latest generation of Volvo1.5L and 2.0L petrol engines.

Applications:	
Volvo	S60 / S80 / S90 / V40 / V60 / V70 / V90 / XC40 / XC60 / XC70 / XC90

Engine Codes:	
1.5	B4154T2 / T3 / T4 / T5.
2.0	B4204T9 / T11 / T14 / T17 / T18 / T19 / T20 / T21 / T23 / TT26 / T27 / T29 / T31 / T33 / T34 / T35 / T36 / T37 / T38 / T43 / T45 / T46 / T47 / T48

Year: 2010 - 2021

Ref.9589 PETROL ENGINE TIMING SET FOR VOLVO - 1.6 / 2.0 GTDI

This kit contains the special tools for locking camshafts, camshaft adjusters and crankshaft for 1.6 and 2.0 GTDI Volvo engines.



Applications:	
Volvo	S60, S80, V40, V60, V70

Engine Codes:	
1.6	B4164T / B4164T2 / B4164T3 / B4164T4.
2.0	B4204T6 / B4204T7

Year:	2009 - 2015

* For 2.0 engines, Toolhub Ref 10393 is also needed.

Ref.10393 CRANKSHAFT POSITION SENSOR ALIGNMENT TOOL FOR VOLVO



Applications:	
Volvo	S60, S80, V60, V70, XC60.

Engine Codes:
2.0 – B4204T6 / B4204T7

OEM	303-1521 / 999-7146.

Ref.9739 PETROL ENGINE TIMING SET FOR VOLVO - 3.0 / 3.2

Adjustment set for Volvo 6-cylinder 3.0 and 3.2 gasoline engines used in Volvo vehicles and also Land Rover Freelander 2.



Applications:
S60 / S80 / V60 / V70 / XC60 / XC70 / XC90

Engine Codes:	
3.0	B6304T2 / B6304T3 / B6304T4 / B6304T5.
3.2	B6324S / B6324S5.

Year:	2006 - 2016

Ref.1037 PETROL ENGINE TIMING SET FOR VOLVO - 1.6 / 1.8 / 2.0



Applications:
C30, S40, S80, V50, V70

Engine Codes:	
1.6	B4164S3
1.8	B4184S8 / B4184S11
2.0	B4204S3 / B4204S4

Year:	2004 - 2013

Ref.9864 PETROL ENGINE REPAIR & TIMING SET FOR VOLVO



This kit contains the special tools for aligning the camshafts and crankshaft during the repair of the variable valve unit and the removal and installation of the camshafts. It also contains the 9659 wrench to hold the crankshaft pulley.

Applications:
850 / C30 / C70 / S40 / S60 / S70 / S80 / V40 / V50 / V60 / V70 / XC60 / XC70 / XC90

Engine Code Volvo:					
1.6	B4164S / S2	1.8	B4184S2 / S3 / S9 / S10	2.0	B4204S2, B4204T3 / T4 / T5 / T8 / T9
2.3	B5234T3 / T7 / T9	2.4	B5244S / S2 / SG / SG2 / T / T3 / T4 / T5 / T7		
2.5	B5254T2 / T3 / T4 / T5 / T6 / T7 / T8 / T9 / T10 / T11 / T12 / T14	2.8	B6284T2	2.9	B6294S2 / T

OEM:	999-5451. 999-5452, 999, 303-1178, 303-1179, 999-5433, 303-1182, 303-1183.

Year:	1996 - 2017

Ref.9742 CRANKSHAFT HOLDING WRENCH – FORD 2.5 DURATEC

Allows you to hold the crankshaft while loosening the center pulley bolt.
With 1/2 " drive to allow the use of a handle to apply more force.



Applications:	
Volvo	C30, S40, S80, V50, V70

Engine codes:	
1.8	B4184S8 / B4184S11
2.0	B4204S3 / B4204S4.

Year:	2004 - 2013

Ref.10377 AUXILIARY BELT INSTALLATION TOOL FOR VOLVO - 1.4 / 1.6



Set of two tools that facilitate the installation of the auxiliary belt when the width of the crankshaft pulley restricts access. One piece is put on the crankshaft pulley and the other on the water pumppulley and using a 17mm socket it is rotated to place the belt on the pulleys.

Applications:	
Ford 1.4/1.6	C-Max, Focus, Mondeo
Volvo 1.6	C30, S40, V50.

Ref.9438 DIESEL ENGINE TIMING SET FOR FIAT / ALFA ROMEO / CHRYSLER / LANCIA – 1.3JTD



Comprehensive set for the 1.3JTD engine that allows to adjust the timing, change the timing chain and finetune the timing after repair work on the engine. Also covers 1.3D engines of the makes, Chevrolet, Citroën, Ford, Opel, Suzuki and Toyota

Applications:					
Alfa Romeo	Mito	Chrysler	Ypsilon	Lancia	Musa, Ypsilon
Fiat	500, 500CC, 500L, 500X, Doblo, Doblo Cargo, Doblo Work Up, Egea, Fiorino, Grye Punto, Idea, Linea, Panda, Panda Classic, Punto, Punto Evo, Punto Classic, Qubo, Strada Pick Up, Tipo.				

Engine codes:
169A1.000 / 169A5.000 / 188A8.000 / 188A9.000 / 199A2.000 / 199A3.000 / 199A9.000 / 199B1.000 / 199B2.000 / 199B4.000 / 199B8.000 / 223A9.000 / 225A2.000 / 263A2.000 / 263A6.000 / 312A8.000 / 312B1.000 / 312B2.000 / 312B5.000 / 330A1.000 / 55266963 / 55283775 / 843A2.000 / 955B2.000

Year:	2003 - 2021

Ref.9849 CAMSHAFT PULLEY HOLDING WRENCH FIAT FOR ALFA ROMEO / CHRYSLER / LANCIA - 1.3JTD



This wrench is used to hold the camshaft pulley in order to loosen and tighten the sprocket fasteners without moving the camshafts or damaging the other locking tools. Also for the 1.3 diesel engine used by PSA and Ford..

OEM	1870008600 / 303-1475.

Ref.10395 DIESEL ENGINE TIMING SET FOR FIAT – 1.6



Set of pins for the 1.6D engine used in the Fiat Scudo.

Applications:	
Fiat	Scudo

Engine Codes:	
1.6	9H07 / 9HU (DV6UTED4).

Year:	2007 - 2016

Ref.9448 DIESEL ENGINE TIMING SET FOR ALFA ROMEO / CHRYSLER FIAT /JEEP / LANCIA – 1.6 / 1.9 / 2.0/ 2.2 / 2.4 - JTD

Set with the necessary tools for 1.6, 1.9. 2.0, 2.2 and 24 diesel and JTD Multijet engines from the Fiat group.



Applications:					
Alfa Romeo	147, 156, 159, 166, Brea, Crosswagon, Giulia, Giulietta, GT, Mito, Spider, Stelvio.				
Chrysler	Delta	Jeep	Cherokee, Compass, Renegade	Lancia	Delta, Musa, Thesis
Fiat	500L, 500X, Bravo, Croma, Doblo, Doblo Cargo, Doblo Work Up, Ducato, Freemont, Grye Punto, Idea, Linea, Punto, Punto Evo, Sedici, Stilo, Tipo.				

Engine Codes:	
1.6	192A5.000 / 192B1.000 / 198A2.000 / 198A3.000 / 198A6.000 /199B5.000 / 263A3.000 / 263A4.000/ 263A5.000 / 263A7.000 / 263A8.000 / 263A9.000 / 350A2.000 / 350A3.000 / 55260384 / 55280444 / 844A3.000 / 939A2.000 / 940A3.000 / 940C1.000 / 940C5.000 / 955A3.000 / 955A4.000 / EJK (52263113)
1.9	192A5.000 / 192B1.000 /844A1.000 / 937A4.000 / 937A5.000 / 937A6.000 / 939A1.000 / 939A2.000 / D19AA
2.0	198A5.000 / 198A8.000 / 250A1.000 / 250A2.000 / 263A1.000 / 55263087 / 55263088 / 55263099 / 55283099 / 55284064 / 844A2.000 / 939B3.000 / 939B4.000 / 939B5.000 /939B5.000 Y / 940A4.000 / 940A5.000 / 940A7.000 / 940A8.000 / 940B4.000 / 940B5.000 / 940B6.000 / 940B9.000 / 940C3.000 / 940C4.000 / D20AA / EBT / EBT (55263087) / EBT (55263088).
2.2	36335692 / 46335975 / 55266388 / 55268532 / 55268818 / 55271040 / 55271838 / 55275156 / 55284529 / 55284636 /EBU (LAU 61)
2.4	841G.000 / 841H.000 / 841M.000 / 841N.000 / 841P.000 / 936B.000 / 939A3.000 / 939A9.000

Year:	2002 - 2021

Ref.1065 DIESEL ENGINE TIMING SET FOR FIAT /ALFA ROMEO / LANCIA – 1.9 / 2.0 / 2.4 D - TD - JTD

Timing kit for the 1.9, 2.0 and 24 diesel engines of the Fiat group used from 1994 until 2011.



Applications:			
Alfa Romeo	145, 146, 147, 156, 159, 166.	Lancia	Kappa, Lybra, Musa, Thesis.
Fiat	Brava, Bravo, Croma, Doblo, Doblo Cargo, Ducato, Grye Punto, Idea, Marea, Marea Weekend, Multipla, Punto, Punto Classic, Scudo, Stilo, Strada Pick Up, Ulysee.		

Engine Codes:	
1.9	160A7.000 / 182A7.000 / 182A8.000 / 182B4.000 / 182B9.000 / 186A6.000 / 186A8.000 / 186A9.000 / 188A3.000 / 188B2.000 / 192A1.000 / 192A3.000 / 192A8.000 / 192A9.000 / 192B4.000 / 192B5.000 / 199A5.000 / 223A6.000 / 223A7.000/ 223B1.000 / 223B2.000 / 323.02 / 371.01 / 939A1.000 / 937A2.000 /937A3.000 / 939A7.000 / 939A8.000 / D8B / D9B / DHX / DJY/ WJY / WJZ.
2.0	RHV
2.4	185A2.000 / 182A6.000/ 325.01 / 342.02 / 362.02 / 838A3.000 / 838A7.000 / 838A8.000 / 839A5.000 / 839A6.000 / 841C.000.

Year:	1994 - 2011

Ref.10054 DIESEL ENGINE TIMING SET FOR FIAT - 1.6 / 2.0 JTD



Timing kit designed for 1.6, 2.0 and 2.3 DCi Renault engines and used in some models of the Fiat brand with its JTD designation.

Applications:	
Fiat	Talento

Engine Codes:	
1.6	R9M 408 / 413 / 415 / 450 / 452
2.0	M9R 7

Year:	2016 - 2025

Ref.1074 DIESEL ENGINE TIMING SET FOR FIAT - 2.0 JTD



Timing kit designed for 2.0 and 2.3 DCi Renault engines and used in some models of the Fiat brand with its JTD designation.

Applications:	
Fiat	Talento

Engine Codes:	
2.0 JTD	M9R 7

Year:	2019 - 2023

Ref.9143 DIESEL ENGINE TIMING SET - CHRYSLER / JEEP - 2.0 CRD

Timing kit for 2.0 TDi VAG engines used in models of the Chrysler and Jeep brands with the designation 2.0 CRD.



Applications:	
Jeep	Compass, Patriot.
Chrysler	Sebring, Sebring Cabrio.

Engine Codes:	
2.0	BYL / ECD / ECD (BSY) / ECD (BYL) / ECD (BWD).

Year:	2006 - 2011

Ref.1137 DIESEL ENGINE TIMING SET FOR FIAT / LANCIA - 2.0 / 2.2 JTD

Set of timing tools for the 2.0 and 2.2 HDi engine of the PSA group used in some models of Fiat and Lancia.



Applications:	
Fiat	Scudo, Ulysee.
Lancia	Phedra, Zeta,

Engine Codes:	
2.0	DW10ATED (RHX / RHZ), DW10BTED4 (RHR), DW10CTED4 (RHH / RH02), DW10UTED4 (RHG / RHK), RHK, RHM, RHR, RHT, RHW.
2.2	4HP, 4HR, 4HS, 4HT, 4HW

Year:	1999 -2016

Ref.10345 DIESEL ENGINE TIMING SET FOR FIAT - 2.2 JTD



Timing kit for the 2.2 HDi engine used in Citroen, Fiat and Peugeot commercial vehicles. The Engine is based on the Ford Puma 2.2 Engine.

Applications:	
Fiat	Ducato

Engine Codes:	
2.2	4HV

Year:	2006 - 2012

Ref.9857 DIESEL ENGINE TIMING SET FOR JEEP - 2.2D CRD

Timing kit for the Mercedes OM651 engine used in some models of the Jeep brand.



Applications:	
Jeep	Compass, Patriot.

Engine Codes:	
2.2	ENE / ENE (651.925)

Year:	2010 - 2015

Ref.1051 DIESEL ENGINE TIMING SET FOR FIAT - 2.3 / 3.0 JTD

Timing set for 2.3 and 3.0 diesel engines manufactured by Iveco and used in commercial vehicles of the PSA and Fiat group.



Applications:	
Fiat	Ducato

Engine Codes:	
2.3	F1AE0481C / F1AE0481D / F1AE0481N / F1AE3481D / F1AE3481E / F1AE3481G / F1AG44111 / F1AG44112 / F1AG44113 / F1AG44114 / F1AG44115 / F1AG4411A / F1AG4411B / F1AG4411D / F1AG4411M.
3.0	F1CE0481D/F1CE3481E /F1CE3481M/F1CE3481N

Year:	2002 - 2025

Ref.9439 DIESEL ENGINE TIMING SET FOR CHRYSLER / JEEP - 2.5 & 2.8 CRD

Timing kit for Chrysler 2.5 and 2.8 CRD engines manufactured by VM Motori.



Applications:	
Jeep	Cherokee
Chrysler	Grand Voyager / Voyager.

Engine Codes:	
2.5	R2516C / R2516K.
2.8	R2816C5.05A / R2816K4

Year:	2001 - 2008

Ref.1044 DIESEL ENGINE TIMING SET FOR FIAT – 2.5 & 2.8 D

Set of tools that covers the 2.5 and 2.8 litre diesel engines used in commercial vehicles of the PSA and Fiat groups.



Applications:	
Fiat	Ducato, Talento.

Engine Codes:	
2.5	8140.27 / 8140.47 / 8140.47R / 8140.67 / 8144.21 / 8144.61 / 8144.67
2.8	8140.43 / 8140.43N / 8140.43S / 8140.63

Year:	1986 - 2006

Ref.9741 DIESEL TIMING SET FOR CHRYSLER /JEEP/ LANCIA – 2.8 D

Timing kit for a series of engines manufactured by the Italian factory VM Motori which was acquired by the Fiat Group in 2013. This kit covers the 2.8L VM engine used for the first time in 2011 in some models of Chrysler, Jeep and Lancia.



Applications:	
Chrysler	Grand Voyager
Jeep	Cherokee
Lancia	Voyager

Engine Codes:	
2.8	ENS / ENS (VM12D/13D) / ENS (VM51C/52C) / ENS (VM64C).

Year:	2008 - 2015

Ref.10382 DIESEL ENGINE TIMING SET FOR CHRYSLER /JEEP / LANCIA – 3.0 D

Timing set for the 3.0L diesel engine, produced by VM Motori and Fiat Powertrain Mercedes and used in some Chrysler and Jeep models.
Technologies, used on Chrysler, Jeep and Lancia models..



Applications:	
Chrysler	300C
Lancia	Thema
Jeep	Grand Cherokee.

Engine Codes:	
3.0	EXF / EXF VM23D / EXF VM44D / EXF VM63D.

Year:	2011 – 2025

Ref.1075 DIESEL ENGINE TIMING SET FOR CHRYSLER / JEEP – 3.0 CRD

Timing kit for a wide variety of diesel and petrol engines manufactured by Mercedes and used in some Chrysler and Jeep models.



Applications:	
Chrysler	300C
Jeep	Cherokee / Grand Cherokee.

Engine Codes:	
3.0	EXL (642.980)

Year:	2005 - 2015

Ref.1139 PETROL ENGINE TIMING SET FOR ALFA ROMEO / CHRYSLER / FIAT / LANCIA – 0.9 TWINAIR

Timing kit for the low consumption and emissions two cylinder. 0.9L petrol engine of the Fiat group.



Applications:	
Alfa Romeo	Mito
Fiat	500, 500CC, 500L, Panda, Punto.
Chrysler	Ypsilon
Lancia	Ypsilón

Engine Codes:	
0.9	199B6.000 / 199B7.000 / 312A2.000 / 312A4.000 / 312A5.000 / 312A6.000 / 312A7.000 / 46337561 / 46337566.

Year:	2011 - 2025

Ref.1185 CAMSHAFT ALIGNMENT TOOLS FOR ALFA ROMEO - 1.4 / 1.6

Camshaft alignment block set for Alfa Romeo 1.4 and 1.6 L gasoline engines.



Applications:	
Alfa Romeo	145, 146, 147, 155, 156.

Engine Codes:	
1.4	335.03.
1.6	321.02 / 321.03 / 321.04 / 372.03 / 676.01.

Year:	1996 - 2006

Ref.9139 PETROL ENGINE TIMING SET FOR ALFA ROMEO / CHRYSLER / FIAT / LANCIA – 1.2 / 1.4

Timing set for 1.2L and 1.4L belt driven, 8 valve, petrol engines used in Fiat group models.



Applications:	
Alfa Romeo	Mito
Fiat	500, 500CC, Doblo, Doblo Cargo, Fiorino, Grande Punto, Idea, Linea, Panda Classic, Punto, Punto Evo, Qubo, Seicento.
Chrysler	Ypsilon
Lancia	Musa, Ypsilon.

Engine Codes:	
1.2	169A4.000 / 199A4.000.
1.4	199A7.000 / 350A1.000 / 955A9.000.

Year:	2003 - 2025

Ref.1184 CAMSHAFT ALIGNMENT TOOLS FOR ALFA ROMEO - 1.8 / 2.0

Set of aluminium blocks for the alignment of the camshafts of Alfa Romeo 1.8L and 2.0L petrol engines.



Applications:	
Alfa Romeo	145, 146, 147, 155, 156, 166, GT, GTV, Spider.

Engine Codes:	
1.8	322.01 / 322.05 / 341.03 / 363.01 / 671.06
2.0	162.01 / 323.01 / 323.10 / 672.04.

Year:	1995 - 2010

Ref.9847 PETROL ENGINE TIMING SET FOR ALFA ROMEO / CHRYSLER / FIAT / LANCIA – 1.2 / 1.4



Set of tools for the 1.4 Fiat Fire engine used by Opel in the Combo-D model

Applications:					
Alfa Romeo	Giulietta, Mito.	Chrysler	Delta	Lancia	Delta, Musa, Ypsilon.
Fiat	500, 500CC, 500L, 500X, Brava, Bravo, Doblo, Doblo Cargo, Grande Punto, Idea, Linea, Marea, Marea Weekend, Panda Classic, Panda, Punto, Stilo, Tipo.				

Engine Codes:	
1.2	176B9.000 / 182B2.000 / 188A5.000.
1.4	169A3.000 / 192B2.000 / 198A1.000 / 198A4.000 / 199A6.000 / 199A8.000 / 312A1.000 / 312A3.000 / 312A9.000 / 312B3.000 / 312B4.000 / 312B6.000 / 55277701 / 843A1.000 / 940A6.000 / 940B1.000 / 940B7.000 / 940B8.000 / 955A1.000.

Year	1998 - 2025

Ref.9850 PETROL ENGINE TIMING SET FOR ALFA ROMEO / CHRYSLER / FIAT /JEEP / LANCIA - 1.4 MULTIAIR



Set of timing tools for adjusting the 1.4 Multiair Fiat engine.

Applications:			
Alfa Romeo	Giulietta, Mito.	Chrysler	Delta
Fiat	124 Spider, 500X, Bravo, Punto, Punto Evo.		
Jeep	Compass, Renegade.	Lancia	Delta

Engine codes:	
1.4	198A7.000 / 55253268 / 55263623 / 55263624 / 940A2.000 / 940C2.000 / 955A2.000 / 955A6.000 / 955A7.000 / 955A8.000 / 955B1.000 / EAM (55263623) / EAM (55263624)

Year	2009 - 2019

Ref.1064 PETROL ENGINE TIMING SET FOR FIAT / LANCIA – 1.4

Timing kit for the 1.4L 12-valve engine used in Fiat and Lancia models from 1995 to 2000.



Applications:			
Fiat	Brava, Bravo, Marea, Marea Weekend.	Lancia	Ypsilon

Engine codes:	
1.4	182A3.000 / 182A5.000 / 840A2.000 / 840A4.000.

Year	1995 - 2000

Ref.1164 PETROL ENGINE TIMING SET - ALFA ROMEO / FIAT - 1.6 / 1.8

Timing kit for the 1.6L and 1.8L Opel petrol engines used in the Fiat Croma, Stilo and Alfa Romeo 159.



Applications:	
Fiat	Croma, Stilo.
Alfa Romeo	159

Engine codes:	
1.6	192B3.000e
1.8	939A4.000

Year:	2005 - 2011

Ref.11736 PETROL ENGINE TIMING SET FOR FIAT - 1.0 / 1.0 T-GDI / 1.3T-GDI



Applications:
Fiat 500X 1.0 Jeep Renegade 1.0 / 1.3 TGDI

Engine codes:
55282151 - 55282328 - 55282328

Year:	From 2018

Ref.11737 PETROL ENGINE TIMING SET FOR FIAT - 1.0 E HYBRID



Applications:
Fiat: 500, 500C, Panda Lancia: Ypsilon 1.0L Hybrid

OEM
OEM 2.072.000.090, OEM 2.031.900.091, OEM 2.064.000.090

Engine codes:
46341162

Year:	From 2020

Ref.1063 PETROL ENGINE TIMING SET FOR FIAT / LANCIA – 1.6

Set of timing tools for the 16-valve 1.6L engine with and without turbo used by Fiat and Lancia from 1995 to 2011.



Applications:	
Fiat	Brava, Bravo, Doblo, Doblo Cargo, Marea, Marea Weekend, Multipla, Palio Weekend, Siena, Stilo.
Lancia	Dedra, Delta, Lybra.

Engine codes:	
1.6	178B3.000 / 182A4.000 / 182A6.000 / 182B6.000.

Year:	1995 - 2011

Ref.9848 PETROL ENGINE TIMING SET FOR ALFA ROMEO / LANCIA - 1.75 TDI - TURBO JET

Timing kit for the 1.75L Multijet family engine with turbo used in Alfa Romeo and Lancia models.



Applications:	
Alfa Romeo	159, 4C, Brera, Giulietta, Spider.
Lancia	Delta

Engine codes:	
1.75	939B1.000 / 940A1.000 / 940B2.000 / 960A1.000.

Year:	2009 - 2019

Ref.1062 PETROL ENGINE TIMING SET FOR FIAT / LANCIA – 1.8



Timing kit for Fiat 1.8L petrol engine from 1996 to 2006.

Applications:	
Fiat	Barchetta, Brava, Bravo, Coupe, Marea, Marea Weekend, Punto, Punto Classic.
Lancia	Dedra, Delta

Engine codes:	
1.8	182A2.000 / 183A1.000.

Year:	1996 - 2003

Ref.1182 CAMSHAFT ALIGNMENT TOOLS FOR FIAT / LANCIA - 2.0

Set of aluminium blocks for the alignment of the camshafts of Fiat and Lancia 2.0 L petrol engines.



Applications:	
Fiat	Bravo, Coupe, Marea. Marea Weekend.
Lancia	Lybra

Engine codes:	
2.0	175A3.000 / 182A1.000 / 182B3.000 / 182B7.000.

Year:	1995 - 2000

Ref.1187 CAMSHAFT ALIGNMENT TOOLS FOR ALFA ROMEO - 2.0 JTS

Set of aluminium blocks for the alignment of the camshafts of Alfa Romeo 2.0L JTS petrol engines.



Applications:	
Alfa Romeo	156, GT, GTV, Spider

Engine codes:	
2.0	932A2.000 / 937A1.000.

Year:	2002 - 2010

Ref.1183 CAMSHAFT ALIGNMENT TOOLS FOR ALFA ROMEO – 2.5 / 3.0 V6 24V

Set of aluminium blocks for the alignment of the camshafts of Alfa Romeo 2.5L and 3.0L 24 valve petrol engines.



Applications:	
Alfa Romeo	156, 166,GTV.

Engine codes:	
2.5	324.01 / 324.05 / 342.01 / 362.01.
3.0	161.02 / 161.05 / 343.01 / 361.01.

Year:	1996 - 2007

Ref.10424 PETROL ENGINE TIMING SET FOR ALFA ROMEO - 2.9 QUADRIFOGLIO – GTA

Set of special tools for the 2.9L 6 Cylinder Alfa Romeo engine derived from the Ferrari F154 Engine.



Applications:	
Ala Romeo	Giulia, Stelvio.

Engine codes:	
2.9	670050436 / 670051007 / 670052721 / 670052722.
OEM	2024000090 / 2024100000 / 1860815000.

Year:	2015 – 2021

Ref.10303 CAMSHAFT ALIGNMENT TOOLS FOR ALFA ROMEO – 3.2 GTA - JTS

Set of aluminium blocks for the alignment of the camshafts of Alfa Romeo 3.2L GTA / JTS petrol engines.



Applications:	
Ala Romeo	147, 159, 166, Brera, GT, GTV, Spider.

Engine codes:	
3.2	932A.000 / 936A.000.

Year:	2002 - 2010

Ref.1052 VARIATOR SOCKET FOR ALFA ROMEO



Applications:	
Ala Romeo	147 / 156. - 14 Twin Spark 16v

Ref.9438 DIESEL ENGINE TIMING FOR SET PSA - 1.3 HDI



Comprehensive set for the 1.3HDi Engine that allows to adjust the timing, change the timing chain and finetune the timing after repair work on the engine. It also covers 1.3 diesel engine applications on Alfa Romeo, Chevrolet, Fiat, Ford, Lancia, Opel and Suzuki brands.

Applications:	
Citröen	Nemo
Peugeot	Bipper

Engine codes:
FHZ(F13TE5), FHY(F13TE6)

Year	2010 - 2018

Ref.9849 CAMSHAFT PULLEY HOLDING WRENCH FOR PSA - 1.3HDI



This wrench is used to hold the camshaft pulley in order to loosen and tighten the sprocket fasteners without moving the camshafts or damaging the other locking tools. Also for the 1.3 diesel engine used by Ford and the Fiat group. Use with Kit Toolhub 9438.

OEM	303-1475 / 1.871.008.600.

Ref.10395 DIESEL ENGINE TIMING SET FOR PSA - 1.4 / 1.5 / 1.6 HDI

Set of pins to lock the camshaft, crankshaft and sprocket of the diesel high pressure pump of the PSA engines used in a wide range of Ford, PSA and Volvo TDCI and HDI vehicles.




Applications:	
Citroen	Berlingo I/II/III/IV, C1, C2, C3 I/II/III/IV, C3 Aircross, C3 Picasso, C3 Pluriel, C4 I/II/III, C4 Aircross, C4 Cactus, C4 Picasso I/II, C4 Space Tourer, C5 II/III, C5 Aircross, C-Elysee, Dispatch/Jumpy III, Dispatch/Jumpy IV, DS3, DS4, DS5, Nemo, Space Tourer, Xsara II, Xsara Picasso
Peugeot	1007, 107, 2008, 206, 206CC, 206+, 207, 207CC, 207+, 208, 3008, 301, 307, 308, 308CC, 4008, 407, 5008, 508,Bipper, Expert III,/IV, Partner III/IV, Rifter, Traveller.

Engine Codes:	
1.4	DV4C (8HP/8HR), DV4TD (8HT/8HW/8HX/8HZ), DV4TED (8HS), DV4TED4 (8HV/8HX/8HY)
1.5	DV5RC (YHX/YHZ), DV5RCD (YHX), DV5RCF, DV5RD (YHY), DV5RE (YHW), DV5RUC (YHV), DV5RUCD (YHR)
1.6	DV6ATED4 (9HV/9HX), DV6AUTED4 (9HX), DV6BTED4 (9HT/9HY/9HW), DV6BUTED4 (9HT), DV6C (9HC/9HD/9HL/9HR), DV6CM (9HG), DV6CTED (9HC/9HD/9HF/9HK/9HL/9HP/9HR), DV6D (9HP), DV6DM(9HJ), DV6DTED (9HE/9HF/9HJ/9HP), DV6DTED4 (9HP), DV6DTEDM (9HJ/9HK), DV6DUM (9HH), DV6ETED (9HK/9HN), DV6EU (9HN), DV6FC (BHX/BHZ), DV6FCU (BHV/BHX), DV6FD (BHY), DV6FDU (BHS/BHV), DV6FE (BHW), DV6TED (9HF/9HP), DV6TED4 (9HV/9HX/9HY/9HZ), DV6TED4B (9HS/9HV), DV6TED4BU (9HS), DV6TEDM (9HJ), DV6UC (9HH/9HM), DV6UTED4 (9HU).

Year:	2003 – 2025

Ref.10242 AUXILIARY BELT TENSION WRENCH FOR PSA - 1.4 / 1.6 DIESEL



To lock and tension the auxiliary belt tensioners of PSA (HDI) and Ford (TDCI) 1.4 and 1.6 diesel engines.

Applications:	
Ford	1.4 & 1.6 TDI
PSA	1.4 & 1.6 HDI

Ref.10355 FRONT CRANKSHAFT INSTALLATION TOOL FOR PSA



Special tool to install the front crankshaft seal on PSA / Ford DV4 and DV6 engines and Ford DV5 engine. Also for some Volvo, Mini & Land Rover models.

Applications:	
Ford	1.4 / 1.5 / 1.6 TDCI. (DV4 / DV5 / DV6).
PSA	1.4 / 1.6 (DV4 / DV6).

OEM	303-373.

Ref.1065 DIESEL ENGINE TIMING SET PSA – 1.7 / 1.8 / 1.9 / 2.1 D

Timing kit for 1.7, 1.8, 1.9 and 2.1 diesel and turbo diesel engines of the PSA group from 1982 to 2007.



Applications:	
Citroen	Berlingo I/II, BX, C15, C24, Dispatch/Jumpy I/II, Relay/Jumper, Synergie, Visa, Xantia, XM, Xsara, ZX.
Peugeot	205, 305, 306, 309, 405, 406, 605, 806, Boxer, Expert I/II, J5, Partner/Ranch I/II,

Engine codes:			
1.7	XUD7/L (161A)	1.8	XUD7 (161/161A/A9A), XUD7TE (A8A/AJZ).
1.9	DW8 (WJY),DW8/L3 (WJZ), DW8/L/W3 (WJZ), DW8B (WJY), DW8B/L4 (WJY/WYZ), XUD9 (D9A/D9B/DJY), XUD9A (D9B/DJY), XUD9A/L (D9B), XUD9A/U (D9B/C), XUD9AU (DJY), XUD9BSD (DHV), XUD9BTF (DHX), XUD9TE/Y (DHY), XUD9BTF/L3 (DHX), XUD9SD (DHW), XUD9TE/F (D8B), XUD9TF (D8B), XUD9UTF (D8C/DHX), XUD9BTF (DHX), XUD9SDZ/Y/L3 (DHW), XUD9TA/F (D8B/X), XUD9TF (D8B/DHX), XUD9TF/L (D8B), XUD9TF/Y (DHX), XUD9UTF (D8V/DHX), XUD9Y (DJY/DJZ).		
2.1	XUD11A (P9A), XUD11ATE (P8A/P8B/PHZ), XUD11AY (PJZ), XUD11BTE (P8C).		

Year:	1982 - 2007

Ref.1137 DIESEL ENGINE TIMING SET FOR PSA - 2.0 / 2.2 JTD



Set of timing tools for the 2.0 and 2.2 HDi engines of the PSA group.

Applications:	
Citroen	Berlingo I/II, C4, C4II, C4 Picasso I/II, C4 Space Tourer, C5 I/II/III, C5 Aircross, C6, C8, C-Crosser, Dispatch/Jumpy I/II/III/IV, DS4, DS5, Relay/Jumper I/II/III/IV, Space Tourer, Xsara II, Xsara Picasso.
Peugeot	206, 306, 307, 307CC, 308, 308CC, 406, 407, 508, 607, 807, 3008, 4007, 5008, Boxer 1/II/III, Expert I/II/III/IV, Partner, Partner Origin, Partner Ranch I/II, RCZ, Traveller.

Engine codes:	
2.0	DW10ATED (RHS/RHZ),DW10ATED/L3 (RHW), DW10ATED4 (RHM/RHS/RHW/RHZ), DW10ATED4/L4 (RHT), DW10BTED (RHX), DW10BTED/L3 (RHX), DW10BTED4 (RHF/RHJ/RHL/RHR), DW10C (RHD/RHH), DW10CD (AHZ), DW10CE (AHY), DW10CTED4 (RHA/RHB/RHC/RHD/RHE/RHH), DW10FC (AHH/AHW/AHT/EHZ), DW10FCC (EHY), DW10FCD (AHX/EHW), DW10FD (AHR/AHS/AHV/AHX), DW10FDCU (EHZ), DW10FE (AHJ/AHK), DW10FUC (AHP), DW10FUD (AHN), DW10FUE (AHM), DW10JATED4 (RHW), DW10TD (RHY), DW10UTD (RHV), DW10UTED (RHV), DW10UTED4 (RHG/RHK).
2.2	DW12ATED (4HX/4HZ), DW12BTED4 (4HP/4HR/4HS/4HT/ 4HL), DW12CTED4 (4HL), DW12MTED4 (4HK/4HN), DW12RUC (4HC), DW12RUD (4HB), DW12RUE (4HA), DW12TED4 (4HX), DW12TED4/L4 (4HW), DW12UTED (4HY).

Year:	1999 - 2021

Ref.9743 DIESEL ENGINE TIMING SET FOR - PSA - 2.2 TDCI.



Timing kit for the 2.2 HDi engine used in Citroen and Peugeot commercial vehicles. The Engine is based on the Ford 2.2L Puma engine.

Applications:	
Citroen	Relay/Jumper III/IV
Peugeot	Boxer III

Engine Codes:	
2.2	P22DTE (4HG/4HH/4HJ/4HM/4HU)

Year:	2006 - 2019

Ref.11735 DIESEL ENGINE TIMING SET FOR PSA – 1.4 / 1.5 / 1.6 / 2.2



Engine Code PSA:	
1.4 TDCI	DV4C (8HP/8HR) / DV4TD (8HT/8HW/8HX/8HZ) / DV4TED (8HS) / DV4TED4 (8HV/8HX/8HY)
1.5 TDCI	DV5RC (YHX/YHZ) / DV5RCD (YHX) / DV5RCF / DV5RD (YHY) / DV5RE (YHW) / DV5RUC (YHV) / DV5RUCD (YHR)
1.6 TDCI	DV6ATED4 (9HV/9HX) / DV6AUTED4 (9HX) / DV6BTED4 (9HT/9HY/9HW) / DV6BUTED4 (9HT) / DV6C (9HC/9HD/9HL/9HR) / DV6CM (9HG) / DV6CTED (9HC/9HD/9HF/9HK/9HL/9HP/9HR) / DV6D (9HP) / DV6DM(9HJ) / DV6DTED (9HE/9HF/9HJ/9HP) / DV6DTED4 (9HP) / DV6DTEDM (9HJ/9HK) / DV6DUM (9HH) / DV6ETED (9HK/9HN) / DV6EU (9HN) / DV6FC (BHX/BHZ) / DV6FCU (BHV/BHX) / DV6FD (BHY) / DV6FDU (BHS/BHV) / DV6FE (BHW) / DV6TED (9HF/9HP) / DV6TED4 (9HV/9HX/9HY/9HZ) / DV6TED4B (9HS/9HV) / DV6TED4BU (9HS) / DV6TEDM (9HJ) / DV6UC (9HH/9HM) / DV6UTED4 (9HU).
2.2 TDCI	CVF5 / CVFF / CVR5 / CYF4 / CYF5 / CYFA / CYFB / CYFC / CYFF / CYFG / DRF4 / DRF5 / DRFA / DRFB / DRFC / DRFE / DRFF / DRFG / DRR5 / GBVAPF / GBVAJQ / GBAVJQ / GBVAJQW / P8FA / P8FB / PGFA / PGFB / QVFA / QWFA / SRFA / SRFB / SRFC / SRFD / SRFE / UHFA / UHFB / USR6 / UYR6 / ID4 / DT224.

Ref.1138 DIESEL ENGINE TIMING SET FOR PSA - 2.7 / 3.0 HDI



Special tool set for 2.7 and 3.0 HDi engines developed jointly by Ford and PSA and also used in Jaguar and Land Rover models.

Applications:	
Citroen	C5 III, C6.
Peugeot	407, 607

Engine Codes:	
2.7	DT17TED4 (UHZ), DT17BTED4 (UHZ)
3.0	DT20C (X8C/X8Z), DT20CTED4 (X8Z).

Year:	2005 - 2014

Ref.1044 DIESEL ENGINE TIMING SET FOR PSA - 2,8D - HDI

Set of tools that covers the 2.8L diesel engine used in PSA group commercial vehicles.



Applications:	
Peugeot	Boxer I/II

Engine Codes:	
2.8	8140.43, 8140.43N, 8140.43S, 8140.63,

Year	1998 - 2003

Ref.1051 DIESEL ENGINE TIMING SET FOR PSA - 3.0HDI

Timing set for the 3.0HDi engine, manufactured by Iveco, used in commercial vehicles of the PSA group.



Applications:	
Citroen	Relay/Jumper III/IV.
Peugeot	Boxer III

Engine Codes:	
3.0	F30DTE (F1CE0481D/F1CE3481D/F1CE3481DM/F1CE3481N/ F1CE3481E)

Year	2006 - 2016

Ref.11385 PETROL ENGINE TIMING SET FOR PSA PURETECH - 1.0 1.2.



Contains all generations of timing tools needed to perform timing.
For Puretech engines with a wet belt.

Also compatible with some Vauxhall/Opel and Toyota vehicles with a Puretech engine.

Engine Codes:	
1.0	EB0 (ZMZ) / EB0F (ZMZ)
1.2	(HMT / HMW / HMZ) / EB2ADT (HNP) / EB2ADTD (HNE / HNK) / EB2DTM (HNV) / EB2ADTS (HNS / HNT) / EB2ADTSM (HNL / HNW) / EB2ADTX (HNN) / EB2ADTXM (HNJ) / EB2D (HMU) / EB2DT (HNV / HNX / HNZ) / EB2DTS (HNW / HNY) / EB2DTSD (HNX) / EB2F (HMT / HMX / HMZ) / EB2FA (HMR) / EB2FAD (HMH / HMM) / EB2FB (HMP) / EB2FD (HMU) / EB2LTDH2 (HPY) / EB2LTEDH2 (HPX / HPY) / EB2M (HMV / HMY).
Year	From 2012

Ref.11096 CRANKSHAFT LOCKING TOOL FOR PSA - 1.0 / 1.2



Measurement Thickness:
14mm
OEM
0109-2B
Applications:
All the Puretech Engine 1.0/1.2 First Generation

Ref.10890 PETROL ENGINE TIMING SET FOR PSA - 1.2 TURBO PURETECH



Engine timing set suitable for the EB2 1.2 turbo charged engines which allow access via the top plastic cam cover.
Also suitable for some Vauxhall / Opel models with the 1.2 Puretech engine.

Engine Codes:
HNK (EB2ADTD) - HNL (EB2ADTSM) HNN (EB2ADTX) - HNP (EB2ADT) HNS (EB2ADTS) - HNT (EB2ADTS) HNV (EB2DT) - HNV (EB2DTM) HNW (EB2DTSM) - HNX (EB2DT) HNX (EB2DTSD) - HNY (EB2DTS) - HNZ (EB2DT)

Ref.11384 EXHAUST CAMSHAFT TIMING TOOL SET FOR PSA - 1.2 PURETECH



With this timing kit it is not necessary to disassemble the injectors, the high pressure pump & the valve core

OEM
0109-2E1 / 0109-2E2

Ref.9569 PETROL ENGINE TIMING SET FOR PSA - 1.0 / 1.2 VTI PURETECH



Timing set with the tools to lock the camshaft and crankshaft for the 3-Cylinder EB0 and EB2 engines of the PSA group

Ref.10243 AUXILARY BELT MOUNTING TOOL 1.0 / 1.2 VTI PURETECH



Tool to install the water pump belt on the PSA group 1.0 and 1.2 Puretech petrol engines. Mount the tool on the water pump pulley and turn the crankshaft until the belt is on the pulley.

Ref.10402 TIMING BELT WEAR GUAGE FOR PSA 1.0 / 1.2 PURETECH



PSA's 1.0 & 1.2 Puretech engines use "weltbelt" technology where the belt is always in contact with the engine oil. This tool allows you to quickly measure any belt degradation.


OEM	0109 - 652809

Applications:	
Citroen	Berlingo III/IV, C1 II, C3 III/IV, C3 Picasso, C4 II/III, C4 Cactus, C4 Picasso I/II, C4 Space Tourer, C5 Aircross, C-Elysee, DS3, DS4,
Peugeot	108 / 208 / 301 / 308 / 508 / 2008 / 3008 / 5008 / Partner III / Partner IV / Rifter

Engine Codes:	
1.0	EB0 (ZMZ), EB0F (ZMZ)
1.2	EB2 (HMT/HMW/HMZ), EB2ADT (HNK/HNP), EB2ADTD (HNK), EB2ADTS (HNS), EB2ADTX (HNN), EB2D (HMU), EB2DT (HNV/HNX/HNZ), EB2DTS (HNW/HNY), EB2DTM (HNV), EB2DTS (HNW/HNY), EB2DTSD (HNX), EB2DTSM (HNW), EB2F (HMT/HMX/HMZ), EB2FA (HMR), EB2FAD (HMH/HMM), EB2FB (HMP), EB2FD (HMU), EB2M (HMV/HMY).

Year:	2012 - 2025

Ref.1190 PETROL ENGINE TIMING SET FOR PSA - 1.8 / 2.0 / 2.2 16V



Engine timing kit for the engines of the EW family of the PSA group and used in the entire range of Citroen and Peugeot vehicles from 1998.


Applications:	
Citroen	C4, C4 Picasso,C5 I/II/III, C8, Dispacth/Jumpy I/II/III, Xsara II, Xsara Picasso.
Peugeot	206, 206CC, 307, 307CC, 308, 406, 407, 607, 806, 807, Expert I/II/III,

Engine Codes:	
1.8	EW7A (6FY), EW7JA (6FZ), EW7J4 (6FZ),
2.0	EW10A (RFH/RFJ), EW10D (RLZ), EW10J4 (RFN/RFR), EW10J4S (RFK), EW10J4/L4/5 (RFN), EW10J4/L5 (RFN)
2.2	EW12J4 (3FY/3FZ), EW12J4/L5 (3FZ)

Year:	1998 - 2011

Ref.9867 PETROL ENGINE TIMING SET FOR PSA 1.0 / 1.1 / 1.4 / 1.6 / 2.0

Timing kit for a wide variety of petrol engines from the PSA group.



Applications:	
Citroen	Berlingo I/II/III, C15, C2, C3 I/II/III, C3 Pluriel, C4, C-Elysee, Nemo, Relay/Jumper II, Saxo, Xsara II, Xsara Picasso.
Peugeot	1007, 106, 205, 206, 206CC, 206+, 207, 207+, 301, 306, 307, 307CC, 308, 406, 806, Bipper, Boxer II, Partner III, Partner/Partner Origin,

Engine Codes:	
1.0	TU9 (C1A), TU9/K (C1A), TU9M (CDY/CDZ). TU9MZ (CDY/CDZ), TU9M/L (CDZ), TU9M/L3 (CDY).
1.1	TU1A (HFV/HFX), TU1JP (HFX/HFY/HFZ), TU1JP/L4 (HFX), TU1/K (H1A), TU1M (HDZ), TU1M/L (HDZ), TU1M/L3 (HDY/HDZ), TU1M/Z (HDZ), TU1M+ (HDY/HDZ)
1.4	ET3J4 (KFU), ET3JP4 (KFU), TU3A (KFT/KFV/KFW), TU3FJ2 (K6B/KFZ), TU3FM (KDY), TU3JP (KFV/KFW/KFX), TU3JP/IFL4 (KFX)TU3JP/L3 (KFX), TU3JP/L4 (KFX), TU3JP/IFL4 (KFX), ET3J4 (KFU), TU3M (KDX), TU3M/Z (KDY)
1.6	EC5 (NFP), EC5F (NFP), TU5J2 (NFY/NFW), TU5J4 (NFU), TU5JP (NFT/NFZ). TU5JP/L3 (NFZ), TU5JP/L4 (NFT/NFV), TU5JP4 (NFU), TU5JP4B (NFR), TU5JP4S (NFS), TU5JP4/L3 (NFX), TU5JP4/L4 (NFU/NFX), XU5JP (BFZ),
1.8	XU7JB (LFX), XU7JP (LFW), XU7JP/L3 (LFZ),XU7JP4 (LFY), XU7JP4/L3 (LFY)
2.0	XU10JC/Z (RFU), (RGX), XU10J2TE/V (RGX), XU10J2U (RFL), XU10J4R (RFR/RFV), XU10J4R/L3 (RFV), XU10J4RS/L3 (RFS)

Year:	1987 - 2018

Ref.9142 PETROL ENGINE TIMING SET FOR PSA - 1.4 / 1.6 VTI - THP



Timing set for the 1.4 and 1.6 petrol engines of the Prince family, developed jointly by the PSA group and BMW, introduced for the first time in 2006 in the Peugeot 207.

Applications:	
Citroen	Berlingo III, C3, C3 III, C3 Picasso, C4 I/II, C4 Picasso, C4 Space Tourer, C5 III, C5 Aircross, DS3, DS4, DS5.
Peugeot	2008, 207, 207CC, 208, 3008, 308, 308CC, 5008, 508, Partner III, RCZ,

Engine Codes:	
1.4	EP3 (8FS), EP3C (8FN/8FP/8FR/8FS)
1.6	EP6 (5FP/5FW), EP6C (5FH/5FK/5FL/5FS), EP6CB (5FK), EP6CDT (5FA/5FE/5FM/5FN/5FV), EP6CDTM (5FE/5FM), EP6CDTR (5FG),EP6CDTX (5FM/5FU), EP6DT (5FT/5FX/5GW/5GZ), EP6DTE (5FR/5FX), EP6DTM (5GY), EP6DTS (5FD/5FF/5FY), EP6FA (EGX), EP6FADTX (5GG), EP6FADTXD (5GF), EP6FDT (5GW/5GZ), EP6FDTM (5GY), EP6FDTMD (5GX), EP6FDTR (5GN/5GP), EP9FDTX (5GR/5GT)

Year:	2006 - 2021



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, read y to be saved and viewed without an internet connection.

Ref.10064 FLYWHEEL LOCKING TOOL DIESEL & PETROL ENGINES FOR HYUNDAI / KIA



Tool to lock the engine flywheel via the opening of the starter engine for a very wide range of petrol and diesel engines from Hyundai and Kia.

Applications:	
Kia	Carens, Ceed, Cee'd, Cerato, Optima, Picanto, ProCeed, Rio, Sedena/Carnival, Seltos, Soul, Sorento, Sportage, Stonic, Venga, Xceed.

Diesel Engine Codes:					
1.1	D3FA	1.4	D4FC / D4FC (U2).	1.5	D4FA
1.6	D4FB / D4FB (U2) / D4FB-H (U1) / D4FB-H (U2) / D4FB-L (U1) / D4FB-L (U2) / D4FE (U3)				
1.7	D4FD / D4FD (U2) / D4FD-H / D4FD-L / D4FD-H (U2) / D4FD-L (U2).				
2.0	D4HA / D4HA-H / D4HA-L.	2.2	D4HB		

Petrol Engine Codes:							
1.0	B3LA	1.1	G3LA	1.25	G4LA	1.4	G4FA / G4LC / G4LD.
1.6	G4FC / G4FD / G4FJ.	2.0	G4KD / G4KH / G4NA / G4NC / G4ND / G4NE / G4NH.				
2.4	G4K3 / G4KJ.						

OEM	09231-2A100 / 09231-2B100.
Years:	2005 - 2025

Ref.9854 HIGH PRESSURE DIESEL PUMP PULLER FOR HYUNDAI / KIA



Special tool for removing the sprocket and the injection pump of the 1.1, 1.4, 1.5, 1.6 and 1.7 CRDI diesel engines of a wide range of Hyundai and Kia models.

Applications:	
Kia	Carens, Ceed, Cee'd, Cerato, Optima, ProCeed, Rio, Soul, Sorento, Sportage, Stonic, Venga, Xceed.

Engine Codes:					
1.1	D3FA	1.4	D4FC / D4FC (U2).	1.5	D4FA
1.6	D4FB / D4FB (U2) / D4FB-H (U1) / D4FB-H (U2) / D4FB-L (U1) / D4FB-L (U2) / D4FE (U3)				
1.7	D4FD / D4FD (U2) / D4FD-H / D4FD-L / D4FD-H (U2) / D4FD-L (U2).				

OEM	09331-2A000 / 09331-2A010.
Years:	2005 - 2021

Ref.10042 HIGH PRESSURE DIESEL PUMP PULLER DIESEL FOR HYUNDAI / KIA

Special tool for removing the sprocket and the injection pump of the 2.0 and 2.2 CRDI diesel engines of a wide range of Hyundai and Kia models.



Applications:	
Kia	Sedena/Carnival, Sorento, Sportage.

Engine Codes Diesel:	
2.0	D4HA / D4HA-L.
2.2	D4HB

OEM:	09331-1M100.
Years:	2009 - 2021

Ref.9855 HIGH PRESSURE DIESEL PUMP SPROCKET PULLER HYUNDAI / KIA

Special tool for removing the sprocket and the injection pump of the 2.5 CRDI diesel engines of a wide range of Hyundai and Kia models.



Applications:	
Kia	Sorento

Engine Codes Diesel:	
2.5	D4CB

OEM:	09331-4A000
Years:	2002 - 2010

Ref.10955 DIESEL ENGINE TIMING SET FOR KIA / HYUNDAI - 1.6D



Applications **Hyundai:**
I30 From 2019, I40 From 2018, Kona From 2018 & Tucson 2018

Applications **Kia:**
Ceed, Optima, Sportage, Stonic From 2018. Proceed, Xceed From 2019

Engine Codes:
D4FE D4FE (U3)

Years:
From 2018

Ref.10973 FUEL PUMP REMOVAL TOOL FOR KIA/ HYUNDAI 1.6 DIESEL



Tool to remove fuel pump Hyundai & Kia

Engine:
1.6D.

Engine Codes:
D4FE (U3)

OEM:
09331 - 2U000

Years:
From 2018

Ref.10318 DIESEL ENGINE TIMING SET FOR OPEL / CHEVROLET / SUZUKI - 1.3 CDTI / VCDI / DDIS



Set of engine timing tools for the 1.3CDTi engine used in the Opel Corsa-E from 2015.

Applications:	
Opel	Corsa-E

Engine Codes:
LKV/B13DTC, LKU/B13DTE, LKU/B14DTR.

Year:	2015 - 2018

Ref.9137 DIESEL ENGINE TIMING SET FOR OPEL / CHEVROLET / SUZUKI - 1.3 CDTI / VCDI / DDIS



Basic timing tool kit for camshaft and crankshaft setting of 1.3CDTI engines used in a wide range of Opel models. It is also used in models of Chevrolet, Citroën, Ford, Fiat, Peugeot and Suzuki.

Applications:	
Chevrolet	Aveo
Opel	Agila, Agila-B, Astra-H, Astra-J, Combo-C, Combo-D, Corsa-C, Corsa-D, Meriva-A, Meriva-B, Tigra-B, Zafira-B
Suzuki	Ignis, Splash, Swift, Wagon R+.

Engine Codes:
A13DTC. A13DTE, A13DTR, D13A, D13AA, LDV/A13DTC, LDV/A13DTR, LN9, LN9/A13DT, LSF/A13DTC, LSF/A13DTE, Y13DT, Z13DT, Z13STE, Z13DTH, Z13DTJ, Z13DTR.

Year:	2003 - 2018

Ref.9438 DIESEL ENGINE TIMING SET FOR OPEL / CHEVROLET / SUZUKI – 1.3 CDTI / VCDI / DDIS



Comprehensive engine timing set for the 1.3CDTi engine that allows to adjust the timing, change the timing chain and fine-tune the timing after repair work on the engine.

Applications:	
Chevrolet	Aveo
Opel	Agila, Agila-B, Astra-H, Astra-J, Combo-C, Combo-D, Corsa-C, Corsa-D, Meriva-A, Meriva-B, Tigra-B, Zafira-B
Suzuki	Ignis, Splash, Swift, Wagon R+.

Engine Codes:
A13DTC. A13DTE, A13DTR, D13A, D13AA, LDV/A13DTC, LDV/A13DTR, LN9, LN9/A13DT, LSF/A13DTC, LSF/A13DTE, Y13DT, Z13DT, Z13STE, Z13DTH, Z13DTJ, Z13DTR.

Year:	2003 - 2018

Ref.10423 CRANKSHAFT PULLEY HOLDING WRENCH FOR OPEL / CHEVROLET

Special wrench that allows to hold the crankshaft pulley in order to loosen and tighten the fixing screw without moving the timing or damaging the locking tools.



Engine Codes:			
1.3CDTi	A13DTC. A13DTE, D13A, Z13DT, Z13STE, Z13DTH, Z13DTJ, Z13DTR.		
1.7D	A13DTR, A17DT, A17DTJ, A17DTR, X17D, X17DTL, Z17DTH, Z17DTJ, Z17DTR		
1.9D	Z19DT, Z19DTH, Z19DTJ, Z19DTL.	1.8	X18XE, X18XE1
2.0	X20SE, X20XEV, Z20LEH, Z20LEL, Z20LER, Z20LET.	2.2	C22SEL, X22SE, X22XE, Y22SE.

OEM:	KM-662-C / EN-662-C.	Year:	1989 – 2021.

Ref.1045 DIESEL ENGINE TIMING SET FOR SUZUKI - 1.5 DDIS



Engine timing pin set for Suzuki 1.5DDis engine based on Renault 1.5DCi engine.

Applications:	
Suzuki	Jimmy

Engine Codes:	1.5: K9K 262 / 266 / 299.

OEM:	1 09919-58110, 09919-58120
Year:	2003 – 2011.

Ref.10395 DIESEL ENGINE TIMING SET FOR OPEL / SUZUKI - 1.4 / 1.5 / 1.6 D BLUEINJECTION - DDIS



Engine timing kit for DW10 and DW12 PSA group engines used in various Opel and Suzuki models.

Applications:	
Opel	Combo-E, Corsa-F, Crossland, Grandland, Vivaro-C, Zafira Life.
Suzuki	Liana, SX4.

Engine Codes:	
1.4D	8HY(DV4).
1.5D	DV5RD, DV5RUC(YHV), DV5RUCD(YHR), LQJ/D15DT, LQJ/D15DTL, LQP/D15DTH, YHW/DV5RE, YHY/DV5RD, YHZ/DV5RC.
1.6D	BHN/DV6FE, BHX/DV6FC, LDI/B16DTH(BV6FC), LDI/DV6FC, LEK/B16DT, LEK/B16DTL, LEK/DV6FD, 9HX

Year:	2004 - 2025

Ref.9861 DIESEL ENGINE TIMING SET FOR OPEL - 1.6CDTI.

Set of tools to adjust the timing and replace the chain of the Opel 1.6CDTi engine introduced in 2013 to replace the older 1.7CTiD engine and upgrade the lower power variants of the 2.0CDTI.



Applications:	
Opel	Astra-J, Astra-K, GTC, Insignia-A, Insignia-B, Meriva-B, Mokka X, Mokka A, Zafira-C.

Engine Codes:	
1.6CDTi	LVK/B16DTR, LVK/D16DTR, LVL/B16DTH, LVL/B16DTJ, LVL/B16DTN, LVL/B16DTR, LVL/D16DTH, LVL/D16DTJ, LVL/D16DTN, LVM/B16DTC, LVM/B16DTL, LWQ/B16DTC, LWQ/B16DTE, LWV/B16DTU, LXO/D16DTI, LXO/D16DTN

Year:	2013 - 2019

Ref.10054 DIESEL ENGINE TIMING SET FOR OPEL - 1.6 / 2.0 / 2.3 CDTI

Timing kit designed for 1.6, 2.0 and 2.3 DCi Renault engines used in some Opel models.



Applications:	
Opel	Movano-B, Vivaro-A, Vivaro-B.

Engine Codes:	
1.6CDTi	R9M 408 / 413 / 450 / 452
2.0CDTi	M9R 630 / 692 / 780 / 782 / 784 / 786 / 788.
2.3CDTi	M9T 670 / 672 / 676 / 678 / 680 / 686 / 690 / 692 / 694 / 696 / 698 / 700 / 702 / 706 / 708 / 710 / 870 / 880 / 890 / 892 / 896 / 898

Year:	2006 - 2025

Ref.1074 DIESEL ENGINE TIMING SET FOR OPEL – 2.0 / 2.3 CDTI

Tiiming tool set designed for 2.0 and 2.3 DCi Renault engines and used in some Opel models with its CDTi designation.



Applications:	
Opel	Movano-B, Vivaro-A.

Engine Codes:	
2.0CDTi	M9R 630 / 692 / 780 / 782 / 784 / 786 / 788.
2.3CDTi	M9T 670 / 672 / 676 / 678 / 680 / 686 / 690 / 692 / 694 / 696 / 698 / 700 / 702 / 706 / 708 / 710 / 870 / 880 / 890 / 892 / 896 / 898

Year:	2006 - 2021

Ref.9448 DIESEL ENGINE TIMING SET - OPEL / CHEVROLET / SAAB / SUZUKI - 1.6 / 1.9 / 2.0 CDTI - TID - DDIS



Timing tool set with the necessary tools for the 1.3CDTi, 1.9CDTi and 2.0CDTi engines based on the JTD multijet engine of the Fiat Group.

Applications:	
Opel	Astra-H, Astra-J, Cascada, Combo-D, Insigna-A, Insignia-A Country Tourer, Signum, Vectra-C, Zafira-C.
Chevrolet	Malibu
Saab	9-3, 9-5
Suzuki	SX4, SX4 S-Cross, Vitara.

Engine Codes:	
1.6	LJ5 A16DT / A16DTH / B16DT / B16DTH / D16AA.
1.9	A19DTR, D19AA, Z19DT, Z19DTH, Z19DTJ, Z19DTL, Z19DTR.
2.0	A20DT, A20DTC, A20DTE, A20DTH, A20DTJ, A20DTL, A20DTR, D20AA, LBQ/A20DTL, LBR/A20DT, LBS, LBS/A20DTH, LBX/A20DTC, LBX/A20DTJ, LBY/A20DTR, LCD/A20DTC, LHV/A20DTE, LHZ/A20DT.

Ref.10397 DIESEL ENGINE TIMING SET FOR OPEL - 2.0CDTI

Timing kit with the necessary tools to replace the timing belt and adjust the timing of the latest generation 2.0CDTi engine manufactured by Opel.



Applications OPEL:	
Opel	Antara, Cascada, Insignia-A, Insignia-A Country Tourer, Insignia-B, Insignia-B Country Tourer, Zafira-C

Engine Codes:
B20DTH(LFS) / LFO-D20DTR / LFS-B20DTH / LFS-B20DTR / LFS-D20DTH / LFS-D20DTJ

Year:	2014 - 2024

Ref.10704 DIESEL ENGINE TIMING SET FOR OPEL - 2.0CDTI

Designed to allow camshafts to be locked to be able to replace the chain inside the cylinder head and to remove the camshafts.



Applications OPEL:
Antara, Cascada, Insignia-A, Insignia-A Country Tourer, Insignia-B, Insignia-B Country Tourer, Zafira-C

Engine Codes:
B20DTH(LFS) / LFO-D20DTR / LFS-B20DTH / LFS-B20DTR / LFS-D20DTH / LFS-D20DTJ

Year:	From 2014

Ref.1137 DIESEL ENGINE TIMING SET FOR OPEL / SUZUKI - 2.0D BLUEINJECTION - HDI



Timing set for Opel's 2.0D Blueinjection engine based on the PSA Group's Blue HDi engine.

Applications:	
Opel	Vivaro-C, Zafira Life
Suzuki	Gry Vitara, Vitara.

Engine Codes:
DW10FD(AHX), DW10FDCU(EHZ), DW10FE(AHK), DW10FE(EHZ).

Year:	2000 – 2019.

Ref.1163 DIESEL ENGINE TIMING SET FOR OPEL / CHEVROLET – 2.0D

Set of basic timing tools to keep the camshafts and crankshaft in the correct position during the change of the timing belt of General Motor's Z-Family 2.0D engine.



Applications:	
Opel	Antara
Chevrolet	Captiva, Cruze, Epica, Lacetti, Nubira.

Engine Codes:
LLW/Z20DMH, RA420/Z20S1, Z20DM, Z20DMH, Z20DM, Z20DMH/ LLW, Z20S1, Z20S1/RA420.

Year:	2006 - 2011

Ref.1070 DIESEL ENGINE TIMING SET OPEL / SAAB - 2.0 & 2.2 DTI / DI

Timing kit for 2.0 and 2.2 Dti / Di engines introduced by Opel in 1997.




Applications:	
Opel	Astra-G, Omega-B, Signum, Sintra, Vectra-B, Vectra-C, Zafira-A.
Saab	9-3, 9-5.

Engine Codes:
D223L, X20DTH, X20DTL, X22DTH, Y20DTH, Y20DTDTR

Year:	1997 - 2006

Ref.1071 DIESEL ENGINE TIMING SET OPEL / SUZUKI - 1.9 / 2.2 / 2.5 DTI - CDTI

Engine timing set for Renault diesel engines used by Opel in the Movano and Vivaro-A models and Suzuki in the Grand Vitara model.



Applications:	
Opel	Movano, Vivaro-A
Suzuki	Gry Vitara.

Engine Codes:	
1.9	F9Q 760 / 762/ 774 / W772 / B2
2.2	G9T 720 / 750 / F722 / F750.
2.5	G9U 630 / 632 / 650 / 724 / 726 / 730 / 750 / 754 / A720

Year:	2000 – 2015.

Ref.9868 DIESEL ENGINE TIMING SET FOR OPEL / CHEVROLET / SUZUKI - 1.9 / 2.5 DTI - CDTI

Timing tool set for Renault engines used by Opel in the Arena and Movano models, Chevrolet in the Aveo model and Suzuki in the Samurai model.



Applications:	
Opel	Arena, Movano
Chevrolet	Aveo
Suzuki	Samurai

Engine Codes:	
1.9	F8Q
2.5	S8U, S8U 770, S8U 772

Year:	1997 - 2004

Ref.1044 DIESEL ENGINE TIMING SET FOR OPEL – 2,8D

Timing tool set that covers the Renault 2.8 litre diesel engine used in the Opel Movano.



Applications:	
Opel	Movano

Engine Codes:	
2.8	S9W 700 / S9W 702

Year:	1998 - 2003

Year:	2004 – 2018.

Ref.10231 SPLIT GEAR ALIGNMENT TOOL FOR OPEL



Designed to keep gears aligned for easy disassembly and assembly of the balance shafts.

Applications:	
Opel	Corsa - E 1.3 CDTi

Engine Codes:
LKU/B13DTE, LKU/B13DTC, LKU/B13DTR

OEM	KM-6207 / MOT.1548.
Year:	From 2015

Ref.10067 DIESEL PUMP SPROCKET PULLER FOR OPEL / RENAULT / NISSAN

Sprocket puller to facilitate removal of the diesel pump on 2.2 and 2.5 Renault, Nissan and Opel Vehicles.



Applications:	
Opel	Movano, Vivaro-A.

Engine Codes:
G9T / G9U

OEM	115370 / EN-50509
Year:	1996 - 2012

Ref.10052 PETROL ENGINE TIMING SET FOR OPEL - 1.0 / 1.4 / 1.5

Setting kit with tools to allow changing the timing chain and adjusting the timing of the new 1.0, 1.4 and 1.5 petrol engines used by Opel.



Applications:	
Opel	Adam, Adam Rocks, Astra-K, Corsa-E, Insignia-B, Insignia-B Country Tourer, Karl, Karl Rocks, Mokka X, Viva, Viva Rocks.

Engine Codes:	
1.0	L5Q/B10XE, L5Q/D10XE, LE1/B10XFL, LE1/B10XFT, LE1/B10XFL, LE1/D10XFL, LE1/D10XFT, LE1/F10XFL, LE1/F10XFT, LWT/B10XL
1.4	LE2/B14XFL, LE2/B14XFT, LE2/D14XFL, LE2/D14XFT, LFE/B14XNT, LFE/D14XNT, LV7/B14XE.
1.5	LFV/B15XHT, LFV/D15XHL, LFV/D15XHT.

Year:	2014 - 2021

Ref.11735 DIESEL ENGINE TIMING SET FOR OPEL / VAUXHALL - 1.4/1.5/1.6/2.2



Engine Codes **OPEL:**	
1.4 TDCI	8HY(DV4).
1.6 TDCI	DV5RD / DV5RUC(YHV) / DV5RUCD(YHR) / LQJ/D15DT / LQJ/D15DTL / LQP/D15DTH, YHW/DV5RE / YHY/DV5RD / YHZ/DV5RC.
1.5 TDCI	BHN/DV6FE / BHX/DV6FC / LDI/B16DTH(BV6FC) / LDI/DV6FC / LEK/B16DT / LEK/B16DTL / LEK/DV6FD / 9HX

Year:	2005 - 2024

Ref.9571 PETROL ENGINE TIMING SET FOR OPEL / CHEVROLET - 1.0 / 1.2 / 1.4

Timing set for the third generation Ecotec engines of the "0" family of petrol engines from General Motors introduced in 2008 in Opel models.



Applications:	
Opel	Adam, Adam Rocks, Ampera, Astra-J, Corsa-D, Corsa-E,GTC, Insignia-A, Meriva-B, Mokka X, Mokka A, Zafira-C.
Chevrolet	Cruze, Orlyo, Trax, Volt.

Engine Codes:	
1.0	A10XEP
1.2	A12XEL, A12XER, L2Q/A12XEL, LDC/A12XER, LDC/B12XEL, LWD/A12XEL, LWD/B12XEL
1.4	A14NEL, A14XEL, A14XER, L2I, L2Z/A14XEL, LDD/A14XEL, LDD/A14XER, LDD/B14XEJ, LDD/B14XEL, LDD/B14XER, LUH/A14NEL, LUH/B14NEL, LUJ/A14NEL, LUJ/A14NET, LUJ/B14NEH, LUJ/B14NEJ, LUJ/B14NEL, LUJ/B14NET, LUJ/D14NEH, LUJ/D14NEJ, LUJ/D14NEL, LUJ/D14NET,LUU, LUU/A14XFL, LUV, LUV/A14NET.

Year:	2009 - 2021

Ref.9569 PETROL ENGINE TIMING SET FOR OPEL - 1.2 PURETECH

Timing kit for PSA group PureTech 3 cylinder engines used in some Opel models from 2017



Applications:	
Opel	Combo-E, Corsa-F, Crossland, Grandland,

Engine Codes:	
1.2	EB2FA, EB2FAD, EB2FADTD, EB2FADTS, LEG/EB2ADT, LEG/EB2ADTS, LEG/EB2DTS, LES/B12XHT, LES/D12XHL, LES/D12XHT, LESLES/EB2DT, LES/EB2F, LES/EB2FA, LES/F12XHT.

Year:	2017 - 2024

Ref.1069 PETROL ENGINE TIMING SET FOR OPEL / SUZUKI - 1.0 / 1.2 / 1.4

Timing set for the first generation of the "0" family of 1.0, 1.2 and 1.4 Opel petrol engines introduced in 1998.



Applications:	
Opel	Agila, Astra-G, Astra-H, Combo-C, Corsa-B, Corsa-C, Corsa-D, Meriva A, Tigra-B.
Suzuki	Wagon R+

Engine Codes:	
1.0	Z10XE, Z10XEP.
1.2	X12XE, Z12XE, Z12XEP.
1.4	Z14XEL, Z14XEP.

Year:	1997 - 2013

Ref.9847 PETROL ENGINE TIMING SET - OPEL 1.4

Set of tools for the 1.4 Fiat Fire engine used by Opel in the Combo-D model



Applications:	
Opel	Combo-D

Engine Codes:	
1.4	843A1.000, 198A4.000, LJA/A14XE, LJA/B14XE, LJD/A14SN, LJD/B14SN, LUS/A14SN, LUS/B14SN

Year:	2012 - 2018

Ref.9860 PETROL ENGINE TIMING SET FOR OPEL / SAAB – 1.4 / 1.6 / 1.8

Timing set for the 1st generation of Opel 1.4, 1.6 and 1.8 Ecotec petrol engines introduced in 1998.



Applications:	
Opel	Astar-G, Astra-H, Combo-C, Corsa-C, Meriva-A, Signum, Tigra-B, Vectra-B, Vectra-C, Zafira-A.
SAAB	9-3.

Engine Codes:	
1.4	Z14XE
1.6	X16SEJ, Y16XE, Z16SE, Z16XE, Z16TNG.
1.8	A18XER, X18E1, X18XE1, Z18XE, Z18XEL, Z18XER.

Year:	1998 - 2013

Ref.10388 PETROL ENGINE TIMING SET FOR OPEL - 1.6 SIDI



Tool kit for adjusting the timing and changing the timing chain of the 1.6 Ecotec SIDI engine.

Applications:
OPEL: Astra-J, Astra-K, Cascada, GTC, Insignia-A, Insignia-A Country Tourer, Insignia-B, Insignia-B CounteyTourer, Zafira-C.

Engine Codes:
1.6 LVP/A16XHT, LVP/B16XHT, LWC/A15SHT, LWC/BA6SHL, LWC/B16SHT, LWC/D26, LWC, D16SHJ, LWC/D16SHL, LWC/D16SHT

Year:	2017 - 2021

Ref.11738 PETROL ENGINE TIMING SET FOR OPEL / VAUXHALL - 1.2



Applications:	
Opel	Vauxhall 1.0 / 1.2

Engine Codes:
LIH, F12SHL, F12SHT, F12SHR

OEM
EN-52458, EN-52458-3

Year:	From 2020

Ref.1164 PETROL ENGINE TIMING SET FOR OPEL / CHEVROLET / SAAB – 1.6 / 1.8



Set of timing tools to maintain the correct synchronization of Opel Ecotec Generation III and Family 1 1.6 & 1.8 petrol engines.


Applications:	
Opel	Astra-G, Astra-H, Astra-J, Corsa-D, Corsa-E, GTC, Insignia-A, Meriva-A, Mokka X, Mokka A, Vectra-C. Zafira-C.
Chevrolet	Aveo, Cruze, Orlyo, Trax,
Saab	9-5

Engine Codes:	
1.4	G14D/F14D4
1.6	A16LEL, A16LER, A16LES, A16XER, LDE/A16XER, LDE/B16XER, LDE/D16XER, LDE/F16D4, LED, LGE/A16XNT, LGE/B16XNT, LLU/A16LET, LLU/B16LER, LXV/F16D4, Z16LER, Z16LET, Z16XE1, Z16XEP, Z16XER.
1.8	2H0/A18XER, 2H0, 2H0/A18XEL, 2H0/A18XER, 2H0/B18XER, 2H0/Z18XER, F18D4, LUW.

Year:	2003 - 2020

Ref.1042 CAMSHAFT LOCKING TOOLS FOR OPEL - 1.6 / 1.8

Locking tools for the camshaft pulleys of 1.6 and 1.8 Opel engines.



Engine Codes:	
1.6	A16LEL, A16LER, A16LES, A16XER, LDE/A16XER, LDE/B16XER, LDE/D16XER, LGE/A16XNT, LGE/B16XNT, LLU/A16LET, LLU/B16LER, Z16LER, Z16LET, Z16XE1, Z16XEP, Z16XER.
1.8	2H0/A18XER, 2H0/A18XEL, 2H0/A18XER, 2H0/B18XER,

OEM	KM-6333 / KM-6340.

Year:	2003 - 2020

Ref.6860 CAMSHAFT LOCKING TOOLS FOR OPEL / CHEVROLET - 1.6 / 1.8 / 2.0 / 2.2

Opel petrol engine camshaft sprocket locking tools.



Engine Codes:	
1.4	A14NET, A14XER, X14NZ, X14SZ, X14XE, Z14XE, Z14XEP.
1.6	LXT/F16D3, X16SZR, X16XE, X16XEL, Z16LET, Z16XE, Z16XER.
1.8	X18XE, X18XE1, X18XER.
2.0	X20SE, X20XEV, Z20LEH, Z20LEL, Z20LER, Z20LET.
2.2	C22SEL, X22SE, Y22SE.

OEM	EN-852 / EN-853 / KM-852 / KM-853.

Year:	1989 - 2010

Ref.1046 PETROL ENGINE TIMING SET FOR OPEL - 2.0

Renault timing tool set that covers the Opel Vivaro-A fitted with Renault engine F4R



Applications:	
Opel	Vivaro-A

Engine Codes:	
2.0	F4R720 / 722 / 820

Year:	2001 - 2011

Ref.1068 CAMSHAFT LOCKING TOOL FOR OPEL - 2.2

Special tool to lock the camshafts of the Opel 2.2 Ecotec II engine family.



Applications:	
Opel	Astra-G, Astra-H, Signum, Vectra-B, Vectra-C, VX220/ Speedster, Zafira-A, Zafira-B.

Engine Codes:	
2.2	Z22SE, Z22YH.

OEM	KM-6148.
Year:	2000 - 2012

Ref.9863 PETROL ENGINE TIMING SET FOR OPEL / CHEVROLET / SAAB – 2.0 / 2.4



Set of timing tools to maintain the correct timing of 1.6 and 1.8 petrol engines and of the 2.0 and 24 twin cam turbo engines.

Applications:	
Opel	Antara, Astra-J, GTC, Insignia-A.Captiva.
Chevrolet	Captiva, HHR, Malibu.
Saab	9-3, 9-5.

Engine Codes:	
2.0	A20NFT, LDK/A20NHT, LHU/A20NET, LHU/A20NFT, LHU/A20NHT, LHU/B20NET.
2.4	A24XE (LE5), A24XE (LE9), LE5, LE9, LE5/LE9

Year:	2008 - 2018

Ref.10427 PETROL ENGINE TIMING SET FOR OPEL / CHEVROLET / SAAB - 2.8 / 3.0 / 3.6

Set of tools to lock the camshafts of the 2.8, 3.0 and 3.6 Opel engines used in Opel, Chevrolet, Saab and Cadillac models.



Engine Codes:			
2.8	B284L, B284R, LAU/A28NER, LAU/A28NET, LAU/B28NER, LBW/ A28NET, LP1,		
3.0	A30XF(LFW), A30XH(LF1), LF1, LFW,	3.6	LFX, LLT.

Year:	2008- 2017

Ref.10352 WATER PUMP REMOVAL TOOL FOR OPEL - 2.2

Tool to keep the sprocket and timing chain in place while removing the water pump from the Opel 2.2 petrol engine.



Applications:	
Opel	Astra-G, Vectra-B, Vectra-C, VX220/Speedster, Zafira-A.

Engine Codes:	
2.2	Z22SE, Z22VH

Year:	2000 - 2012

Ref.10425 WATER PUMP WRENCH FOR OPEL - 41MM.



A 41mm spanner for use on older Opel engines where the belt tension is adjusted through the water pump.

Applications:	
Opel	Astra-G, Vectra-B,

Engine:
1.2, 14, 1.5, 1.6, 1.6D.

OEM:	KM-421-A

Ref.10426 WATER PUMP WRENCH FOR OPEL – 46MM.



A 46mm spanner for use on older Opel engines where the belt tension is adjusted through the water pump.

Applications:	
Opel	Astra-G, Vectra-B,

Engine:
1.8 & 2.0

OEM:	KM-637-A

Ref.10054 DIESEL ENGINE TIMING SET FOR RENAULT / DACIA / NISSAN – 1.6 / 1.7 / 2.0 / 2.3 DCI.



Set designed for the Renault DCi range of diesel engines used in Renault, Dacia and Nissan models. It is also used by Mercedes Benz in its models with 1.6CDI and 2.3CDI Bluetec engines.

Applications:			
Renault	Alaskan, Espace, Fluence, Kadjar, Koleos, Laguna, Latitude, Master, Megane, Scenic, Talisman, Trafic, Val Setis		
Dacia	Dokker, Duster, Lodgy, Logan , Syero.		
Nissan	Navara, NP300 Navara, NV300, NV400, Primastar, Qashqai, X-Trail.		
Engine Codes Jaguar:			
1.6 DCi	R9M / R9M 402 / 404 / 408 / 409 / 410 / 413 / 414 / 415 / 450 / 452 / 453	1.7 DCi	R9N 401
2.0 DCi	M9R / 610 / 613 /615 / 630 / 650 / 692 / 700 / 710 / 721 / 722 / 724 / 730 / 740 / 742 / 744 / 746 / 748 / 750 / 754 / 756 / 760 / 761 / 762 / 763 / 780 / 782 / 784 / 786 / 788 / 800 / 802 / 803 / 804 / 805 / 806 / 808 / 809 / 811 / 812 / 814 / 815 / 816 / 817 / 820 / 824 / 828 / 830 / 832 / 833 / 834 / 835 / 836 / 838 / 839 / 844 / 845 / 846 / 849 / 854 / 855 / 857 / 858 / 859 / 864 / 865 / 866 / 868 / 869.		
2.3 DCi	M9T 670 / 672 / 676 / 678 / 680 / 686 / 690 / 692 / 694 / 696 / 698 / 700 / 702 / 704 / 706 / 708 / 710 / 716 / 870 / 876 / 880 / 890 / 896 / 898 / YS23DDT / YS23DDTT.		

Year:
2005 - 2025

Ref.1045 ENGINE TIMING PIN SET FOR RENAULT / DACIA / NISSAN - 1.5 DCI



Contains crankshaft and camshaft locking pins required for the 1.5CDi and 1.5 Blue DCI engines produced by Renault. It also covers applications in some older petrol and diesel engines.

Applications:	
Renault	Alpine,Captur, Clio, Espace, Express,Fluence, Kadjar, Kangoo, Laguna, Latitude, Logan, Megane, Modus,R5, R11, R19, R21, Safrane, Scenic,Symbol, Talisman, Thalia, Trafic, Twingo.
Dacia	Dokker, Duster, Lodgy, Logan, Syero.
Nissan	Almera, Evalia, Juke, Kubistar, Micra, Note, NV200, NV250, Pulsar, Qashqai, Tiida.

Engine Codes Diesel:			
1.5DCi	K9K / K9K 276 / 400 / 500 /608 / 609 / 612 / 626 / 628 / 629 / 636 / 638 / 639 / 646 / 647 / 648 / 649 / 656 / 657 / 658 / 666 / 667 / 676 / 677 / 700 / 702 / 704 / 706 / 710 / 712 / 714 / 716 / 718 / 722 / 724 / 728 / 729 / 732 / 734 / 740 / 750 / 752 / 760 / 762 / 764 / 766 / 768 / 770 / 772 / 774 / 780 / 782 / 790 / 792 / 794 / 796 / 800 / 802 / 804 / 806 / 808 / 812 / 816 / 820 / 826 / 830 / 832 / 834 / 836 / 837 / 838 / 842 / 846 / 856 / 858 / 884 / 892 / 894 / 896 / 898		
1.5Blue DCI	K9K 872 / 873 / 874.	1.6D	F8M
1.9DTurbo	F8Q 600 / F8Q 606 / F9Q 622 / 710 / 716 / 717 / 720 / 722 / 730 / 734 / 744 / 784 / 786 / 788 / 790 / 800 / 870 / 872		
2.2DTurbo	G8T 706 / 714 / 716 / 740 / 752 / 760 / 790 / 792 / 794		

Engine Codes Petrol:							
1.2	D4F 712 / 732 / 734	1.6	K7M 764 / 812 / 828.	1.7	F2N / F3N	1.8	F3P
2.0	J7R						

Engine:	Year:
MOT.1430, MOT.1054, MOT.2196, MOT.861, MOT.863.	2005 - 2024

Ref.1074 DIESEL ENGINE TIMING SET FOR RENAULT / NISSAN – 2.0 / 2.3 DCI



This kit contains the necessary tools to change the timing chain of 2.0 and 2.3 DCi Renault engines found on Renault and Nissan models.

Applications:	
Renault	Alaskan, Espace, Koleos, Laguna, Latitude, Master, Megane, Scenic, Talisman, Trafic, Val Setis.
Nissan	Navara, NP300 Navara, NV400, Primastar, Qashqai, X-Trail.

Engine Codes;	
2.0DCi	M9R / 610 / 613 / 615 / 630 / 650 / 692 / 700 / 710 / 721 / 722 / 724 / 730 / 740 / 742 / 744 / 746 / 748 / 750 / 754 / 756 / 760 / 761 / 762 / 763 / 780 / 782 / 784 / 786 / 788 / 800 / 802 / 803 / 804 / 805 / 806 / 808 / 809 / 811 / 812 / 814 / 815 / 816 / 817 / 820 / 824 / 828 / 830 / 832 / 833 / 834 / 835 / 836 / 838 / 839 / 844 / 845 / 846 / 849 / 854 / 855 / 857 / 858 / 859 / 864 / 865 / 866 / 868 / 869.
2.3DCi	M9T 670 / 672 / 676 / 678 / 680 / 686 / 690 / 692 / 694 / 696 / 698 / 700 / 702 / 704 / 706 / 708 / 710 / 716 / 870 / 876 / 880 / 890 / 896 / 898 / YS23DDT / YS23DDTT.

Year:	2006 - 2021

Ref.1071 DIESEL ENGINE TIMING SET FOR RENAULT / NISSAN – 1.9 / 2.2 / 2.5 DCI



Timing kit for Renault 1.9, 2.2 and 2.5DCi engines with timing belt used in Renault, Dacia, Nissan and Suzuki models.

Aplicaciones:	
Renault	Espace, Kangoo, Laguna, Master, Megane, Scenic, Trafic
Nissan	Interstar, Primastar, Primera.

Engine Codes:	
1.9DCi	F9Q / F9Q 650 / 660 / 664 /670 / 674 / 680 / 690 / 718 / 732 / 733 /740 / 746 / 748 / 750 / 751 / 752 / 754 / 759 / 760 / 762 /772 / 774 / 790 / 800 / 803 / 804 / 808 / 812 / 814 / 816/ 818 / 820 / 826
2.2DCi	G9T 600 / 605 / 642 / 645 / 700 / 702 / 703 / 706 / 707 / 710/ 720 / 722 / 742 / 743 / 744 / 750
2.5DCi	G9U 630 / 632 / 650 / 720 / 724 / 726 / 730 / 750 / 754.

Year:	1996 - 2012

Ref.10413 DIESEL ENGINE TIMING SET FOR RENAULT / NISSAN - 3.0D

This kit contains the camshaft aligner and crankshaft pin specific to the Renault 3.0DCi engine used on Renault and Nissan models.



Applications:	
Renault	Laguna, Latitude
Nissan	Navara Pick-Up, Pathfinder.

Engine Codes:	
3.0DC	F5R 700 / F5R 701 / F5R 740.

OEM	MOT.1880, MOT.1874.
Year	2008 - 2014

Ref.9931 DIESEL INJECTION PUMP TIMING TOOL

HEX 27 | 1/2" | PETROL

Special tool for setting the diesel injection pump used in the Renault 1.9DCi Engine and found in Renault, Mitsubishi, Opel and Volvo models.



Applications:
Renault, Opel, Mitsubishi y Volvo.

Engine:
1.9DCi

Engine Codes:
F8Q / F9Q.

Ref.10417 CRANKSHAFT PULLEY LOCKING TOOL FOR RENAULT / DACIA – 0.9 / 1.0 / 1.2 / 1.6 TCE



Applications:	
Renault	Arkana, Captur, Clio, Fluence, Kadjar, Kangoo, Megane, Scenic, Twingo
Dacia	Dokker, Duster, Lodgy, Logan, Syero

Engine Codes:	
0.9TCe	H4B 453 / H4Bt 400 / 401 / 408 / 410 / 411 / 451.
1.0TCe	H4D / H4D 400 / 450 / 460 / 470.
1.2TCe	H5Ft 400 / 403 / 404 / 405 / 408 / 410 / 412.
1.6TCe	H4M 429 / 438 / 440 / 729 / 730 / 738 / 740 / 748 / 749

OEM	MOT.2054, MOT.2006, 281589004000.
Year	2012 – 2024

Ref.11739 FUEL PUMP REMOVER & TIMING SET FOR NISSAN / RENAULT - 2.0D



Description	OEM
Injector Pump Blocker	905 290 40
Injector Pump Blocker	905 290 20
Injector Pump Mounting Guide	905 290 38
Adjusting Pin Injector Pump	905 290 30

Ref.10695 PETROL ENGINE TIMING SET FOR RENAULT / MERCEDES - 1.3L (M282 / H5H)



Applications:	
Mercedes	A, B, CLA, GLA y GLB
Renault	Arkana, Captur, Clio V, Kadjar, Megane, Scenic y Talisman

Engine Codes:
Renault- H5H / Mercedes – 282.914.

Year	From 2017

Ref.1049 CAMSHAFT SPROCKET LOCKING TOOL FOR RENAULT



Applications:
Clio II (99-04), Clio III/Sport (06-09), Espace/ Grand Espace (98-02), Espace/Grand Espace IV (02-10), Laguna (98-01), Laguna II (01-07), Laguna III (07-10), Megane (99-03), Megane II (02-10), Megane III/Sport (08-13), Megane/ Scenic (99-00), Scenic/RX4 (99-03), Scenic/ Grand Scenic II (03-09), Trafic II (01-11)

Engine Codes:
F4P 720, 722, 760, 770, 771, 772, 773, 774. F4R(t) 700, 701, 712, 713, 714, 715, 720, 722, 730, 732, 740, 741, 744, 746, 764, 765, 770, 771, 774, 776, 780, 784, 786, 787, 790, 791, 792, 794, 795, 796, 797, 800, 810, 811, 820, 830, 870, 874

Ref.1046 PETROL ENGINE TIMING SET FOR RENAULT / DACIA / NISSAN – 1.4 /1.6 / 1.8 / 2.0

Timing kit containing the camshaft aligner and crankshaft pin for double camshaft petrol engines used in Renault, Dacia and Nissan models.



Applications:			
Renault	Avantime, Clio, Duster, Espace, Fluence, Kangoo, Laguna, Logan,Megane, Modus, Syero, Scenic, Symbol, Thalia, Trafic, Twingo.		
Dacia	Duster, Logan Syero.	Nissan	Almera, Kubistar, Primastar.

Engine Codes:	
1.4	K4J 700 / 710 / 711 / 712 / 713 / 714/ 715 / 750 /770 / 780.
1.6	K4M 606 / 616 / 642 / 646 / 690 / 696 / 697 /700 / 701 / 704 / 706 / 708 / 709 / 710 / 711 / 712 / 714 / 716 / 718 / 720 / 724 / 730 / 732 / 734 / 736 / 740 / 742 / 743 / 744 / 745 / 746 / 748 / 750 / 752 / 753 / 754 / 760 / 761 / 762 / 766 / 768 / 776 / 782 / 788 / 790 / 791 / 792 / 794 / 800 / 801 / 802 / 804 / 812 / 813 / 824 / 830 / 831 / 834 / 835 / 836 / 838 / 839 / 842 / 846 / 848 / 854 / 856 / 858 / 862 / 864 / 866 / 896.
1.8	F4P 720 / 722 / 760 / 770 / 771 / 772 / 773 / 774 / 775
2.0	F4R 400 / 401 / 403 / 404 / 405 / 410 / 412 / 700 / 701 / 712 / 713 / 714 / 715 / 720 / 722 /730 / 732 / 736 / 738 / 740 / 741 / 744 / 746 / 747 /770 / 771 / 790 / 791 / 792 / 820 / 830 / 832. F4Rt 720 / 722 / 760 / 761 / 762 / 763 / 764 / 765 / 774 / 776 / 784 / 786 / 787 / 794 / 795 / 797 / 800 / 802 / 810 / 811 / 813 / 820 / 870 / 872 / 874 / 886 / 887 / 897.

Year:	1998 - 2021

Some models require additional tools (see Toolhub Ref. 1047 and 1049).

Ref.10367 FLYWHEEL & CRANKSHAFT PULLEY TOOL SET FOR RENAULT / NISSAN



Set of essential tools for changing the timing chain of a range of petrol engines (1.4, 1.6, 1.8, 2.0, 2.5 and 3.5). It is can also be used to lock the engine flywheel on the latest 2.0 and 2.3 DCI diesel engines.

Applications:	
Renault	Clio, Espace, Fluence, Kadjar, Koleos, Latitude, Laguna, Megane, Scenic, Talisman

Engine Codes:					
1.4TCE	H4Jt 700	1.6TCE	M5M 400 / 401 / 450 / 460	1.8TCE	M5P / 401 / 402 / 403 / 404
2.0	M4R 700 / 701 / 704 / 711 / 713 / 714 / 715 / 726 / 730 / 735 / 737 / 746 / 750 / 751 / 752 / 753.				
2.5	2TR 700 / 702 / 703 / 704 / 705.	3.5	V4Y 713 / VQ25 / V4U 604 / 2ZV 604		

Year:	2006 - 2021

Ref.9868 DIESEL & PETROL ENGINE TIMING SET FOR RENAULT / DACIA / NISSAN

It contains a variety of locking pins, a camshaft sprocket and injection sprocket locking tool, and a tensioning wrench.
Wide coverage of older petrol engines (1.1, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.5, 2.8 3.0) and diesel engines (1.6D, 1.9D, 1.9DTI, 2.1D, 2.1D TURBO).



Applications:			
Renault	Alpine,Clio, Espace, Express,Kangoo, Laguna,Logan, Master,Megane, R19, R21, R25, R5, Safrane, Scenic, Symbol, Thalia, Trafic, Twingo.		
Dacia	Logan, Syero	Nissan	Kubistar

Petrol Engine Codes:											
1.1	C1E / E7F	1.2	D7F / E5F	1.4	E6J / E7J / K7J	1.6	K7M	1.8	F7P	2.0	F7R / J6R / J7R
2.2	J7T	2.5	Z7U	2.8	Z6W	3.0	Z7X				

Diesel Engine Codes:									
1.6D	F8M	1.9D	F8Q	1.9DTI	F9Q 731 / 736 / 770 / 780 / 782.	2.1D/DTURBO	J8S	2.5D	S8U
2.8DCi	S9W								

Year:	1984 - 2013

Ref.1047 CAMSHAFT PULLEY LOCKING TOOL FOR RENAULT / DACIA / NISSAN – 1.4 / 1.6



This tool allows you to correctly align the camshaft pulleys of the Renault 1.4 and 1.6 petrol engines.

Applications:			
Renault	Clio, Duster, Fluence, Kangoo, Laguna, Logan, Megane, Modus, Syero, Scenic, Symbol, Thalia.		
Nissan	Duster, Logan, Syero.	Nissan	ALmera, Kubistar.

Engine Codes:	
1.4	K4J 700 / 710 / 711 / 712 / 713 / 714 / 715 / 750 / 770 / 780
1.6	K4M 606 / 616 / 642 / 646 / 690 / 696 / 697 / 700 / 701 / 704 / 706 / 708 / 709 / 710 / 711 / 712 / 714 / 716 / 718 / 720 / 724 / 730 / 732 / 734 / 736 / 740 / 742 / 743 / 744 / 745 / 746 / 748 / 750 / 752 / 753 / 754 / 762 / 766 / 776 / 782 / 788 / 790 / 791 / 792 / 794 /800 / 801 / 802 / 804 / 824 / 830 / 831 / 834 / 835 / 836 / 838 / 839 / 842 / 846 / 848 / 856 / 858 / 862 / 864 / 866 / 896.

OEM	MOT1490-01.	Year:	1999 - 2020

Ref.1048 PETROL ENGINE TIMING SET FOR RENAULT - 2.0 IDE



Set of essential tools for the Renault 2.0IDE petrol engine.

Applications:	
Renault	Laguna, Megane.

Engine Codes:	
2.0	F5R 700 / F5R 701 / F5R 740.

Year:	2000 - 2005

Ref.10383 FLYWHEEL LOCKING TOOL

Universal flywheel locking tool used in a wide range of applications.




Applications:	
Renault	Espace, Express, R5, R11, R19, R21, R25, Safrane.
Dacia	Logan, Syero

Types Engine:
C1C / C1G / C3G / C1E / C1J / C2J / C3J / D4F 732 / D4F 734 / Z7U / Z7V / Z7W / Z7X

También tiene muchas aplicaciones en modelos Citroen, Dacia, Peugeot, Mercedes y Volvo.

OEM
MOT.582, 0153A, 1860161000, 976554, 607589014000, 1867030000, 6012T.

Ref.9721 CAMSHAFT HOLDING TOOL FOR SUBARU



Applications:	
Subaru Impreza GT 1999	1600c.c., 1800c.c., 2000c.c.

Ref.9722 CAMSHAFT PULLEY HOLDING WRENCH SUBARU IMPREZA



Engines:
V7 & V8 EJ207 with AVCS


Ref.9751 CAMSHAFT LOCKING TOOL - SUBARU / SAAB



Engines:
2.0 & 2.5 DOHC Turbo

Engine Codes:	C23-506

Ref.9761 CRANKSHAFT HOLDING TOOL - SUBARU



Applications:
93-11 Impreza | 98-09 Forester | 94-09 Legacy

Ref.10946 CRANKSHAFT PULLEY HOLDING WRENCH FOR HONDA



Hexagonal shape that fi ts into the crankshaft pulley to hold it to remove the bolt.

OEM
07MAB PY30100

Sizes:
50mm, 6 point

Ref.10942 UNIVERSAL FUEL PUMP SPROCKET PULLER



Tool to remove the pulley quickly and easily.

Applications General Character
Fiat, Ford, Volkswagen, PSA

Sizes of the Pulley Fasteners:
M6X1.0 X 49mm - M7X1.0X75MM - M8X1.25 X 76M.

Ref.10306 UNIVERSAL AUXILARY PULLEY & TENSIONER WRENCH SET



Sizes:
12 Points: 12, 13, 14, 15, 16, 17, 18, 19mm **Torx:** E10, E12, E14, E16, E18.

Ref.2869 UNIVERSAL PULLEY AND HOLDING WRENCH



Universal wrench for holding pulleys with many applications, for example in wide range of Ford and VAG engines.

Ref.1153 UNIVERSAL PULLEY HOLDING WRENCH SET



Adaptors	6, 8, 10, 16mm.

Ref.9172 UNIVERSAL AUXILARY BELT INSTALLATION TOOL

Set of 2 tools to install auxiliary belts in a wide range of vehicles.
Made of aluminum with retaining screws made of steel.



Ref.10950 MAGNETIC STRETCH/ AUXILIARY BELT INSTALLATION TOOL

1 PC SET



Reversible design permits both removal and installation of stretchy belts. Fitted with a magnet on each side to hold tool in place whilst the pulley is turned.


Ref.9570 UNIVERAL DOUBLE CAMSHAFT LOCKING TOOL



- Tool designed to lock twin cam shaft pulleys.
- Adjustable teeth and an extension bar allows you to work on a wide range of engines.
- **Capacity:** 35 – 120mm.
- Supplied in a plastic case.

Ref.9705 UNIVERAL DOUBLE CAMSHAFT LOCKING TOOL

Basic tool that allows the user to lock both pulleys of twin camshaft engines.



Sizes:
20 - 180m

Ref.5114 UNIVERSAL PULLEY HOLDING WRENCH



Adjustable tool to firmly clamp Poly V type pulleys on motors.

Ref.9757 MANUAL IMPACT WRENCH 1/2" DR

Impact wrench designed to remove screws from places with reduced access.
Especially useful for loosening pulley bolts.

1/2"



Sizes:
Length: 560mm

Ref.9902 TENSIONER PIN WRENCH SET

6 PC SET



Sizes:
0,8 / 1,25 / 1,4 / 1.5 / 1.7 / 1.9 mm.

Ref.1141 TIMING BELT TENSION GUAGE



Tool that allows you to easily check the tension of the timing belt.

Ref.11101 UNIVERSAL CRANKSHAFT PULLEY PULLER



Designed with multiple confi gurations for a wide variety of applications

Ref.2800 PULLEY SPINNING WRENCH



Sizes:
Length: 325mm

Ref.4085 RIBBED PULLEY PULLER



Adjustable tool to securely hold Poly V type pulleys.

Sizes:
Maximum Opening: 165mm.



HGV
INDUSTRIAL VEHICLES

Catalogue 2025

www.thetoolhub.co.uk

Ref.9914 CRANKSHAFT ROTATION TOOL - IVECO

Two gear tool that allows you to manually rotate the crankshaft position on Iveco industrial vehicle engines.



Applications:
Iveco Euro Cargo / Cargo Eurotech
Engines:
8040-25-45, 8060-25-45, 8460, 8260, 8280, 821042, 190.38, 190.42.

Ref.9915 CRANKSHAFT ROTATION TOOL - IVECO

Two gear tool with spacer that allows you to manually rotate the crankshaft position on Iveco industrial vehicle engines.Iveco.



Applications:
Iveco Euro Cargo / Cargo / PT Euro Tech / Eurostar
Engines:
8360.46, F3A, F3B

Ref.9556 CRANKSHAFT ROTATION TOOL - DAF



Allows you to manually rotate the crankshaft position on DAF engines

Applications:
DAF 35-42 EURO 4 / XF105 EURO 5
Sizes:
81mm, 9 teeth

Ref.9583 CRANKSHAFT ROTATION TOOL - MAN

Allows you to manually rotate the crankshaft position on the Man industrial vehicle engines when mounted on an engine bank.



Applications:
MAN Atego & Vario
Engines:
D20, D25, D26, D28

Ref.10040 CRANKSHAFT ROTATION TOOL - RENAULT

Allows you to manually rotate the crankshaft position on the Renault Magnum industrial vehicle engine when mounted on an engine bank.



Applications:
Renault Magnum

Ref.9584 CRANKSHAFT ALIGNMENT TOOL - DAF



Applications:
DAF: Engines: 65CF, 75CF, 85CF, 95XF, CF75, CF85, F65, F75, F85, F95, XF95.

Ref.9507 CRANKSHAFT ROTATION TOOL VOLVO



Allows you to manually rotate the crankshaft position on Volvo industrial vehicle engines.

Applications:
Volvo 6 & 12 Litre engines.
Engines:
D9A, D12, D16C, FM360.

Ref.9586 CRANKSHAFT ROTATION TOOL - VOLVO / RENAULT

Allows you to manually rotate the crankshaft position on Renault and Volvo industrial vehicle engines.



Applications:
Renault - Volvo
Engines:
MP8, MP10
OEM
88800014

Ref.9508 CRANKSHAFT ROTATION TOOL - SCANIA

Allows you to manually rotate the crankshaft position on Scania engines from 1996.

3/4"



Ref.9498 CRANKSHAFT ROTATION TOOL - MERCEDES / MAN

Allows you to manually rotate the crankshaft position on Mercedes and MAN commercial vehicle engines. Two gears.



12 Cylinder models
MAN 401 - 404 - 407 - 409 - 421 - 424 - 427 444 - 447.
Applications:
Mercedes 400 series con 6, 8 y 10 cylinders.

Ref.9500 CRANKSHAFT ROTATION TOOL - MERCEDES / MAN

Allows you to manually rotate the crankshaft position on Mercedes and MAN commercial vehicle engines.
Three gears.



5, 6 & 8 Cylinder models
MAN D25 / D28 Etc...
Applications:
Mercedes Actros y Atego

Ref.10830 VOLVO TIMING GEAR SOCKET

1"



Sizes
1"Dr. - Exterior 110mm- Interior 90mm 4 Teeth
Applications
Volvo FM 440 D13 (2018 - <)

Ref.10840 TIMING GEAR COVER INSTALLER FOR VOLVO

Designed to help fit the timing gear cover on Volvo commercial.



OEM	9998389, 9998601
Engines	D12, D12A, D12B, D12C

Ref.10846 IVECO FLYWHEEL HOLDER







Tool designed to hold the engine flywheel.

OEM Fuso
MH063967
OEM Iveco
99360306
Applications
Iveco F1A-F1C (Euro 8)

Ref.10852 DAF PISTON RING INSTALLER






Size
Inner: 158mm **Outer:** 136mm
Applications
DAF (460p) Euro 4/5

Ref.10033 CYLINDER LINER EXTRACTOR TOOL SET

Ideal for removing cylinder liners from commercial and industrial vehicle engines.





Size of Plates	
Ø Internal (A)	Ø External (B)
119 mm	130 mm
126 mm	138.5 mm
126 mm	140 mm
129 mm	142 mm
134 mm	140 mm
136.5 mm	147 mm

Ref.11002 TRUCK CABIN SHOCK ABSORBER SPRING COMPRESSOR - VOLVO







Applications
Volvo FM, FH500P/540P

Do not use with impact gun

Ref.10819 FLUID RESEVOIR CONDENSER SOCKET SCANIA MERCEDES

6 | 1/2"



Sizes
Deep: 65mm **Inner Diameter:** 20mm **Exterior Diameter:** 27mm
OEM
W203589001000

Ref.9497 BRAKE LINKAGE ADJUSTER EXTRACTOR - HALDEX



Sizes
Capacity: 64mm

Ref.9510 CRANKSHAFT REAR SEAL INSTALLATION TOOL SCANIA



Useful to install the rear crankshaft seal with uniform pressure to avoid damaging the seal.

OEM
Scania 310 / 320

Ref.10837 REAR CRANKSHAFT OIL SEAL INSTALLER – VOLVO



Designed to avoid damaging the crankshaft seal and to ensure correct installation.

Outside: 158mm
Inside: 136mm

Applications
Volvo FM D16F
OEM
9992000, 9998238

Ref.10813 SCANIA FRONT WHEEL HUB INNER BEARING INSTALLER



BEARING OEM
218248

Ref.10844 CRANKSHAFT FRONT OIL SEAL INSTALLATION & TIMING COVER CENTERING TOOL - IVECO / FIAT / PSA



Compatible with Iveco F1C 3.0D engine.

OEM
FUSO - MH063962 **IVECO** - 99346258

Ref.10853 CRANKSHAFT REAR OIL SEAL INSTALLATION TOOL - DAF

Designed to avoid damaging the crankshaft seal and to ensure correct installation



Applications
DAF 410P. 460P, CF85, DAF X105, (Euro 4/5).

Seal Size approx
192mm (OD), 166mm(ID), 16mm (Height)

Ref.10812 SCANIA CRANKSHAFT FRONT OIL SEAL INSTALLER



Designed for proper seal installation to avoid damage to the seal during installation.

Applications:	SCANIA 340/360/380
Seal OEM	1392708

Ref.10855 CRANKSHAFT FRONT OIL SEAL INSTALLATION TOOL - DAF



Applications:	DAF 85 (CF) 35-43 T
Seal Diameter	134mm
Seal OEM	1684105

Ref.10842 CRANKSHAFT REAR OIL SEAL INSTALLATION TOOL - IVECO / FIAT / PSA 3.0D



Applications:	**Fiat** Ducato - **Iveco** Daily III, IV, V, VI - **Peugeot** Boxer from 2006		
Engine	F1C 3.0 Diesel		
Seal OEM	504010779 / 50407851 / 50410172 / 504123771	**OEM**	99346259


Ref.10854 CRANKSHAFT FRONT OIL SEAL INSTALLATION TOOL - DAF



Applications	DAF 12T-LF45 - DAF 17T-LF55
Seal OEM	1399472 / 1713434
OEM	1453179

Ref.10843 CRANKSHAFT FRONT OIL SEAL REMOVAL TOOL IVECO / FIAT / PSA





Compatible with Iveco

Engine	F1C 3.0D
Fuso OEM	MH063989
Iveco OEM	99346258

Ref.10815 SCANIA CRANKSHAFT REAR OIL SEAL INSTALLER





Seal OEM	1433183
Seal Size	140 x 160 x 12L
Applications	Scania (144) 340/360/380


Ref.10835 VOLVO CRANKSHAFT REAR OIL SEAL INSTALLER




Designed to avoid damage to the seal during installation.

Applications:	Volvo FM12 380/420/430 (2002 - 2007)
Seal OEM	85108352

Ref.10841 VOLVO REAR CRANKSHAFT OIL SEAL INSTALLER





Seal OEM	1543896, 221981895, 336021
OEM	99346258 VOLVO
Applications	
	Compatible with Iveco F1C 3.0D engine.

IMPACT WRENCHES FOR BRAKE CALIPERS



This tool is designed to loosen / tighten the threaded connections of the brake caliper on commercial vehicles (such as the front axle and trailer).

3/4"

- Torque conversion formula laser etched on wrench to calculate correct effective length.
- 3/4" Drive for use with a torque wrench.
- Suitable for use with mallet or hammer.
- Phosphate finish that is used as an anti-friction treatment and to prevent corrosion of the tool.

Ref.		Sizes	Applications
9932		E18 (Torx)	MAN TGL / TGM
9933		E20 (Torx)	MAN TGL / TGM
9934		E24 (Torx)	MAN TGA / TGS / TGX
9935		M24 (12-point)	SAF
9936		M26 (12-point)	DAF XF / XF 95 / XF 105 / XF106

Ref.10934 BRAKE LINING THICKNESS GAUGE FOR HGV



Sizes	6, 8, 10, 12, 14, 16, 18, 20, 22mm

Ref.9511 BRAKE CALPER ADJUSTMENT SOCKET - BREMSE



HEX 24

Applications
Scania, Volvo, etc. To adjust the caliper to the correct position. Brake disc series: SN6, SN7, SK7 y ADDB22X.
Sizes
5 tooth profile, use with 24mm wrench or socket..

Ref.9899 BRAKE CALIPER SOCKET SET - SAF, KNORR, NFZ

4 PC SET



- **Applications:** SAF, NFZ, Knorr-Bremse.
- **Size:** Hex - 8mm & 10mm.
- **Square** - 8mm.
- **Multi point** - 11 Point

Ref.9506 BRAKE SHOE SPREADER - VOLVO



Applications
Volvo N7, N10, N12, F7, F12, F16, FH12, FH16,FL7 & FL10 ERF series E & EC.
OEM
9998550

Ref.10827 VOLVO ABS SENSOR WHEEL FITTING TOOL



Designed to ensure correct installation and avoid failures.

Applications	VOLVO

Ref.10031 ABS SENSOR RECEPTACLE REAMER FOR COMMERCIAL VEHICLES

HEX 16



Ideal for removing dirt and corrosion build-up from the ABS sensor housing. Essential tool before fitting a new ABS sensor.
Can be used with a 16mm spanner.

Ref.10726 VOLVO PETERBILT DAF MAN BRAKE CALIPER 11 POINT SOCKET TOOL





Specialist 11 point socket for Knorr Bremse calipers on many HGV vehicles.

Applications
DAF, MAN, Mercedes, Scania, BPW & SAF.
Size
3/8" Dr. 11Pt – 8mm x 26mm

Ref.10029 VALVE SPRING COMPRESSOR - VOLVO FM12

For mounting and removing valve springs with the cylinder head mounted or removed.
Provides significant time savings by allowing valve springs and valve stem seals to be repaired without the need to disassemble the cylinder head



Applications:
VOLVO FM12
OEM
9990210

Ref.10224 VALVE SPRING COMPRESSOR - SCANIA



For mounting and removing valve springs with the cylinder head mounted or removed.
Provides significant time savings by allowing valve springs and valve stem seals to be repaired without the need to disassemble the cylinder head.
Assembly by means of the injectorpump guide.

Applications:
Scania 340 / 360 / 380.

Ref.10296 INJECTOR HEIGHT ADJUSTER TOOL PDE 31 – SCANIA



Tool to adjust the height of Bosch injectors on the Scania 12 and 16 litre engines.

Adjustment height
69.9mm
OEM
99442

Ref.10297 INJECTOR HEIGHT ADJUSTER TOOL PDE 32 – SCANIA



Tool to adjust the height of Bosch injectors on the Scania 9, 11, 12, 14 and 16 litre engines

Adjustment height
66.9mm
OEM
99414

Ref.9897 DIESEL INJECTOR SOCKET MAN / MERCEDES / SCANIA



Ref.10225 ELECTROMAGNETIC INJECTION VALVE SOCKET SCANIA

1/2"



Special socket for tightening and loosening the cap of the electromagnetic injection valve on Scania trailers.

Ø Internal	Ø External	Height	Drive
38mm	45mm	100mm	1/2"

Applications:
Scania 340 Trailer

Ref.10032 INJECTOR SLEEVE REMOVER & INSTALLER - VOLVO FM12



A solid and robust 2-clamp extractor. Designed for the extraction of the copper or steel injector sleeves from the upper part of the cylinder head of Volvo FM12 commercial vehicles

Ref.10035 INJECTOR NOZZLE PULLER VOLVO




Applications Volvo
Truck: FM12, FM440, FH500. **Penta Marina:** D9, D12, D16.
OEM
9990006 / 9990013

Ref.10845 DIESEL INJECTOR REMOVAL TOOL FOR IVECO





Designed to remove the diesel injectors when they are seized.



Fuso OEM	MH064377
Iveco OEM	99342156

Ref.10814 SCANIA INJECTOR WATER JACKET REMOVER/INSTALLER

8 PC SET



Suitable for M22 and M30 thread

Sizes
• x2 Taps to make an extraction thread • x1 Handle for taps • x1 Sliding hammer • x2 Extractors threaded according to tap size • x2 Bushing installation • x2 Installation tools

Applications	Scania 113,114

Ref.10030 DIESEL PUMP SUPPLY VALVE SOCKET - MAN

1/2"





Special profile socket for tightening and loosening the high volume supply valve fastener found on the diesel injection pump.

Size	Profile	Length	Drive
40mm	34 point	40mm	1/2"

Ref.9675 ADBLUE FILTER SOCKET

3/8" | 6 | AdBlue



Special socket for tightening and loosening the Adblue filter.

Sizes
46mm x 6 flutes

Ref.10222 OIL PRESSURE SWITCH SOCKET MAN

Special socket for the assembly and disassembly of the oil pressure switch on MAN commercial vehicles.
With side window that allows electrical cables to pass through.

1/2"



Size	Profile	Length	Drive
46mm	4 cast.	197mm	1/2"

Ref.10220 OIL TUBE WRENCH - VOLVO FM12



Applications
Volvo FM12

Sizes
74mmx 6 points.

Ref.9515 ADJUSTABLE OIL FILTER WRENCH

1/2" | PROFESSIONAL



Oil filter wrench with non-slip flutes and two-way drive

Capacity
80 – 110mm

Ref.9516 OIL FILTER WRENCH 115 – 140MM PROFESIONAL

1/2" | PROFESSIONAL



Oil filter wrench with non-slip flutes and two-way drive.

Capacity
115 - 140mm

Ref.10947 PLASTIC OIL DRAIN / SUMP PLUG - DAF/MAN



Oil sump plug for DAF and MAN commercial vehicles.
Complete with sealing O-Ring

OEM
DAF 1982821 **MAN** 51.90310.6010

Ref.9514 OIL FILTER CHAIN WRENCH



Oil filter wrench with double chain.

Chain length: 600mm

Ref.10832 OIL RETURN PIPE WRENCH FOR VOLVO

3/4"



Sizes	Inner diameter: 30mm

Ref.9512 OIL FILTER WRENCH MAN

1/2"



Applications: Include MAN FE & TGA (504, 414, 440, 460).

Sizes: 136mm x 18 points.

Ref.10041 DIESEL FILTER WRENCH VOLVO

1/2"



Special wrench for tightening and loosening the diesel fuel filter of Volvo commercial vehicles.

Size: 107mm

Ref.10223 OIL FILTER COVER WRENCH MAN

1/2"



Applications: MAN - 403 y 603.

Sizes: 94mm 14 points.

Ref.9920 OIL FILTER WRENCH VOLVO

1/2"



Applications: Volvo, Renault, Iveco, Scania

Sizes: 107mm x 15 points.

Ref.9634 COMMERCIAL VEHICLE COOLING SYSTEM TESTER





Set to check the pressure in the cooling system with a special set of adaptors for commercial vehicles.
Contains a pressure pump and 7 different adaptors with quick connectors for easy use. Suitable for diagnosing leaks in the cooling circuit (water pump, hoses, gaskets, radiator, etc.).

Applications
DAF, Iveco. Man, Mercedes, Renault, Scania, Volvo.

Ref.9913 RADIATOR QUICK COUPLING CONNECTOR – VOLVO




Quick connector to fill and bleed radiators on Volvo industrial vehicles.

OEM
9996049.

Ref.10862 SCANIA RADIATOR ADAPTER



1 PC SET





Tool designed to drain and fi ll the cooling system fluid in SCANIA vehicles from 2016. It is used together with the reference Toolhub ref 9513 (OEM 99301).

OEM	2437252	Año	2016>

Ref.9513 RADIATOR QUICK COUPLING CONNECTOR – SCANIA



Quick connector to fill and bleed radiators on Scania industrial vehicles.

Applications
Scania Series 4 & 5.

Ref.9629 COMMERCIAL VEHICLE TURBO SYSTEM TESTER

Tool which helps to detect air leaks and cracks in the intercooler tubes and pipes that connect the turbo to the intake manifold. Supplied with 3 inlet adaptors and 3 plug adaptors for pressure testing.



Sizes
105/110mm, 115/120mm, 125/130mm

This tool can detect even the smallest cracks that only open under pressure

Ref.10926 AIR DRYER CARTRIDGE HOUSING BAYONET RING REMOVAL WRENCH - VOLVO / RENAULT HGV

Wrench for tightening and loosening the bayonet ring for air dryer cartridge.

1/2"



Applications	**Volvo:** FH/ FM -EURO6 **Renault:** K , C Y T EURO 6. K, C T **Range:** EURO 6
OEM	K162153K50

Ref.9677 COMMERCIAL VEHICLE CLUTCH ALIGNMENT TOOL SET



6 PC SET

- Suitable for a wide range of commercial vehicles.
- Provides a quick adjustment to fit any diameter.
- Four interchangeable tips.
- For single or double disc clutches.

Sizes
Mandrel nº1 Ø 36-45mm **Mandrel nº2 Ø** 42-52mm **Centering sleeves ø** 20, 25, 27, 30

Ref.10834 FAN BEARING BASE SOCKET 53.8MM FOR VOLVO

3/4"



Sizes
3/4" - 53.8mm - 4 Teeth

Ref.10825 TRANSMISSION BEARING REMOVER SET

14 PC SET






Designed to remove bearings when there is no support point at the gearbox.
Supplied with 4 adaptors.

Applications	Mercedes-Benz, DAF, Iveco, Man, Scania, Volvo, Fuso, Isuzu, Mitsubishi, Nissan, Toyota, Ror, York, Daewoo
Bearings Types	6310, 6311, 6312, 6314

Ref.10833 VOLVO MAIN SHAFT/COUNTER SHAFT TOOL





Designed to remove and install primary and secondary gearbox shafts.

Applications	B12, B12B, B12M, B7F, B77A, B7L, B9M, B97, B95, B979, FH12, FM12, FM9
OEM	9996910

Ref.10839 OUTPUT SHAFT SEAL INSTALLATION TOOL – VOLVO FM



Applications	VOLVO D5 D7 D11 D12 D13 FM		
OEM	9998575	**Sizes**	70mm

Ref.10789 SHAFT SEAL INSTALLATION MANDREL 208MM



Sizes	**Diameter:** 208mm
Applications	Mercedes Actros AP

Ref.10787 SHAFT SEAL INSTALLATION MANDREL 165MM



Applications	Mercedes Actros 739.5 - HA 749.108130
Sizes	Diameter: 165mm

Ref.10790 SHAFT SEAL INSTALLATION MANDREL 176MM



Applications	Mercedes Actros AP
Sizes	Diameter: 175mm

Ref.10788 SHAFT SEAL INSTALLATION MANDREL 186MM



Sizes	**Diameter:** 186mm
Applications	Mercedes Actros VA with ABS

Ref.10818 POSITION SENSOR SOCKET - 1/2" DR. 27MM 8 POINT

8 | 1/2"



Sizes	1/2" Dr. - 27mm - 8 Point
Applications	Mercedes-Benz, MAN & Scania

Ref.10800 REAR AXLE HUB RETAINING CAP SOCKET 3/4" DR. 37MM OVAL FOR BPW

3/4"



Sizes
3/4" Dr. - 37mm

Ref.10959 TRUCK SPRING PIN METAL BUSH REMOVAL/ INSTALLATION SET





18 PC SET

- For on-vehicle installation and removal of slotted bushes on HGV spring suspension.
- Supplied with a 12 tonne hydraulic cylinder (hydraulic pump not included).

Applications	Volvo (FM12) Renault (340/450/460) MAN-TGA (410/414/460)

Ref.9478 FRONT SHOCK SPRING WASHER REMOVER - SCANIA

3/4"



Sizes
28 x 37mm.

Ref.9480 REAR SHOCK SPRING WASHER REMOVER - SCANIA

3/4"



Sizes
34 x 46mm.

Ref.9499 REAR SHOCK SPRING WASHER REMOVER - VOLVO

3/4"



Sizes
28,5 x 44mm.

Ref.9479 REAR SHOCK SPRING WASHER REMOVER - SCANIA

3/4"



Sizes
34 x 56mm.

Ref.9517 FRONT SHOCK SPRING WASHER REMOVER - VOLVO



Sizes
Drive: 27mm Hex **Size:** Ø 37mm, Pin diameter: 8,73mm.

Ref.10034 HYDRAULIC LIFT CYLINDER SEAL REMOVAL & INSTALLATION TOOL - VOLVO FM12



This tool is designed to remove and install the oil seal on the hydraulic lift cylinder.

Volvo FM12 from 2005.

Ref.10867 STEERING MECHANISM BEARING PULLER



Designed to remove the steering bearings.

Applications
SCANIA 320/340 **MAN** FE414 **VOLVO** FM12

Ref.10847 STEERING LINKAGE SOCKET FOR DAF

1/2"



Sizes
Inner 41,2mm - **Outer** 45mm


Ref.10796 STEERING MECHANISM OIL SEAL SOCKET 58MM 4 PIN

1"



Sizes
1" Dr. - 58mm - 4 Teeth

PITMAN ARM PULLERS



	Ref.	A	B	Drive	Applications
1	10036	63 mm	42 mm	3/4"	BENZ Actros & MAN 414
2	10037	75 mm	58 mm	3/4"	Europeos
3	10038	75 mm	67 mm	3/4"	MAN FE410A, FE 414

Ref.10831 CASTELLATED BALL JOINT SOCKET FOR VOLVO - 100



Sizes
3/4" Dr. - 100mm - 6 Teeth.

Applications
Volvo B12 (1006 - >)

Ref.10820 BALL JOINT REMOVER 32MM



Designed to remove 32mm ball joints.

Sizes
Spindle Length 32mm
Weight: 2,66Kg

Ref.10876 BALL JOINT REMOVER WITH WINDOW – 32MM



- **Opening**: 32 mm
- **Maximum pressure range:** 90 mm max.
- **Weight:** 950grs.
- **For:** cars, light trucks and SUV
- **Hardened** pressure spindle and and centering tip

Ref.10822 HYDRAULIC BALL JOINT REMOVER 39MM




It contains a hydraulic piston to generate pressure on the ball joint and is ideal to exerting more pressure than conventional removers.

Applications
SCANIA, MERCEDES, MAN, HINO, ETC ...

Capacity
12 Ton

Ref.9071 BALL JOINT EXTRACTOR 30MM



Used to extract the ball joints of the differential, steering, etc...
For most commercial vehicles including Scania, Mercedes Benz, Man, etc...

Sizes
A: 60
B: 30
⬭ mm: 19
Ømm: 22
H: 95

Ref.9072 BALL JOINT EXTRACTOR 39MM



Used to extract the ball joints of the differential, steering, etc...
For most commercial vehicles including Scania, Mercedes Benz, Man, etc...

Sizes
A: 60
B: 39
⬭ mm: 26
Ømm: 24
H: 130

Ref.9611 BALL JOINT EXTRACTOR WITH WINDOW- 39MM



Used to extract the ball joints of the differential, steering, etc...
For most commercial vehicles including Scania, Mercedes Benz, Man, etc...

Sizes
A: 60
B: 39
⬭ mm: 26
Ømm: 24
H: 130

Ref.10821 VOLVO STRAIGHT LINK BALL JOINT REMOVER



Fits around the straight arm link to enable removal of the ball joint on Volvo FM12 and FH series.

Applications
Volvo FM12, FM, FH

OEM
9998758

Sizes
Spindle Length 128mm
Ball joint opening 39mm
Drive 26mm 6 points

Ref.10823 HYDRAULIC BALL JOINT REMOVER 42MM



Designed to remove those ball joints that are not possible with a traditional puller.



Sizes
42mm ball joint opening

Ref.10326 FRONT & REAR STABILIZER BALL JOINT TOOL VOLVO FM12



Puller to remove the ball joint from the front and rear stabilizer bar of Volvo FM12 commercial vehicles.

Includes safety chain

OEM
9990814

Ref.10325 TRANSMISSION SOCKET - SCANIA

1"



Sizes
Drive: 1"
Diameter: 91mm
Profile: 4 Teeth.

Ref.10817 SCANIA KING PIN REMOVER (10 WHEELS)







Tool designed to remove the fixing bolt from the drive shaft.

PIN OEM	1348296

Ref.9502 TRANSMISSION RETENTION NUT SOCKET - SCANIA

3/4"



Sizes
72mm, 4 Teeth

Ref.9509 TRANSMISSION REAR SEAL INSTALLATION TOOL SCANIA

Used to install the rear transmission oil seal with uniform pressure to avoid damaging the seal.



OEM
99377

Ref.10792 TRANSMISSION SOCKET FOR MAN – 3/4" DR. 53.5MM

3/4"



Sizes:	3/4" Dr. - 52.5mm - 4 Teeth

Ref.10838 DIFERENTIAL MAINSHAFT BEARING INSTALLER - VOLVO / RENAULT





Applications
TRUCK RENAULT – SERIE SC, SERIES D Y SERIES T.
TRUCK VOLVO – FE, FH, FH12, FH16, FL10, FL12, FM9, FM10, FM12.
BUS VOLVO – B5LH, B7L, B7R, B8R, B9R, B10B, B10L, B10M, B11R, B12B, B12M, B12R, B13R,

OEM
9996759

Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

Ref.10829 DIFFERENTIAL FLANGE NUT SOCKETS FOR VOLVO

2 PC SET

1/2" 6



Applications
1/2" Drive
15mm & 18mm
6 Point
Length 105 mm

Ref.10783 DIFFERENTIAL NUT SOCKET FOR MERCEDES – 72MM



Sizes:	**6 Teeth castellated socket** **Teeth:** 11 mm x 6 mm x 12 mm length. **Diameter:** Outer 84 mm - Inner: 72 mm.
Applications:	Mercedes-Benz Citaro y Evo Bus.

Ref.10810 WHEEL HUB BEARING TOOL SET FOR BPW

7 PC SET



Applications	BPW 12T
Bearing Internal OEM:	33213
Bearing External OEM:	33118

Ref.10793 AXLE BEARING REMOVER FOR MAN 107.6MM



Designed to remove stubborn bearings

Sizes
107.6mm

Ref.10794 AXLE BEARING REMOVER FOR MAN 112MM



Designed to remove stubborn bearings.

Sizes
112mm

Applications
MAN 33460, 33410, 33414


Ref.9638 MAGNETIC AXLE OIL DRAIN PAN 2.2L CAPACITY



With strong magnet at the bottom to securely secure the part to the rim during oil collection

Ref.10848 PROPSHAFT BEARING NUT SOCKET FOR DAF

3/4"



Applications:	DAF XLR (EURO4)
Sizes:	**Outer diameter:** 68mm **Inner diameter:** 56mm **Diameter between teeth:** 49mm **Tooth width:** 6mm

Ref.9676 IMPACT BIT AND SOCKET SET

15 PC SET

IMPACT · CM Chrome Molybdenum · 3/4" · 1"



Sizes
• **Torx bits (107mm):** T60, T70, T80, T90, T100. • **Hex bits (107mm):** 17, 19, 22. 24mm. • Torx sockets (107mm): E18, E20, E22, E24. • **Adaptor** 3/4". • **Adaptor** 1". • Hex key 4mm.

Ref.9114 TORQUE MULTIPLIER - 1" 1:64







Ideal for removing wheel nuts on comercial and industrial vehicles when an air or electric impact pistol is not available.

Includes
Extension bar: 210mm 1" Dr. sockets: 30 & 33mm

Ref.9482 HUB SOCKET - BPW

HEX 36 | 3/4"



For 6/9 ton BPW tractor.
For Eco and conventional axles, type H, K and N.

Sizes
Drive 3/4" Rectangle - 65 x 40mm.

Ref.9483 HUB CAP SOCKET- BPW

3/4"



For BPW 6.5 / 9 ton rear axle.

Sizes
Drive 3/4" - 95mm, Oval.

Ref.9550 HUB SOCKET - BPW

HEX 41 | 8



Sizes
Drive 41mm Hex" - 120mm 8 point

Ref.9551 HUB SOCKET - BPW

HEX 41



Applications:	BPW 12 Ton

Sizes
41mm HEX DR. 111mm - Oval

Ref.9552 HUB SOCKET - BPW

HEX 41 | 8



Sizes
41mm HEX DR. 109mm, 8 Point.

Ref.9553 HUB SOCKET - BPW

3/4"



Sizes
80 x 73mm, Rectangle / Oval, 3/4" Drive

Ref.9554 HUB SOCKET - BPW

3/4" | 8



Sizes
110mm, 8 Point, 3/4" Drive

Ref.10807 HUB SOCKET - BPW

6 | 1"



Sizes
1" DR. - 100mm - 6 point

Ref.10805 HUB SOCKET BPW

3/4"



Sizes
3/4" DR. - 64.5mm

Ref.10809 HUB SOCKET - BPW

3/4"



Sizes	3/4" DR. - 85mm

Ref.9489 HUB SOCKET - MAN TGA



For Man TGA front axle, V982L-01 (ABS brake disc).

Sizes
101/110mm, 6 Teeth

Ref.10808 AXLE HUB NUT SOCKET - BPW

1"



Sizes
1" DR. - 120mm - Oval

Ref.10801 WHEEL HUB PULLER FOR BPW – 135MM



For manual use only. Do not use power or air tools.

Sizes
Inner: M135X2.0
Outer:: 150mm
Altura: 120.3mm

Applications
BPW ECO Plus 3 6-9 Tons.

OEM Equivalent
016.34.00045

Ref.10804 AXLE PULLER FOR BPW - 125MM



Ref.10803 AXLE PULLER FOR BPW - 98MM



Sizes
Length Spindle: 255mm
Metric:: M155 x 30mm

Ref.10797 AXLE GROOVE NUT SOCKET – MAN 76.5MM



1"

Sizes
1" Dr. - 76,5mm - 6 Teeth

Applications
MAN 403, 463 Front axle bearing M3-ME-MI

Ref.9501 FRONT HUB PULLKER – MAN M115X1.5



Sizes
External thread diameter: M115 x 1.5
Inner diameter: 100mm
Drive: 30mm Hex

Ref.10791 FRONT WHEEL HUB PULLER, MAN 50.1MM



Sizes
ø Inner mm: 50.1mm
ø Outer mm: 153.7mm
Length: 121mm

Ref.10795 WHEEL HUB PULLER FOR MAN – 166MM



1	200mm	3	87.1mm
2	166mm	4	20mm

Ref.10802 WHEEL HUB PULLER FOR BPW – 136MM



Sizes
Inner thread M136 x 2.5.

Applications
BPW ECO Plus 6-9 Tons, ECO/ECO-MAXX 10-12 Tons, ECO plus 10-12 Tons


OEM equivalent
04.040.40.24.0

For manual use only.
Do not use power or air tools.



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

Ref.10798 HUB SOCKET FOR MAN TGA 88.5/97.5MM





3/4"

Sizes
3/4": **Drive** **Exterior diameter:** 88.5mm **Interior diameter:** 79.5mm **Height:** 97.5mm

Ref.9503 FRONT HUB SOCKET MAN TGA



3/4"

For front axles V9821-01.

Sizes
133/145mm 3/4" DR.

Ref.10799 FRONT HYPOID AXLE GROOVE NUT SOCKET FOR MAN 84MM



3/4"

Sizes
Inner: 66.5mm **Outer:** 84mm

Applications
Man VW2, VW4, VW6.1 - 6.8

Ref.9493 HUB SOCKET MERCEDES BENZ & MAN



3/4"

Sizes
95 - 100mm, 6 teeth

Ref.10221 HUB SOCKET - MERCEDES BENZ



3/4"

Sizes
101.5 - 112mm, 12 teeth

Ref.10782 REAR AXLE GROOVE NUT SOCKET MERCEDES 122.7 / 138.8MM





ø Inner mm: 123.7
ø Outer mm: 138
Length mm: 310

OEM	5870401146

Applications
Mercedes Citaro ZF AV 132 y 133

Ref.9486 HUB SOCKET - MERCEDES BENZ



HEX 36

It is used with a 36mm socket or wrench.

Sizes
95mm, 6 point..

Ref.9487 HUB SOCKET MERCEDES BENZ



For Mercedes Benz Actros HL / HL8 rear axle. Profile with 6 castellations and a rigid location sleeve.

Sizes
105/125 mm

Ref.9488 HUB SOCKET MERCEDES BENZ AND MAN



For Mercedes Benz Atego, Vitaro 814 and Man rear axle. Profile with 6 castellations and a rigid location sleeve.

Sizes
80/95mm

Ref.9481 3RD AXLE HUB SOCKET SCANIA



3/4" 8

Applications: Scania 10 wheel

Sizes
95mm, 8 Point, 3/4" Dr.

Ref.9555 HUB SOCKET - SCANIA 420



3/4"

Sizes
3/4" DR. **Inner:** 103mm **Outerr:** 119mm

Ref.9476 REAR HUB SOCKET – SCANIA

3/4" | 8



Sizes
100mm, 8 point, 3/4" Drive

Ref.9477 FRONT HUB SOCKET SCANIA

HEX 41 | 8



Sizes
80mm, 8 Point, 41mm hex drive

Ref.9484 HUB SOCKET - IVECO

HEX 36 | 6



It can be used with a 36mm socket or spanner

Applications
Iveco Euro Cargo

Sizes
98mm, 6 Point.

Ref.9485 HUB SOCKET - IVECO

HEX 36 | 12



It can be used with a 36mm socket or spanner

Applications
Iveco Eurotech Cursor

Sizes
110mm, 12 Point.

Ref.10028 HUB SOCKET - IVECO

HEX 36 | 12



It can be used with a 36mm socket or spanner

Applications
Iveco Eurotech Cursor HA, etc

Sizes
105mm, 12 Point

Ref.10824 HUB SOCKET FOR SAF 85 MM 6 POINT

6 | HEX 31



Sizes
31mm Dr - 85mm - 6 Point

Ref.9494 HUB SOCKET SAF EURO

HEX 32 | HEX 46



Sizes
140mm, 32/46mm Hex Drive..

Ref.9504 WHEEL SHAFT COVER SOCKET VOLVO

3/4"



For front and rear axles.

Sizes
115mm, 8 Point x 3/4" Dr.

Ref.10863 HUB SOCKET FOR ROR 127MM 8 POINT

8



Sizes	Applications
127mm - 8 Point	ROR

Ref.10864 HUB SOCKET FOR ROR 84MM 8 POINT

8



Sizes	Applications
HUB SOCKET FOR ROR 84MM 8 Point	ROR

Ref.9495 AXLE HUB NUT SOCKET – 3/4" DR. 76X60MM (DAF)

3/4"



Sizes
60 x 76mm - 3/4"

Ref.9496 AXLE HUB NUT SOCKET – 3/4" DR. 71X56MM - DAF, MAN, MERCEDES BENZ

3/4"



Sizes
56 x 71mm - 3/4" DR

HUB SOCKETS

Ref	Make	Diameter	Profile	Drive
9496	DAF	56 x 71mm	Rectangle	3/4"
9495	DAF	60 x 76mm	Rectangle	3/4"
10805	BPW	64.5mm	Oval	3/4"
9482	BPW	65 x 40mm	Rectangle	3/4"
10786	Universal	68mm	12	3/4"
9916	Universal	75mm	6 Point	3/4"
9477	Scania	80mm	8 Point	41mm Hex
9553	BPW	80 x 73mm	Rectangle/oval	3/4"
10865	Universal	80mm	8	1"
10864	Ror	84mm	8 Point	
10809	BPW	85mm	Oval	3/4"
10824	Saf	85mm	6 Point	3/4"
9917	Universal	90mm	6 Point	3/4"
9919	Universal	95mm	6 Point	1"
9486	Mercedes	95mm	6 Point	36mm Hex
9481	Scania	95mm	8 Point	3/4"
9483	BPW	95mm	Oval	3/4"
10784	Universal	95mm	12	
9484	Iveco	98mm	6 Point	36mm Hex
9476	Scania	100mm	8 Point	3/4"
10807	BPW	100mm	6 Point	1"
9918	Universal	105mm	6 Point	1"
10028	Iveco	105mm	12 Point	36mm Hex
9552	BPW	109mm	8 Point	41mm Hex
9554	BPW	110mm	8 Point	3/4"
9485	Iveco	110mm	12 Point	36mm Hex
9551	BPW	111mm	Oval	41mm Hex
9921	Universal	115mm	6 Point	1"
9504	Volvo	115mm	8 Point	3/4"
10772	Universal	115mm	12	
9550	BPW	120mm	8 Point	41mm Hex
10802	BPW	136mm	Oval	M136 x 2.0
10808	BPW	120mm	Oval	1"
10863	Ror	127mm	8 Point	
9494	SAF	140mm	6 Point	32/46mm Hex

HUB SOCKETS - 1" DR. - 6 POINTS



Ref	Profile	Diameter	Teeth	Drive
10858	Standard	70mm	6	1"
10859	Standard	75mm	6	1"
10860	Standard	80mm	6	1"
10850	Standard	85mm	6	1"
10851	Standard	90mm	6	1"
9919	Standard	95mm	6	1"
10807	Standard	100mm	6	1"
9918	Standard	105mm	6	1"
9921	Standard	115mm	6	1"
10849	Standard	120mm	6	1"

CASTELLATED HUB SOCKETS

Ref	Make	Inner	Outer	Teeth	Drive
10799	Man	66.5mm	84mm	6	3/4"
10797	Man	76mm	76.5mm	6	1"
9488	Mercedes, Man	80mm	95mm	6	3/4"
10798	Man Tga	88.5mm	97.5mm	6	3/4"
9493	Mercedes, Man	95mm	100mm	6	3/4"
9489	Man	101mm	110mm	6	3/4"
10221	Mercedes	101,5mm	112mm	12	3/4"
9555	Scania	103mm	119mm	8	3/4"
9487	Mercedes	105mm	125mm	6	3/4"
10782	Mercedes	122.7mm	138mm	6	
9503	Man	133mm	145mm	6	3/4" / 60mm Hex

LOCATING SLEEVES



	Ref.	Sizes
1	9490	46/52 mm
2	9491	54/60 mm
3	9492	60/67 mm

It allows a stable position to work, preventing the socket from slipping.

HUB SOCKETS - 1" DR. - 12 POINTS



Ref	Make	Diameter	Profile	Drive
10778	Standard	80mm	12	1"
10779	Standard	85mm	12	1"
10780	Standard	90mm	12	1"
10781	Standard	95mm	12	1"
10773	Standard	100mm	12	1"
10774	Standard	105mm	12	1"
10775	Standard	110mm	12	1"
10776	Standard	115mm	12	1"
10777	Standard	120mm	12	1"

HUB SOCKETS - 3/4" DR. - 6 POINTS



6 | 3/4"

Ref	Profile	Diameter	Points	Drive
10857	Standard	70mm	6	3/4"
9916	Standard	75mm	6	3/4"
10806	Standard	85mm	6	3/4"
9917	Standard	90mm	6	3/4"

Ref.10786 MAIN AXLE DIFFERENTIAL SOCKET 68MM 12 POINT

12 | 3/4"



Sizes

Dr. 3/4" - 68mm - 12 Point

Ref.10865 HUB SOCKET FOR ROR - 1" DR. 83MM 8 POINT



1" | 8

Sizes

1" Dr - 83mm - 8 Point

Ref.10785 REAR AXLE HUB GROOVE NUT SOCKET – MERCEDES 91.5 / 99.5MM



3/4"

Sizes


3/4" Dr.
Inner diameter: 91.5mm
Outer diameter : 99.5mm
Tooth width: 10,5mm

OEM equivalent

749 589 02 07 00 for use on 976.356.00.26 hub nut.

Ref.10784 HUB NUT SOCKET - 95MM 12 POINT





12 | HEX 36

Sizes

127mm - 8 Point

Ref.10772 HUB SOCKET FOR BPW 115MM 12 POINT





12 | HEX 36

Sizes

Dr. 36mm 6 Point / 115mm - 12 Point



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

Ref.11780 PROFESSIONAL TORQUE WRENCH - 3/4"DR. 100-500NM



3/4"

Professional range of micrometer style torque wrenches with ±4% accuracy.
Dual scale in Nm and Ft. Lbs.
Made from chrome vanadium steel with smooth action flip reverse ratchet mechanism.
Calibrated and supplied with certificate to BS EN ISO 6789 standard.
Supplied in plastic case.

Sizes

Torque: 100 - 500Nm
Length: 965mm

Ref.11781 PROFESSIONAL TORQUE WRENCH - 3/4"DR. 200 - 1000NM



3/4"

Professional range of micrometer style torque wrenches with ±4% accuracy.
Dual scale in Nm and Ft. Lbs.
Made from chrome vanadium steel with smooth action flip reverse ratchet mechanism.
Calibrated and supplied with certificate to BS EN ISO 6789 standard.
Supplied in plastic case.

Sizes

Torque: 200 - 1000Nm
Length: 1165mm

INDIVIDUAL STANDARD IMPACT SOCKET

1/2"

REF.	Sizes
11127	10mm
11128	11mm
11129	12mm
11130	13mm
11131	14mm
11132	15mm
11133	16mm
11134	17mm
11135	18mm
11136	19mm
11137	20mm
11138	21mm
11139	22mm
11140	23mm
11141	24mm
11142	25mm
11143	26mm
11144	27mm
11145	29mm
11146	30mm
11147	32mm
11169	34mm
11170	35mm
11171	36mm
11172	38mm
11173	40mm
11174	41mm

INDIVIDUAL STANDARD IMPACT SOCKET

3/4"

REF.	Sizes
11176	17mm
11177	19mm
11178	21mm
11179	22mm
11180	23mm
11181	24mm
11182	25mm
11183	26mm
11184	27mm
11185	28mm
11186	29mm
11187	30mm
11188	32mm
11189	33mm
11190	34mm
11191	35mm
11192	36mm
11193	38mm
11194	41mm
11195	44mm
11196	45mm
11197	46mm
11198	48mm
11199	50mm
11200	52mm
11201	55mm
11202	60mm
11203	65mm
11204	70mm

INDIVIDUAL STANDARD IMPACT SOCKET

1"

REF.	Sizes
11232	17mm
11233	19mm
11234	21mm
11235	22mm
11236	23mm
11237	24mm
11238	25mm
11239	26mm
11240	27mm
11241	28mm
11242	29mm
11243	30mm
11244	32mm
11245	33mm
11246	34mm
11247	35mm
11248	36mm
11249	38mm
11250	41mm
11251	46mm
11252	50mm
11253	52mm
11254	55mm
11255	60mm
11256	65mm
11257	70mm
11258	75mm
11259	80mm
11260	85mm
11261	90mm
11262	92mm
11263	95mm
11264	100mm
11265	105mm
11266	110mm
11267	115mm
11268	120mm

INDIVIDUAL DEEP IMPACT SOCKET

3/4"

REF.	Sizes
11205	17mm
11206	19mm
11207	21mm
11208	22mm
11209	23mm
11210	24mm
11211	25mm
11212	26mm
11213	27mm
11214	28mm
11215	29mm
11216	30mm
11217	32mm
11218	33mm
11219	34mm
11220	35mm
11221	36mm
11222	38mm
11223	41mm
11224	46mm
11225	50mm
11226	55mm
11227	60mm
11228	65mm
11229	70mm

INDIVIDUAL DEEP IMPACT SOCKET

1/2"

REF.	Sizes
11148	10mm
11149	11mm
11150	12mm
11151	13mm
11152	14mm
11153	15mm
11154	16mm
11155	17mm
11156	18mm
11157	19mm
11158	20mm
11159	21mm
11160	22mm
11161	23mm
11162	24mm
11163	25mm
11164	26mm
11165	27mm
11166	29mm
11167	30mm
11168	32mm
11175	36mm

INDIVIDUAL DEEP IMPACT SOCKET

1"

REF.	Sizes
11269	17mm
11270	19mm
11271	21mm
11272	22mm
11273	23mm
11274	24mm
11275	25mm
11276	26mm
11277	27mm
11278	28mm
11279	29mm
11280	30mm
11281	32mm
11282	33mm
11283	34mm
11284	35mm
11285	36mm
11286	38mm
11287	41mm
11288	46mm
11289	50mm
11290	52mm
11291	55mm
11292	60mm
11293	65mm
11294	70mm
11295	75mm
11296	80mm
11297	85mm
11298	90mm
11299	92mm
11300	95mm
11301	100mm
11302	105mm
11303	110mm
11304	115mm
11305	120mm

INDIVIDUAL STANDARD IMPACT SOCKET

1/2"

REF.	Sizes
11230	50mm
11231	65mm

Ref.11308 STANDARD IMPACT SOCKET SET 1/2" 6 POINT



16 PC SET | CM | 1/2" | 6

Sizes
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

Ref.11309 DEEP IMPACT SOCKET SET 1/2" 6 POINT



16 PC SET | CM | 1/2" | 6

Sizes
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

Ref.11306 STANDARD IMPACT SOCKET SET 1/2" 6 POINT



10 PC SET | CM | 1/2" | 6

Sizes
10, 12, 13, 14, 15, 17, 19, 21, 22, 24mm

Ref.11307 DEEP IMPACT SOCKET SET 1/2" 6 POINT



10 PC SET | CM | 1/2" | 6

Sizes
10, 12, 13, 14, 15, 17, 19, 21, 22, 24mm

Ref.11310 STANDARD IMPACT SOCKET SET 3/4" 6 POINT



8 PC SET | CM | 3/4" | 6

Sizes
26mm - 27mm - 29mm - 30mm 32mm - 35mm - 36mm - 38mm

Ref.11311 DEEP IMPACT SOCKET SET 3/4" 6 POINT



8 PC SET | CM | 3/4" | 6

Sizes
22mm - 24mm - 27mm - 28mm - 30mm - 32mm - 36mm - 38mm

Ref.11312 STANDARD IMPACT SOCKET SET 3/4"DR

17 PC SET | CM | 3/4" | 6



Sizes
19mm - 21mm - 22mm - 24mm - 26mm - 27mm - 29mm - 30mm - 32mm - 33mm 34mm - 35mm - 36mm - 38mm - 40mm - 41mm - 46mm

Ref.11313 STANDARD IMPACT SOCKET SET 1" 6 POINT



8 PC SET | CM | 1" | 6

Sizes
24mm, 27mm, 30mm, 32mm, 33mm, 36mm, 38mm, 41mm

Ref.11314 DEEP IMPACT SOCKET SET 1" 6 POINT



8 PC SET | CM | 1" | 6

Sizes
27mm - 30mm - 32mm - 36mm 38mm - 41mm - 46mm - 50mm




10

BODYSHOP

Catalogue 2025

www.thetoolhub.co.uk

Ref.0001 HYDRAULIC BODY REPAIR KIT - 4 TON



This body repair kit comes with a 4 Ton hydraulic pump, hydraulic ram and includes snap connector pipe work and cast snap connector attachments for quick & easy assembly. Ideal for use in the garage or workshop for straightening bodywork and chassis.

Details

Capacity: 4 Ton.
Piston Travel: 120mm.
Min Length Clinder: 267mm
Working pressure: 56 Mpa
Oil Level: 350ml

Ref.0010 HYDRAULIC BODY REPAIR KIT - 10 TON




This body repair kit comes with a 10 Ton hydraulic pump, hydraulic ram and includes snap connector pipe work and cast snap connector attachments for quick & easy assembly. Ideal for use in the garage or workshop for straightening bodywork and chassis.

Details

Capacity: 10 Ton.
Piston Travel: 135mm.
Min Length Clinder:: 390mm
Working pressure: 62 Mpa
Oil Level: 500ml


PVP. **299,95€**

PULLING CLAMPS



	Ref.	Capacity
1	6015	5 Ton
2	6020	2 & 3 Ton
3	6017	2 & 5 Ton

Ref.0016 HYDRAULIC PULL RAM 5 TON



Size

Maximum Length: 670mm
Minimum Length: 540mm

Ref.11106 SLIDE HAMMER DENT PULLER KIT





Ref.11107 DENT PULLER KIT

Kit 33 PC SET



Manual dent puller, designed to remove small dents without causing damage to the paintwork. Angular adjustable feet enable multiple positions.
Supplied with 28 assorted glue pads.
Use with glue gun

Ref.9462 SUCTION DENT PULLER WITH SLIDE HAMMER - PNEUMATIC ACTION



Pneumatic pump system using standard workshop air supply in order to create vacuum.
Supplied with 3 sizes of suction pad and a hook.

Details

Suction pads: 75, 100 y 125mm
Length: 590mm.
Air supply: 1/4"
Air press: 5-12 Bares

Ref.9574 SUCTION DENT PULLER WITH SLIDE HAMMER - MANUAL ACTION

Manual pump system in order to create vacuum .
Supllied with 3 sizes of suction pad and a hook



Details

Suction pads: 75, 100 y 125mm
Length: 730mm

Ref.9086 SLIDE HAMMER REPAIR KIT



Multi purpose body work repair set with a 3.5kg slide hammer and accesories to enable dents and damaged body panels and metal parts to be pulled out.

Hammer Weight: 3,5Kg

Ref.1167 DENT DETECTION LINE PANEL



The linear board offers a visual projection of the concave and convex dents, through the deviation of their lines.

Ref.9436 DENT REMOVAL TOOL SET



Basic set to enable removal of small dents without the need to repaint damaged area. Uses glue to stick the pads to the the damaged area and a bridge support to pull the dent out.

Includes

- Hot glue gun
- 2 glue sticks.
- Plastic spatula to remove glue.
- Soft rod to tap the panel.

Ref.9405 SUCTION DENT PULLER



Suction puller which can be used to pull dents and also to hold glass panes, tiles etc...

Specifications

Diameter: 115mm
Capacity: 40Kg

Ref.9205 BODY HAMMER & DOLLY SET

7 PC SET



Ref.9752 ALUMINIUM HAMMER & TAP DOWN TOOL KIT





The aluminum hammer is used for bodywork dents.
The interchangeable heads can be replaced extremely quickly, depending on the type of work to be done.

- 4 Teflon heads
- 1 Aluminium head
- A tap down tool for more detailed work.
- Heads can be stored inside the hammer body.

Sizes

Hammer length 300mm
Tap down tool Length 100mm

Ref.10022 SPOT WELD DRILL BIT SET



4 PC SET

Designed to eliminate spot welds. The drill bits are manufactured from high quality HSS that contains cobalt for increased heat resistance, making it perfect for use on harder metals such as stainless steel

Drill Bit Diameter

6,5mm x 45 mm
8mm x 45mm
8mm x 79mm
10mm x 45mm

Ref.9948 PARKING SENSOR INSTALLATION SET



11 PC SET

Designed to drill holes in bumpers to facilitate the installation of parking sensors.

Size

Punch & mandrel: 18.2mm - BMW, Volkswagen
Punch & mandrel: 24.0mm - Opel
Punch & mandrel: 26.0mm - Volkswagen
Punch & mandrel: 32.0mm -BMW

Ref.10023 TRIM REMOVAL SET

27 PC SET



Comprehensive set of composite tools suitable for a wide variety of trim and trim clip removal tasks:
- Remove clips and staples on engine upholstery covers.
- Extract buttons and small components from interiors.
- Remove stickers.
- Remove wheel counterweights.
- Remove radios.
- Remove door panels.
- Pass cables, etc,.

Ref.2713 INFLATABLE BAG SET


5 PC SET



Capacity	Sizes
100 Kilos	40x180, 60x190, 160x160, 115x325mm

Ref.9640 TRIM REMOVAL SET WITH HAMMER

12 PC SET



12 tools for easy and comfortable disassembly, Includes mini hammer with metal and composite face.

Applications
• Control panel elements • Door panels • Moldings • Decorative caps, etc..

Suitable for all makes and models of cars.

Ref.7234 SUCTION CLAMP SET

6 PC SET



Ref.9679 INTERCHANGEABLE DEAD BLOW MINI HAMMER SET



- Wedge-shaped handle for removing trim, paneling, etc ..
- Hollow head with steel shot, which serves to dissipate the vibration that is generated when striking, preventing the hammer from rebounding.

6 Interchangeable heads
1 round copper. 1 flat copper. 1 flat plastic. 1 round rubber. 1 round aluminum. 1 round steel.


Ref.9152 TRIM CLIP REMOVAL TOOL



Size
Length 250mm

Ref.9749 PANEL GAP FEELER GAUGES

2 PC SET





- Can be adjusted in three dimensions to allow full rotation and fit all possible positions.
- The thickness of each blade is 1mm.
- Range: 1mm - 10mm.
- Made of plastic to avoid damage to panel surfaces.

Ref.9894 ADJUSTABLE ANGLE TRIM CLIP REMOVAL TOOL





This tool allows quick and easy removal of retainer rivets, car covers, engine compartment, automobile splash guards, radiator, and interior linings.

- The head adjusts to 4 different positions.
- Avoids damaging the interior cladding panels

Ref.6511 DASHBOARD TOOL SET - BMW/MERCEDES

7 PC SET



Kit to quickly and safely disassemble the dashboard of BMW and Mercedes Benz cars.

Ref.9696 TRIM CLIP REMOVAL PLIERS







For trim clips with a shank between 5 and 12mm.
Ideal for removing rubber plugs and stops on door panels and other upholsterand


Sizes
Length: 240mm **Jaws:** 35 X 50mm.

Ref.9404 CAULKING GUN



For 380mm (600ml) silicone cartridges

Ref.9001 EMERGENCY CAR OPENING SET



Ref.9908 RADIO REMOVAL TOOL SET

18 PC SET



Kit of special tools for the quick and safe extraction of radios .


Ref.6963 RADIO REMOVAL TOOL SET

46 PC SET



Tools designed to effectively remove console and dashboard Radio/ CD/MP3 and DVD players, car audio systems and Sat Nav and DVD systems.

Ref.10953 ADAS RADAR ANGLE SETTING TOOL FOR VOLVO




- Designed to position the front radar sensor during calibration
- Made of aluminium

Applications
S60/V60 (2010-2018), S80/V70 (2007-2016), XC60 (2008-2017)

OEM
9997407

Ref.10954 ADAS PARK ASSIST CAMERA POSITIONING TOOL FOR VOLVO



- Designed to position the front parking assistance camera during calibration.
- Made of aluminium

Applications
XC90, XC60, XC40, S90, S60, V90, V60.

OEM
999 7529

Ref.9180 HOT PLASTIC STAPLER KIT

This stapler can be used to repair all types of plastic parts and is quick and easy to use. It can be used on any plastic, without the need to identify its type, such as bumpers, headlights, grills, etc.








Includes

- 100 staples V06
- 100 staples U06
- 100 staples L06

SPARE STAPLES FOR REF. 9180



	Ref.	Type
1	9180-L06	Staples 0.6mm "U" type angled,100 pcs
	9180-L08	Staples 0.8mm "U" type angled,100 pcs
2	9180-U06	Staples 0.6mm "U" ,100 pcs
	9180-U08	Staples 0.8mm "U" ,100 pcs
3	9180-V06	Staples 0.6mm "V" ,100 pcs
	9180-V08	Staples 0.8mm "V" ,100 pcs
4	9180-S06	Staples 0.6mm "S" ,100 pcs
	9180-S08	Staples 0.8mm "S" ,100 pcs
5	9180-M08	Staples 0.8mm "M" ,100 pcs

Ref.9615 PLASTIC WELDING SET

Includes:
1 Welding iron / 1 Support / 6 PP Plastic Rods / 6 PE Plastic Rods / 6 PC Plastic Rods / 6 ABS Plastic Rods / 5pcs Steel Mesh



Ideal for repairing TPO, TEO and PP materials, which are often used in car bumpers

Consumables for Ref.9615	
Ref.	Type
9615-S	SPARE TIP
9616	PP Plastic rods PP - (20 Cm) - 6 Pcs
9617	PE Plastic rods - (20 Cm) - 6 Pcs
9618	PC Plastic rods - (20 Cm) - 6 Pcs
9619	ABS Plastic rods - (20 Cm) - 6 Pcs
9620	Steel mesh (150 x 115mm) - 5 Pcs


Ref.11730 HOT PLASTIC STAPLER - 240V



Welder for repairing damaged plastics.
Allows you to insert various types of metal staples to easily create solid and resistant structures from broken, cracked, or torn PC SET plastic.
Ideal for automotive applications such as bodywork, bumpers, fenders, dashboards, consoles, headlight brackets, etc.

Staples Type:			
Type "S"	Type "U"	Type "V"	Type "V"
			

Ref.9125 AIRBAG REMOVAL TOOL SET



Ref.9697 WINDSHIELD TRIM CLIP AND DOOR HANDLE PLIERS



Ref.9893 DOOR LOCK DISMANTLING TOOL VAG

For the removal and installation of the lock cylinder housing on doors of VAG group models.







Applications

Passat B6(3c) 2005<, Tiguan 2008<, Golf V1 2008< & Fox 2005<.

OEM: VW T10389

Ref.9706 10 IN 1 TRIM & CLIP REMOVAL TOOL



Functions

- Remove and install panel and door clips.
- Remove window and door trim.
- Clean panel joints.
- Remove optic springs.
- Remove supports from door handles

Ref.10059 DOOR HANDLE REMOVAL TOOL VAG



· For removing the exterior door handle..

Sizes

- **Profile:** 12.75 x 3.50 x 14.5mm
- **Length of shaft:** 92mm

OEM: T10539.

Ref.4270 TWIN SUCTION CUP WINDSCREEN HOLDER SET



Suction cups: 100mm diameter
Capacity: 60 Kg

Ref.4318 DOOR GLASS SUCTION CUP HOLDER SET



2 suction cups joined with flexible wire cables to hold door glass up whilst working inside door.

Sizes
Diameter 61mm **Lenght cable** 280mm

Ref.9689 TWIN HEAD SUCTION CUP



For easy transport, mounting and removal of windshield and rear windows.
It has a load Capacity of up to 40 kgs horizontally.

Length 395mm
Suction cups Ø 117mm

Ref.6032 WINDSCREEN REMOVAL SET



Set that contains all the tools necessary for the removal of windscreens, safely and effectively.

Ref.6033 WINDSCREEN INSTALLATION SET



Contains all the tools necessary to install rubberized screens on cars and commercial vehicles.

Ref.9069 WINDSCREEN WIPER ARM PULLER



Tool that allows the wiper arm to be removed safely and effectively, avoiding damage.

Ref.10021 WIPER ARM & BATTERY TERMINAL PULLER



Allows the removal of windshield wiper arms and battery terminals.

Size
Opening: 6 - 40mm.

Ref.9657 WIPER ARM PULLER



Specially designed to easily and quickly remove the wiper arm from the shaft, without damaging either the arm or the bodywork, thanks to its thin leg design.

Ref.9663 WINDSCREEN NOZZLE ADJUSTMENT TOOL - OPEL



4-slot profile and angled arm for easy access without damaging nearby components

Ref.10063 WINDSCREEN NOZZLE ADJUSTMENT TOOL - MERCEDES



Applications
Mercedes: W204, W207, W212, W218.

OEM: 001589021600

Ref.9655 ADJUSTABLE WINDSCREEN WIPER ARM PULLER SET



- Extractor with 2 sets of adjustable arms for more applications.
- Suitable for passenger cars, vans and industrial vehicles.
- Bearing tip for more versatility.

Size
Capacity: Up to 60mm **Height:** 55mm.

Ref.11009 STRAIGHT & CURVED TRIM REMOVAL TOOL

Designed to replace those plastic tools that always bend or break. High-quality, super-tough metal, with one flat and one angled tip so no trim, staple, or trim can resist.



Size
Length 215mm
Width 25mm

Ref.11040 2 IN 1 HEADLIGHT RESTORATION KIT

Designed to restore headlights and also to fix those small specks that often remain from varnish or excess paint after painting.

15 PC SET





Includes
• Professional diamond polishing sponge 75mm
• Wool beret 75mm
• M10 drill adapter
• Masking 55cm x 10m
• Sandpaper P800 75mm (2 pcs)
• Sandpaper P1200 75mm (2 pcs)
• Sandpaper P2000 75mm (2 pcs)
• Sandpaper P3000 75mm
• Sandpaper P7000 75mm
• UV protective liquid 6ml
• Polishing paste 28.3ml.

Ref.11078 PICK & SCRAPER HOOK SET

Designed with different angled tips to fit into any type of housing. Extra-slim finish with ergonomic handles.



Size
Length: 235mm

Ref.11372 HEADLIGHT RESTORATION, ATOMIZING POLYMER SET.





Ideal kit for restoring headlights and easy to use.

Includes
• 3 800-grit sandpapers
• 3 1200-grit sandpapers
• Masking tape
• Funnel
• Spray bottle
• 800ml polymer

Ref.11017 PANEL HOLDING STAND



HEAVY DUTY
Steel Tube

THICK FOAM PADDING
Protects painted parts and glass

- Designed to hold parts such as bumpers, bonnets, doors, mudguards & windows.
- Thick foam padding, for protecting painted parts sets or preventing damage to glass.
- Portable & easy to adjust

Ref.11373 POLYMER LIQUID 800ML



Ref.11391 HOOD & REAR TRUNK SPRING HOLDER



Designed to keep the hood strut secure to prevent damage or injury due to strut failure.

Ref.9926 HEADLAMP ADJUSTMENT TOOL - MERCEDES





- To adjust the headlights or the clearance of the bumpers and bonnet after body repairs or headlamp replacement on Mercedes C -Class (W205) from 2014.
- The tool is especially suitable for areas with very restricted access

Sizes	
Ø Internal	14mm
Length	195mm
Drive	3/8"

Ref.10873 AIR FOAM CLEANING GUN



The spray gun is used for a wide variety of cleaning applications, such as cleaning fabric, plastic, leather, metal, etc... It uses compressed air from a compressor to operate. Its use is simple & very effective.



Ref.10971 SPARE PART UPPER RUBBER NOZZEL FOR 10873.



Ref.10872 AIR FOAMER GUN



The pneumatic foamer gun uses the air compressor to create a thick, durable foam that adheres to surfaces, increasing clean capacity and action time.







PLASTIC JUGS

9642

9641

9643



- Made from polyethylene plastic.
- Graduated scale on side.
- Suitable for all types of workshop liquids: Antifreeze, Oil, Diesel, Petrol etc.

Ref.	Details
9641	Capacity 2 Litres.
9642	Capacity 5 Litres.
9643	Flexible Jug Spout.

Ref.F0850 PRESSURE SPRAYER - 1 LITRE





- Ensures a uniform and constant spray, which can be regulated by turning the nozzle.
- Viton seals make it suitable for use with liquids such as brake cleaners etc.
- Made in Europe.

Sizes
Capacity: 1 lt .
Working pressure: 3 bar
Nozzle: Ø 0,8 mm

Spare Viton seal Ref. Toolhub F0850-J

Ref.10898 6" (150MM) FOAM CLAY PAD



Clay foam pad can be attached to an orbital polisher to provide quick and efficient removal of surface contaminants.
Perfect for removing overspray, iron particles, tree sap, bugs, brake dust, pollen and even light paint oxidisation.

Ref.11079 AUTOMOTIVE DRILL BRUSH AND DETAIL BRUSH SET

7 PC SET



Includes	
3 Nylon Brushes	**Diameter:** 120 - 85 - 45mm
4 Cleaning Brushes	**Diameter:** 10 - 14 - 16 - 18mm

Ref.11083 CLAY TOWEL

Dual-purpose towel. On one side it is used for conventional drying and on the other side it contains decontaminating clay to remove pollution and contaminants and leave the surface ready for polishing.





Sizes
30cm x 31cm


POWER TOOLS
TOOLS

POWER

Ref.11060

PROFESSIONAL IMPACT WRENCH

1" Dr | 2200 Nm | 8000mAh Li-ion | BRUSHLESS MOTOR





Battery	Li-ion 21V 8000 mAh.
Free speed	0 - 1800 RPM.
Impact Frequency	0 - 2200 IPM.
Maximum torque	2200 Nm.
Dr.	1" Dr.

Ref.11059

PROFESSIONAL IMPACT WRENCH

3/4"Dr. | 2000 Nm | 6000mAh Li-ion | BRUSHLESS MOTOR





Battery	Li-ion 21V 6000 mAh.
Free speed	0 - 2400 RPM.
Impact Frequency	0 - 2200 IPM.
Maximum torque	2000 Nm.
Dr.	3/4 Dr."

Ref.11058

PROFESSIONAL IMPACT WRENCH

1/2" Dr. | 1300 Nm | 4000mAh Li-ion | BRUSHLESS MOTOR





Battery	Li-ion 21V 4000 mAh.
Free speed	0 - 2800 RPM.
Impact Frequency	0 - 3000 IPM.
Maximum torque	1300 Nm.
Dr.	1/2" Dr.

TOOL

Ref.11775

PROFESSIONAL IMPACT WRENCH

1/2" Dr. | 850 Nm | 4000mAh Li-ion | BRUSHLESS MOTOR





Battery	Li-ion 20V 4000 mAh.
Free speed	0 - 1800 RPM.
Impact Frequency	0 - 2200 IPM.
Maximum torque	850 Nm.
Dr.	1/2" Dr.

Ref.11774

PROFESSIONAL IMPACT WRENCH

1/2" Dr. | 400 Nm | 2000mAh Li-ion | BRUSHLESS MOTOR





Battery	Li-ion 20V 2000 mAh.
Free speed	0 - 1800 RPM.
Impact Frequency	0 - 2200 IPM.
Maximum torque	400 Nm.
Dr.	1/2" Dr.

Interchangeable Batteries Ref. 11061 - 11062 - 11063 - 11119

Ref.11063 BATTERY - LITHIUM ION

Li-ion | 8000 mAh | 21V LITHIUM-ION



Ref.11062 BATTERY - LITHIUM ION

Li-ion | 6000 mAh | 21V LITHIUM-ION



Ref.11061 BATTERY - LITHIUM ION

Li-ion | 4000 mAh | 21V LITHIUM-ION



Ref.11119 BATTERY - LITHIUM ION

Li-ion | 2000 mAh | 21V LITHIUM-ION



- Hight voltage protection
- Overload protection
- High and low Temperature Resistance

Compatible with Reference Toolhub

11058, 11059, 11060, 11774, 11775 y 11113

Ref.11113 CORDLESS GREASE GUN 21V







Li-ion 2000 mAh

The 21v electric grease gun, with a cartridge capacity of up to 400ml, is the perfect tool to make greasing easier

Battery	2000 mAh
Hose Lengh	700 mm
Cartridge Size	400mm
Pressure	9500 psi/655bar

**Plastic Storage Case included*
** All batteries are compatible with this grease gun. (11061, 11062, 11063, 11119).*

BATTERY CHARGERS

Chargers Compatible with Ref. **11061 - 11062 - 11063 - 11119**



1



2

	Ref.	Type
01	**11064**	4.0AH Battery Charger
02	**11126**	2.3AH Battery Charger

Ref.9878 ELECTRIC DIAMOND TIPPED ENGRAVER - 3V



- Ideal for engraving on iron, steel, wood, glass, plastics.
- Includes 2 tips.
- Works with 2 x AAA batteries.



Battery-powered impact wrenches have transformed work with large bushings and screws. They offer comparable power to pneumatic ones, thanks to brushless motors and high-performance lithium-ion batteries.
Applications: Automotive, Construction, and Industry.
A valuable investment for professionals seeking efficiency and power in demanding jobs.

Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

Ref.9625 AIR BLOW GUN



- Knob to control the air flow.
- Ergonomic handle
- Interchangeable long and short nozzle
- The nozzles can also be connected to the top of the pistol to access hard to reach areas.

Ref.10985 RETRACTABLE AIR HOSE REEL - 3/8" - 13M

3/8"



- **Maximum pressure** 150psi.
- **Hose length** 13m
- **Material** PP Plastic.
- **Hose diameter** 3/8" inlet and outlet

Ref.10888 PROFESSIONAL AIR IMPACT WRENCH - 1" DR. 3390NM SHORT ANVIL

1" PROFESSIONAL



- **Dr:** 1"
- **Torque Max:** 3390Nm (2550 Ft/Lbs)
- **RPM:** 5000
- **Minimum air pressure:** 6bar (90 psi)
- **Air consumption:** 490L/min
- **Air hose min:** 13mm (1/2")
- **Air Intake:** 3/8"
- **Weight:** 6.5kg
- **Noise:** 98db
- **Length:** 339mm

Ref.10889 PROFESSIONAL AIR IMPACT WRENCH - 1" DR.3390NM LONG ANVIL

1" PROFESSIONAL



- **Dr:** 1"
- **Torque Max:** 3390Nm (2550 Ft/Lbs)
- **RPM:** 5000
- **Minimum air pressure:** 6bar (90 psi)
- **Air consumption:** 490L/min
- **Air hose min:** 13mm (1/2")
- **Air Intake:** 3/8"
- **Weight:** 7.4kg
- **Noise:** 98db
- **Length:** 491mm

Ref.9807 IMPACT PISTOL - TWIN HAMMER 1" DR. 2440 NM

PROFESSIONAL 1"



Drive	1"
Maximum torque	2440 Nm
Weigh	5.5 Kg.
Length	240 mm
Air consumption	320 Lts / min
Hammer	Twin hammer
Free speed	1673 RPM

Ref.9805 IMPACT PISTOL - TWIN HAMMER 1" DR. 2033 NM

PROFESSIONAL 1"



Drive	1"
Maximum torque	2033 Nm
Weigh	5.1 Kg.
Length	222 mm
Air consumption	320 Lts / min
Hammer	Twin hammer
Free speed	1673 RPM

Ref.9802 COMPACT IMPACT PISTOL - TWIN HAMMER 3/4" DR. 1491 NM

PROFESSIONAL 3/4"



Drive	3/4"
Maximum torque	1491 Nm
Weigh	2.6 Kg.
Length	177 mm
Air consumption	230 Lts / min
Hammer	Twin hammer
Free speed	7200 RPM

Ref.9803 IMPACT PISTOL - TWIN HAMMER 3/4" DR. 1898 NM

PROFESSIONAL 1"



Drive	3/4"
Maximum torque	1898 Nm
Weigh	5 Kg.
Length	215 mm
Air consumption	230 Lts / min
Hammer	Twin hammer
Free speed	4500 RPM

Ref.10887 AIR IMPACT WRENCH 3/4" DR. 1491NM

3/4" PROFESSIONAL



Drive	3/4"
Maximum torque	1490 Nm (1000 Ft/Lbs)
RPM	9000
Min. Air Pressure	6 Bar (90 psi)
Air consumption	200 Lts / Min
Min. air hose	10mm (3/8")
Air Inlet:	1/4"
Weight	1.89 Kg
Length	146 mm
Noise	94dBA
Vibration:	2.8 m/s²

Ref.10885 ULTRA COMPACT ANGLE AIR IMPACT WRENCH 1/2" DR. 612NM



Drive	1/2"
Maximum torque	612 Nm (450 Ft/Lbs)
RPM	8000
Min. Air Pressure	6 Bar (90 psi)
Air consumption	280 Lts / min
Min. air hose	10mm (3/8")
Air Inlet:	1/4"
Weight	1,30 kg
Length	90mm
Noise	80 dba
Vibration:	2.5 m/s²

Ref.10886 LIGHTWEIGHT COMPACT AIR IMPACT WRENCH 1/2" DR.949 NM



Drive	1/2"
Maximum torque	949 Nm (700 Ft/Lbs)
RPM	10000
Min. Air Pressure	6 Bar (90 psi)
Air consumption	210 Lts / Min
Min. air hose	10mm (3/8")
Air Inlet:	1/4"
Weight	1.37 Kg
Length	104 mm
Noise	85dBA
Vibration:	2.8 m/s²

Ref.9800 MINI IMPACT PISTOL - JUMBO HAMMER 1/2" DR. 678 NM



Drive	1/2"
Maximum torque	678 Nm
Weight	1.3 Kg.
Length	99 mm
Air consumption	200 Lts / min
Hammer	Jumbo hammer
Free speed	10000 RPM

Ref.9801 COMPACT IMPACT PISTOL - TWIN HAMMER 1/2" DR. 1356 NM



Drive	1/2"
Maximum torque	1356 Nm
Weight	1.8 Kg.
Length	141 mm
Air consumption	200 Lts / min
Hammer	Twin hammer
Free speed	9000 RPM

Ref.10884 MINI AIR PALM IMPACT WRENCH 1/2" DR. 542NM



Drive	1/2"
Maximum torque	542 Nm (400 Ft/Lbs)
RPM	8500
Min. Air Pressure	6 Bar (90psi)
Air consumption	200 Lts / min
Min. air hose	10mm (3/8")
Air Inlet:	1/4"
Weight	1.15Kg
Length	92mm
Noise	90db

Ref.10882 MINI LOW VIBRATION RECIPROCATING AIR SAW



RPM	900
Min. Air Pressure	6 Bar (90 psi)
Air consumption	280 Lts / Min
Min. air hose	10mm (3/8")
Air Inlet:	1/4"
Weight	0.430 Kg
Length	185 mm
Noise:	81dBA
Vibration	3.7 m/s² a 5.9 m/s²

AIR SAW BLADE 24 TPI (MATERIAL HSS) - 5 PZS
Ref 10895. Toolhub

Ref.10883 PROFESSIONAL AIR PENCIL DIE GRINDER



RPM	7000
Min. Air Pressure	6 Bar (90 psi)
Air consumption	160 Lts / Min
Min. air hose	10mm (3/8")
Air Inlet:	1/4"
Weight	0.2 Kg
Length	129 mm
Noise:	81dBA
Vibration	2.0 m/s²


GARAGE
EQUIPMENT

Ref.11011


ROLLER CABINET 7 DRAWERS WITH TOOLS.

205 PC



TOOL MODULES INCLUDED

Socket Set 108 PC 1/2" 1/4" Eva Module



Combination& Double Ring Offset Spanner Eva Module



Screwdrivers & Hammer Eva Module



Pliers, Saw, Torx & Allen Key Eva Module



Ref.11016

ROLLER CABINET 7 DRAWERS EMPTY



Does not include any Tools modules

INDIVIDUAL EVA MODULES

Ref.11012

Socket Set 108 PC 1/2" 1/4" Eva Module



Ref.11013

Combination& Double Ring Offset Spanner Eva Module



Ref.11014

Screwdrivers & Hammer Eva Module



Ref.11015

Pliers, Saw, Torx & Allen Key Eva Module



Ref.11120 3 TON LOW ENTRY FLOOR JACK





Double piston pump



Nylon wheels



75mm low profile

Low-profile lift arm with low entry, minimum support height of 75 mm, and a dual-piston pump with rapid lift.
Cardan lowering mechanism for smooth, controlled lowering.

Specifications

Capacity: 3 Ton.
Minimum height: 75mm.
Maximum height: 460mm.
Length: 720mm.
Weight: 28.3kg

REF.11731
2.5 TON LOW ENTRY FLOOR JACK

- Minimum plate height of only 75mm. Ideal for sports cars.
- Cardan lowering mechanism for a smoother and more controlled descent.
- Double piston pump for quick lift
- Pedal to be able to bring the jack pad closer to the chassis quickly. (*The pedal is only to bring the plate up to the jacking point and is not for lifting the load.)
- High quality steel chassis provides stability and durability.
- Overload valve for greater safety.
- Nylon wheels for smoother maneuverability and to prevent damage to the shop floor.
- EVA foam liner to protect the vehicle from blows from the jack handle.





Specifications

Capacity: 2.5 Ton.
Minimum height: 75mm.
Maximum height: 510mm.
Weight: 31.5kg.

REF.11732
3 TON LOW ENTRY FLOOR JACK

- Minimum plate height of only 75mm.
- Ideal for sports cars .
- Cardan lowering mechanism for a smoother and more controlled descent.
- Double piston pump for quick lift.
- Pedal to be able to bring the jack pad closer to the chassis quickly. (* The pedal is only to bring the plate up to the jacking point and is not for lifting the load.)
- High quality steel chassis provides stability and durability.
- Overload valve for greater safety.
- Nylon wheels for smoother maneuverability and to prevent damage to the shop floor.
- Curved handle for greater comfort.
- EVA foam liner to protect the vehicle from blows from the jack handle.








Specifications

Capacity: 3 Ton.
Minimum height: 72mm.
Maximum height: 510mm.

REF.11733
3 TON FLOOR JACK







Specifications

Capacity: 3 Ton
Minimum height: 135mm
Maximum height:: 475mm

Ref.10300 LOW PROFILE TROLLEY JACK - 3 TON





Double piston pump



75mm low profile



Nylon wheels

- Minimum plate height of only 75mm.
- Ideal for sports cars .
- Cardan lowering mechanism for a smoother and more controlled descent.
- Double piston pump for quick lift.
- Pedal to be able to bring the jack pad closer to the chassis quickly. (* The pedal is only to bring the plate up to the jacking point and is not for lifting the load.)
- High quality steel chassis provides stability and durability.
- Overload valve for greater safety.
- Nylon wheels for smoother maneuverability and to prevent damage to the shop floor.
- Curved handle for greater comfort.
- EVA foam liner to protect the vehicle from blows from the jack handle.

Specifications:

Capacity 3 Ton
Min height: 75mm
Max height: 520mm
Length: 700mm
Weight: 36kg

Ref.10302 ALUMINIUM FLOOR JACK - 1.5 TON







- Manufactured from a mix of steel and aluminum that produces a lightweight and robust jack.
- Large plate with rubber pad.
- Double piston pump for quick lift.
- Side handle makes it easy to pick up and carry.

Specifications:

Capacity: 1.5 Ton.
Min height: 80mm.
Max height: 355mm.
Length: 550mm.
Weight: 14.5kg.

Ref.0050 FLOOR JACK 2 TON



- Supplied in a plastic carry case.

Specifications

Capacity 2 Ton
Min height: 130mm.
Max height: 300mm.
Length: 450mm
Weight: 11 kg.

AXLES STANDS (PAIRS)

2 PC SET






Ref.	Size	
10690	3 TON	288 - 430mm
10691	6 TON	390 - 608mm

Ref.10285 WHEEL POSITIONING JACK - 680KGS.





Sizes

A: 30cm
B: Opening: 55cm x 79cm
C: 62.5cm
D: Opening: 33.5cm x 59.5cm

Ref.10286 VEHICLE MOVING SKATES - 450KG

2 PC SET



Size

Width 38,2cm
Length 60,6cm

Ref.0030 PLASTIC CREEPER - 40"



- Low Profile
- Comfortable pillow to support the head.
- Side compartments to store tools etc.
- 6 swivel wheels.

- **Size**: 1016mm x 482mm.
- **Capacity** 120kg.

Ref.10196 PLASTIC CREEPER - 36"



- Low Profile
- Comfortable pillow to support the head.
- Side compartments to store tools etc.
- 6 swivel wheels.

- **Size**: 930mm x 450mm.
- **Capacity** 120kg.

Ref.10199 2 IN 1 FOLDING CREEPER/ SEAT





- Tubular steel construction with vinyl padding.
- Stable design with 7 wheels with ball bearings.
- Easily converts into a seat in seconds.

- **Creeper size**: 1200 x 430 x 130mm.
- **Seat size**: 640 x 430 x 460mm.
- **Creeper Capacity:** 160kg.
- **Seat Capacity**: 140kg.

Ref.10944 CREEPER WIITH ADJUSTABLE HEADREST



- Heavy duty steel tube frame
- Padded vinyl covered back and head rest
- 6 ball bearing swivel castors

- **Size:** 1000 x 425mm
- **Capacity:** 150Kg.

Ref.1103 MECHANICS SEAT



- High strength steel construction.
- Extra padded, thick vinyl seat for higher comfort
- Large tray for tools
- 60mm rubber wheels, high endurance.

Ref.9734 COMPOSITE MECHANICS SEAT



- Compact and lightweight seat made of PA and PP plastic.
- 4 swivel wheels.
- Practical compartment to put tools etc.

- **Size**: 450 x 335 x 30mm.
- **Capacity** 120kg.
- **Weight**: 1.5kg.

Ref.9767 FOLDING MECHANICS MAT





- **Length:** 121cm
- **Wlisth:** 42cm.
- **Thickness:** 2.3cm
- **Velcro ties** included

Ref.0092 ENGINE BRIDGE SUPPORT - 500KG



360⁰ Adjustable swivel cross beam to allow greater flexibility of support options.

Slim Support Feet (Pair)

Ref.0092-P



Leg Profile: 20mm
Leg Profile: 70mm
Total Length: 300mm
Total Height: 150mm

Ref.0018 ENGINE BRIDGE - 500KG



Specifications

- **Capacity:** 500Kg
- **Adjustable supports:** 1100-1500mm
- **Length:** 1500mm
- **Length:** 18 Kg

Ref.0005 ENGINE STAND - 550KG



Specifications

- **Capacity:** 550 Kg
- **Weight:** 27.5 Kg
- **Width:** 790mm.
- **Length:** 950mm.
- **Height:** 930mm.

Ref.0003 ENGINE STAND - 350KG



Specifications

- **Capacity:** 350 Kg
- **Weight:** 16.5 Kg.
- **Width:** 790mm.
- **Length :** 890mm.
- **Height:** 920mm.

Ref.0002 FOLDING ENGINE STAND- 900KG



Specifications

- **Capacity:** 900 Kg
- **Weight:** 35.5 Kg
- **Width:** 820mm.
- **Length:** 1100mm.
- **Height:** 910mm.

Ref.0024 GEARBOX JACK - 500KG





Specifications

- **Min height:** 1100mm.
- **Max height:** 1990mm
- **Base:** 570 x 570 x 11000mm
- **Weight:** 32 Kg
- **Ø Cylinder:** 30mm

Ref.0024-TJ RUBBER JACK PAD FOR GEARBOX JACK





- Compatible with jacks with 30mm diameter cylinder
- Made of high strength steel
- Includes protective rubber pad.
- Non-slip material.

- **Ø Cylinder:** 30mm

Ref.10696 MACPHERSON STRUT SUPPORT FOR GEARBOX JACK



Ref.0034 GEARBOX JACK ADAPTOR



Compatible with gearbox jack 0024

Ref.0012 FOLDING ENGINE CRANE - 2 TON



Specifications

- **Capacity:** 2 Ton
- **Elevation:** 25 - 200mm
- **Size:** 1700 x 1040 x 1486mm
- **Arm length:** 25 - 1560mm
- **Weight:** 96 Kg

Ref.0022 FOLDING ENGINE CRANE - 1 TON



Specifications

- **Capacity:** 1 Tonelada.
- **Elevation:** 25 - 200mm.
- **Size:** 1520 x 1100 x 1500 mm.
- **Arm length:** 915 a 1190 mm.
- **Weight:** 71 Kg.

Ref.0020 ENGINE LEVELLER - 680KGS.



Specifications

- **Capacity:** 680 Ton.
- **Size:** 445 x 64x 190mm
- **Weight:** 5.5 Kg

Ref.9564 UNIVERSAL PRESS SUPPORT



Its 3 fixing points and alignment supports guarantee a perfect, secure hold.
The threaded pins and numerous threaded holes allow multiple positions and height adjustments for work with parts and components with complicated shapes

Ref.0220 HYDRAULIC FLOOR PRESS - 12 TON



Specifications

- **Capacity:** 12 Ton
- **Height:** 1300 mm
- **Weight:** 650 mm
- Ram Stroke

Ref.0221 HYDRAULIC FLOOR PRESS - 20 TON



Specifications

- **Capacity:** 20 Ton
- **Stroke:** 145mm
- **Ram Stroke:** 0 ~ 1035mm
- **Weight** 98 Kg

Ref.0222 HYDRAULIC FLOOR PRESS - 30 TON



Specifications

- **Capacity:** 30 Ton
- **Stroke:** 155mm
- **Ram Stroke:** 0 ~ 820mm
- **Weight** 158 Kg

Ref.0009 SHOT BLASTING GLASS BEADS 25 KG



Specifications

- **Microns:** 175 to 300

Ref.0006 SAND BLASTING SAND -25KG



Specifications

- **Microns:** 300 to 600

Ref.0008 PARTS WASHER BRUSH



Specifications

- 65 cms rubber tube
- Compatible with most brands of parts washer

Ref.F0022 DEGREASER SOLVENT



- Concentrated water based degreaser
- Recomended dilution of betwen 7 and 14%

Ref.10405 PARTS WASHER PUMP



Ref.11112 SELF PRIMING LEVER PUMP



Suitable for 2" and 45mm threaded drums from 20 litre to 205 litre drums.
Suitable for oil, degreaser, antifreeze and other non- corrosive liquids.

ADJUSTABLE TELESCOPIC TUBE. 44,5cm a 76cm



Ref.9636 PORTABLE ELECTRIC PARTS WASHER - 16L



- Blow moulded parts cleaning tank.
- LIghtweight and portable for benchtop use.
- Fully sealed pump unit, recirculates the cleaning fluid through the tube and brush.
- For used with water based solvents only.

Specifications

- **Size**: 606 x 460 x 250mm
- **Size** 5 Kg
- **Suppland:** 220 - 240V.

Ref.9530 REUSABLE VEHICLE INTERIOR PROTECTION SET

3 PC SET



- Contains one uiversal seat protector, steering wheel protector and gear knob protector.
- Washable and reusable.
- Made from 100% waterproof nylon.
- Protects from dirt, oil and other liquids.
- Suitable for almost all models of vehicle.

Ref.9411 MAGNETIC WING PROTECTOR



- Protects wings from damage during repair and maintenance work.
- For all car models.
- Synthetic leather.
- 7 magnets to ensure its grip.
- 3 hooks.

- **Size:** 1240 x 720 mm

Ref.9765 NON-SLIP WING PROTECTOR



- Anti-slip surface that is easy to clean with soap and water.
- Resistant to oil, grease, water and others liquids
- No magnets that can damage the bodywork.

- **Size:** 900mm x 610mm.

Ref.9105 MOTORCYCLE CHAIN RIVETER



For motorcycle chains and timing chains.
Includes 3, 4 and 5mm punches

Ref.9756 MOTORCYCLE SPINDLE TOOL

6 en 1




- **Six sizes:** 12, 14, 17, 19, 22, 24mm.

Applications

- Buell: XB9R, XB9S, XB12R, XB12S (2003-2004) ...
- Honda: CBR600RR, CBR1000RR ...
- Kawasaki: ZX6R, ZX6RR, ZX600E / K, ZX7R, ZX9R, Z1000, ER-6N, Versys 650 ...
- Suzuki: GSXR 2000-2007, DL 1000 V-Strom (todos), SV 1000 ...
- Yamaha: R1, R6, XT660OZ ...

Ref.1058 MOTORCYCLE SPINDLE TOOL



- **3 sizes in 1:**
- Suzuki and Honda 24mm.
- Kawasaki 22mm.
- Yamaha 19mm

Ref.9146 MOTORCYCLE OIL DRAIN PAN - 2.4 LITRES



Capacity:
2,4 litres

Ref.9733 MOTORCYCLE BRAKE BLEED TWIN HOSE



Sizes

Length of tubes: 1.060mm (x2).
Tube diameter: Interior 3mm / Exterior 7mm.

Ref.3346 VALVE SPRING COMPRESSOR



Includes

- 1 Support with compression range: 230mm.
- 5 Valve adaptors.
- 3 Compression shafts: 70, 110 and 120mm
- 1 90mm turning rod.

Ref.0021 HYDRAULIC MOTORCYCLE ELEVATOR- 360KG



Specifications

- **Capacity:** 360Kg
- **Height: Min:** 220 - Máx. 780mm.
- **PLatform size:** 480 x 2215mm.
- **Weight:** 97,5 kilos

Ref.2840 MOTORCYCLE CHAIN RIVETER



Includes tools needed to cut and rivet 428, 430, 520, 525 and 530 chains.

Includes: 2.2, 2.9, 3.8mm punch-pins and riveter.

Ref.7669 MOTORCYCLE FLYWHEEL PULLER SET



Sizes

M14xP1.5 / M25xP1.5 / M22xP1.5 / M16xP1.5 M22xP1.0 M27xP1.25 / M18xP1.5 / M28xP1.5 / M20xP1.0 /M26xP1.0 M19xP1.0 / M27xP1.0 / M28xP1.0 / M26xP1.5 / M24xP1.0

Ref.4267 MOTORCYCLE FLYWHEEL PULLER



Sizes

M10x1.25R, M16x1.5R, M14x1.5R, M18x1.5R, M27x1.0L, M24X1.0R

Ref.9097 CRANKCASE SEPARATOR



Sizes

M6/M8xP1.25x90L and M14xP1.5x180L

Ref.9651 3 LEVEL TROLLEY



- Made from durable PP plastic.
- Will not scratch vehicle body work in case of contact.
- Two locking wheels

Specifications
- **Sizes:** 800 x 410 x 930mm
- **Trays:** 620 x 410mm
- **Load Capacity:** 180 Kg

Ref.11008 3 LEVEL SERVICE CART



Specifications
- **Load Capacity** 180Kg
- **Height** 800mm
- **Deep** 800 mm
- **Width** 380mm
- **Distance between trays** 290mm

Ref.10985 RETRACTABLE AIR HOSE REEL 13M 3/8"



3/8"

Specifications
- **Maximum pressure** 150psi.
- **Hose length** 13m
- **Material** PP Plastic.
- **Hose diameter** 3/8" inlet and outlet.

Ref.10986 RETRACTABLE ELECTRIC REEL 12M 220V



Specifications
- **Voltaje** 230v.
- **Cable length** 11m + 1m.
- **Cable type** H07RN-F3G1.5MM2.
- **Material** PP Plastic.
- 2 Pin Euro Plug

Ref.10987 HEAVY DUTY MULTIFUNCTION OIL HOSE REEL 1/2"



1/2"

Specifications
- **Maximum Pressure** 2250 psi / 156 bar.
- **Hose Length** 15m + 1m
- **Material** Metal.
- **Hose Diameter** 1/2" inlet and outlet.

Ref.10998 POURING SPOUT FOR JERRY CANS



- Valid for Jerry Can models
- Ref.: 10977 – 11001 – 11000 – 10996 – 10995 – 10999

JERRY CAN - PETROL (GREEN)



Ref.10995 Ref.10996 Ref.10997

Ref.	Capacity
10995	5 Litres
10996	10 Litres
10997	20 Litres

JERRY CAN - DIESEL (BLACK)



Ref.10999 Ref.11000 Ref.11001

Ref.	Capacity
10999	5 Litres
11000	10 Litres
11001	20 Litres



14

LUBRICATION

Catalogue 2025

www.thetoolhub.co.uk

Ref.10899 12V AUTOMATIC ATF FLUSH & CHANGE MACHINE

Designed to remove and change automatic transmission oil and to flush / clean the transmission, torque converter, oil cooler and oil lines.



Technical Information:

- 12V power supply.
- 70W pump power.
- Oil pressure gauge range: 0-10 BAR or 0-150 PSI.
- Used oil tank capacity: 30L.
- New oil tank capacity: 30L.
- Hose length: 2.56m.
- Maximum hose pressure: 20 BAR or 300 PSI.

Adapters Included					
1	Volkswagen	16	Volkswagen	34	Adaptable hoses (4)
2		17	Audi	35	
3		18		36	
4	Volkswagen, Toyota	19	Land Rover	37	
5		20	BMW	38	Adaptable hoses (2)
6	Volkswagen	21		39	
7		22			
8	Buick	23	Volkswagen		
9		24	Volkswagen		
10	Buick, BMW	25	Volkswagen, Peugeot		
11		26	Volkswagen, Yiguan		
12	Audi	27	Volkswagen		
13		28	Ford		
14		29	Buick		
15	Land Rover	33	Plastic hose		



Ref.11740 PNEUMATIC ATF FILLING & DRAINING SYSTEM 10L & ADAPTOR SET



Adapters included		
Ref.		Aplications
ATF101		Ford
ATF102		Universal de Bmw, Nissan,Honda etc.
ATF103		Audi, VW, Skoda
ATF104		Porche, VW, Audi
ATF105		Audi, VW, DSG
ATF106		Audi, VW, CVT
ATF107		Skoda, Audi, VW
ATF108		Skoda, VW
ATF109		Altis 2010, Benz 722.9

Adapters included		
Ref.		Aplications
ATF110		Skoda, Audi, VW
ATF111		Honda, Kia, Hyundai, etc
ATF112		Nissan, Infinity
ATF113		Toyota, Lexus
ATF114		Volvo
ATF115		Universal Flexible Hose

Ref.9631 ATF OIL PUMP/DISPENSER 9.5L - MANUAL



- Designed to fill ATF transmission fluids.
- 1.5m transparent tube.
- Features a valve on the end and a quick connector that accepts one of eight adaptors supplied in the set

Adapters Included			
	Ford 1/8 NPT		VW / Audi / Mini Cooper M10 x 1.0
	BMW, Honda, Nissan, ETC		Mercedes M12x 1.5
	VW / Audi		VW / Audi DSG M24 x 1.5
	VW / Audi / Porsche		VW / Audi CVT M22 x 1.5

Ref.9632 ATF OIL PUMP/DISPENSER 4L - MANUAL



Ref.10902 ADBLUE SYRINGE



- Syringe for extracting liquids and fluids made of durable plastic material.
- Features a shut-off valve to prevent fluid spills. The 41 cm tube reaches the bottom of the tank to extract all the fluid.
- Allows for extracting and injecting coolant, water, brake fluid, oil, fuel, etc.

Capacity
1.5 Litres

Ref.10906 ADBLUE FILLING FUNNEL (STRAIGHT NOZZLE)



Designed to be screwed directly into the AdBlue® filler neck, with anti-spill valve.

Capacity
1.1 Litres

Ref.10907 ADBLUE FILLING FUNNEL (ANGLED NOZZLE)



Designed to be screwed directly into the AdBlue® filler neck, with anti-spill valve.

Capacity
1.100 CC

Ref.10878 FUEL RETRIEVAL SYRINGE 1.5L

Designed to purge fuel from fuel lines
Supplied with quick connectors compatible with PSA and Vauxhall/ Opel vehicles plus 3 universal adaptor for older vehicles



Capacity: 1.500CC
Weight: 950 Gr.

Ref.9542 MULTI-PURPOSE SYRINGE 1.5LTS



- Transparent composite plastic body.
- Viton seals make it suitable for non corrosive liquids, including diesel, Adblue, Antifreeze and Brake Fluid.
- Not suitable for petrol.

Ref.10903 PROFESSSIONAL FUEL RETRIEVAL SYRINGE



Capacity: 1.500CC.
Weicht: 950 Gr.

Ref.9573 MULTI-PURPOSE SYRINGE - 200ML



- Transparent composite plastic body.
- Viton seals make it suitable for non corrosive liquids, including diesel, Adblue, Antifreeze and Brake Fluid.
- Not suitable for petrol.

Specificatios:
• **Capacity** 200ml

Ref.9118 OIL SUCTION SYRINGE - 500CC



Specifications:
• **Flexible tube:** 200mm • **Capacity:** 500cc

Ref.11004 QUICK CONNECT GREASE COUPLER-15000 P.S.I / 1034 BAR



Max pressure:
15000 PSI - 1034 BAR

compatible with **Ref.9060 / Ref. 9526**

Ref.11113 CORDLESS GREASE GUN 21V







Li-ion 2000 mAh

The 21v electric grease gun, with a cartridge capacity of up to 400ml, is the perfect tool to make greasing easier

Battery	2000 mAh
Hose Lenght	700 Nm
Cartridge Size	400mm
Pressure	9500 psi/655bar

** Plastic Storage Case included*
** All batteries are compatible with this grease gun. (11061, 11062, 11063, 11119).*

Ref.10987 HEAVY DUTY MULTIFUNCTION OIL HOSE REEL 1/2"

1/2"



- **Maximum Pressure** 2250 psi / 156 bar.
- **Hose Length** 15m + 1m.
- **Hose Diameter** 1/2" Inlet and Outlet.
- **Material** Metal.

Ref.9060 PNEUMATIC & MANAGUAL GREASE GUN



- Continuous flow air grease gun and lever type manual grease gun.
- Supplied with rigid flexible tubes and air connector.

Specifications:
• **Capacity:** 500cc • **Pressure:** 10.000 psi

Ref.9526 GREASE GUN - 500CC



Specifications:
• **Pressure**: 10.000 psi • **Capacity**: 500cc

Ref.10396 FLEXIBLE RUBBER GREASE GUN HOSE



Size:
Lenght 300mm

· **Compatible** with Ref. Toolhub 9526/9060

Ref.9827 GREASE NIPPLE ASSORTMENT

120 PC SET



Ref.9937 TRANSFER PUMP & SYRINGE



- Manual action pump
- Viton seals for use with non corrosive liquids such as diesel, Adblue, brake fluid. Not suitable for use with petrol.
- Graduated scale on body of syringe

Specifications:
Size: 445x90mm **Weight:** 0.56 Kg. **Capacity:** 500cc.

Ref.11350 PLASTIC OIL CAN - 250ML



Ref.11351 METAL OIL CAN - 500ML



Ref.9567 REFILLABLE AEROSOL CAN 650CC



- Screwtop refillable pressure spray cannister made from aluminium.
- Recharges using Standard Schrader connector and tyre inflator.
- Safety valve set at 90 psi.
- Features Standard nozzle and long nose folding nozzle.

Ref.F0850 PROFESSIONAL PRESSURE SPRAYER





Spare Viton seal. Ref. Toolhub F0850-J

- Ensures a uniform and constant spray, which can be regulated by turning the nozzle.
- Viton seals make it suitable for use with liquids such as brake cleaners etc.
- Made in Europe.

Specifications:
Capacity: 1 lt .
Working pressure:: 3 bar
Nozzle: Ø 0,8 mm

Ref.10758 OIL DRAIN PAN / CONTAINER 10L



Supplied with drain plug and air release plug for quick oil drainage.

Capacity
10 Litres

OIL DRAIN PANS



- Pouring spout to facilitate drainage.
- Robust contruction with rigid wall.
- Handle positioned for transporting and pouring.
- Resistant to most chemicals and solvents

	Ref.	Capacity
01	9007	15 Litres
02	10197	10 Litres
03	9637	8 Litres

Ref.9643 FLEXIBLE JUG SPOUT



- **Flexible spout** to fit Toolhub 2 and 5 litre jugs.
- **Compatible** with Ref. Toolhub 9641 / 9642

Size
Lenght: 180mm

Ref.9425 FUNNEL SET

4 PC SET



Sizes
50, 75,100 y 125mm

Ref.9424 FLEXIBLE NECK FUNNEL WITH FILTER



Sizes
Diámeter: 140mm
Neck length: 290mm

Ref.11112 MANUAL PUMP FOR OIL DRUMS



Hand pump with enamelled finish to prevent corrosion and oxidation.

ADJUSTABLE TELESCOPIC TUBE: 44,5cm to 76cm

Suitable for 2" and 45mm threaded drums.

MEASURING JUGS



Ref.9642

Ref.9641

- Made from polyethylene plastic.
- Graduated scale on side.
- Suitable for all types of liquids: Antifreeze, Oil, diesel etc

Ref.	Capacity
9641	2 Litres.
9642	5 Litres.

Ref.9939 OIL & FLUID EXTRACTOR - MANUAL



- Designed for the extraction of oils from cars, motorcycles, boats, gearboxes, etc.
- No need to remove the oil drain plug.
- Easily operated by hand pump.
- Oil tank made of transparent plastic and resistant to hydrocarbons.
- Supplied with 1.5 m suction tube.
- 2 suction probes (10x400mm & 6x750mm).

Dimensions	220 x 220 x 600mm
Weight	2.7 Kg.
Capacity	7.5 Litre
Operation	Manual

Ref.9940 OIL & FLUID EXTRACTOR - MANUAL & PNEUMATIC



- Designed for the extraction of oils from cars, motorcycles, boats, gearboxes, etc.
- No need to remove the oil drain plug.
- Easily operated by hand pump or using compressed air supply.
- Oil tank made of transparent plastic and resistant to hydrocarbons.
- Supplied with 1.5 m suction tube.
- 2 suction probes (10x400mm & 6x750mm).

Dimensions	220 x 220 x 600mm
Weight	2.7 Kg.
Capacity	8 Litre
Operation	Manual & Pneumatic

Ref.10706 12V OIL / FLUID TRANSFER PUMP



Suitable for cars, marine, motorcycles, RV s and more.

- Compact, lightweight and easy to use
- Efficiently removes up to 2.8L per minute
- Remove oil autos, marine, motorcycles, RV s and more
- Self priming 12 volt 5 amp DC pump

Ref.10998 POURING SPOUT FOR JERRY CANS



- Valid for jerry can models:
  Ref.: 10977 – 11001 – 11000 – 10996 – 10995 – 10999

JERRY CAN - PETROL (GREEN)



Ref.10995 Ref.10996 Ref.10997

Reference	Capacity
10995	5 Litres
10996	10 Litres
10997	20 Litres

JERRY CAN - DIESEL (BLACK)



Ref.10999 Ref.11000 Ref.11001

Reference	Capacity
10999	5 Litres
11000	10 Litres
11001	20 Litres



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogs, ready to be saved and viewed without an internet connection.

www.thetoolhub.co.uk



4

RUBBER ELEVATOR LIFT PADS

Catalogue 2025


www.thetoolhub.co.uk

Ref.9950 RUBBER ELEVATOR PAD



CASCOS, AGM, CORGHI, WEBER, AUTOMAQ, ZIPPO, CONSUL

Ref.9951 RUBBER ELEVATOR PAD




ISTOBAL VELYEN

Ref.9952 RUBBER ELEVATOR PAD




RAVAGLIOLI, WERTHER, SPACE SIRIO, ORLANDINI, ASTRA

Ref.9953 RUBBER ELEVATOR PAD




· Height:: 20mm

Ref.9954 RUBBER ELEVATOR PAD




· Height:: 40mm

Ref.9955 RUBBER ELEVATOR PAD




· Height:: 60mm

Ref.9956 RUBBER ELEVATOR PAD



· Height:: 80mm

Ref.9957 RUBBER ELEVATOR PAD



· Height:: 120mm

Ref.9958 RUBBER ELEVATOR PAD



ISTOBAL VELYEN

Ref.9959 RUBBER ELEVATOR PAD



LAUNCH, TWIN BUSCH, RP TOOLS, PRESTIGE LIFT, RSF..

Ref.9960 RUBBER ELEVATOR PAD



NUSSBAUM

Ref.9961 RUBBER ELEVATOR PAD




RAVAGLIOLI, SIRIO, SPACE, COIRO, ASTRA

Ref.9962 RUBBER ELEVATOR PAD



STENHOJ, NUSSBAUM

Ref.9963 RUBBER ELEVATOR PAD



RECTANGULAR 80X117MM

Ref.9964 RUBBER ELEVATOR PAD



RAVAGLIOLI, SPACE, OMSN, BRADBURY, SIRIO

Ref.9965 RUBBER ELEVATOR PAD



RAVAGLIOLI

Ref.9966 RUBBER ELEVATOR PAD



OMCN, ROGEN

Ref.9967 RUBBER ELEVATOR PAD



RAVAGLIOLI

Ref.9968 RUBBER ELEVATOR PAD




ROTARY

Ref.9969 RUBBER ELEVATOR PAD



WERTHER, OMA, TECALEMIT, ITALGARAGE

Ref.9970 RUBBER ELEVATOR PAD



JAB, BECKER, ATH, HOFMANN, HERRMANN, TWIN BUSCH

Ref.9971 RUBBER ELEVATOR PAD



External 145MM

Ref.9972 RUBBER ELEVATOR PAD




118MM Internal, 124MM External

Ref.9973 RUBBER ELEVATOR PAD



WERTHER, OMA, TECALEMIT, BRADBURY, AUTEC, SPANESI

Ref.9974 RUBBER ELEVATOR PAD



8 SIDED FOR SPACE

PVP. 15,75€

Ref.9975 RUBBER ELEVATOR PAD



KONI, BRADBURY, HERKULES, TECALEMIT

PVP. 15,75€

Ref.9976 RUBBER ELEVATOR PAD



RAVAGLIOLI

PVP. 16,75€

Ref.9977 RUBBER ELEVATOR PAD




TWIN BUSCH, KONIGSTEIN, PRESTIGE LIFT, WEBER, STENHOJ.

Ref.9978 RUBBER ELEVATOR PAD



MAHA, EUROLIFT, ZAVAGLI, ORLANDINI

Ref.9979 RUBBER ELEVATOR PAD



RECTANGULAR EXTRA-LONG 47 X 18CM

Ref.9980 RUBBER ELEVATOR PAD



OMCN, ROGEN 140MM External

Ref.11790 RUBBER ELEVATOR PAD




Designed to lift the vehicle by the front axle on the cutting rail section (emergency service)

Rectangular 80x117mm

Ref.11105 RUBBER ELEVATOR PAD - TESLA





- Essential for raising the vehicle, as without this support we could damage the battery or chassis.

Diameter of insert: 26mm

Ref.0024-TJ RUBBER JACK PAD FOR GEARBOX JACK



- Compatible with jacks with 30mm diameter cylinder
- Made of high strength steel
- Includes protective rubber pad.
- Non-slip material.

Compatible with Ref. Toolhub 0024

Size
CylinderØ : 30 mm



15

CONSUMABLE ITEMS

Catalogue 2025

www.thetoolhub.co.uk

Ref.0419 O-RING ASSORTMENT SET



419 PC SET

CONTENTS					
○	3mm x 1.5mm x 20 PCS.	○	18mm x 2.5mm x 14 PCS.	○	30mm x 3.5mm x 10 PCS.
○	4.4mm x 2mm x 20 PCS.	○	19mm x 2.5mm x 13 PCS.	○	31mm x 3.5mm x 10 PCS.
○	5mm x 2mm x 18 PCS.	○	21mm x 2.5mm x 14 PCS.	○	33mm x 3.5mm x 10 PCS.
○	7mm x 1.5mm x 23 PCS.	○	22mm x 2.5mm x 13 PCS.	○	34.5mm x 3.5mm x 10 PCS.
○	10mm x 1.5mm x 23 PCS.	○	18mm x 3.5mm x 10 PCS.	○	36mm x 3.5mm x 10 PCS.
○	13mm x 1.5mm x 23 PCS.	○	20mm x 3.5mm x 10 PCS.	○	38mm x 3.5mm x 10 PCS.
○	10mm x 2.5mm x 14 PCS.	○	22mm x 3.5mm x 10 PCS.	○	41mm x 3.5mm x 10 PCS.
○	11mm x 2.5mm x 13 PCS.	○	23.5mm x 3.5mm x 10 PCS.	○	44mm x 3.5mm x 10 PCS.
○	13mm x 2.5mm x 14 PCS.	○	25mm x 3.5mm x 10 PCS.	○	47mm x 3.5mm x 10 PCS.
○	14mm x 2.5mm x 13 PCS.	○	26.5mm x 3.5mm x 10 PCS.	○	50mm x 3.5mm x 10 PCS.
○	16mm x 2.5mm x 14 PCS.	○	28mm x 3.5mm x 10 PCS.		

Ref.9817 O-RING ASSORTMENT SET

225 PC SET



CONTENTS			
○	3.5 x 1.7mm x 20 PCS.	○	12.5 x 2.5mm x 10 PCS.
○	4.5 x 1.7mm x 20 PCS.	○	14 x 2.5mm x 10 PCS.
○	5 x 1.7mm x 20 PCS.	○	15.5 x 2mm x 10 PCS.
○	6 x 1.7mm x 20 PCS.	○	15.5 x 2.5mm x 10 PCS.
○	7.5 x 1.7mm x 20 PCS.	○	17 x 2.5mm x 10 PCS.
○	9 x 1.5mm x 15 PCS.	○	18.5 x 3.5mm x 10 PCS.
○	9.5 x 2.5mm x 15 PCS.	○	19 x 2.5mm x 10 PCS.
○	10.5 x 2.5mm x 15 PCS.	○	21 x 3.5mm x 10 PCS.

Ref.9818 AIR CONDITIONING O-RING ASSORTMENT SET

225 PC SET



CONTENTS			
○	3 x 1mm x 20 PCS.	○	9 x 2mm x 5 PCS.
○	4 x 1mm x 20 PCS.	○	10 x 2mm x 5 PCS.
○	4.5 x 2mm x 20 PCS.	○	12 x 3mm x 5 PCS.
○	5 x 2mm x 20 PCS.	○	13 x 3mm x 5 PCS.
○	6 x 2mm x 20 PCS.	○	14 x 2.5mm x 5 PCS.
○	6 x 2.5mm x 20 PCS.	○	17 x 2.5mm x 5 PCS.
○	6 x 3mm x 20 PCS.	○	18 x 4mm x 5 PCS.
○	7 x 2mm x 20 PCS.	○	20 x 2mm x 5 PCS.
○	8 x 2mm x 20 PCS.	○	22 x 2mm x 5 PCS.

Ref.9836 RUBBER GROMMET ASSORTMENT

110 PC SET



CONTENTS	
○	6.3mm (x 25 PCS.)
○	7.9mm (x 20 PCS.)
○	9.5mm (x 20 PCS.)
○	11mm (x 20 PCS.)
○	12.7mm (x 10 PCS.)
○	15.8mm (x 5 PCS.)
○	22mm (x 5 PCS.)
○	25.4mm (x 5 PCS.)

Ref.9826 SPRING WASHER ASSORTMENT

1000 PC SET



CONTENTS	
○	M3 (x 200 PCS.)
○	M4 (x 250 PCS.)
○	M5 (x 250 PCS.)
○	M6 (x 100 PCS.)
○	M8 (x 100 PCS.)
○	M10 (x 60 PCS.)
○	M12 (x 20 PCS.)
○	M16 (x 20 PCS.)

Ref.9838 LYNCH PIN ASSORTMENT

50 PC SET



CONTENTS			
	4.5mm (x 16 PCS.)		8mm (x 6 PCS.)
	6mm (x 18 PCS.)		11mm (x 10 PCS.)

Ref.9828 DIESEL INJECTOR COPPER WASHER ASSORTMENT

140 PC SET



CONTENTS
M6 x 10 x 1mm x 10 PCS.
M8 x 11.5 x 1mm x 10 PCS.
M10 x 13.5 x 1mm x 10 PCS.
M10 x 14.0 x 1mm x 10 PCS.
M10 x 20 x 1mm x 10 PCS.
M10 x 20 x 2mm x 10 PCS.
M12 x 16 x 1.5mm x 10 PCS.
M12 x 18 x 1.5mm x 10 PCS.
M14 x 18 x 1.5mm x 10 PCS.
M14 x 20 x 1.5mm x 10 PCS.
M16 x 20 x 1.5mm x 10 PCS.
M17 x 21 x 1.5mm x 10 PCS.
M21 x 25 x 1mm x 10 PCS.
M22 x 27 x 1mm x 10 PCS.


You can purchase the breakdown of this consumable in packages of 10 PCS.

PACKS (10 PC)
INDIVIDUAL SIZES FROM Ref.9828

REF.	CONTENTS
9828-M6	M6 x 10 x 1mm
9828-M8	M8 x 11.5 x 1mm
9828-M1013	M10 x 13.5 x 1mm
9828-M1014	M10 x 14.0 x 1mm
9828-M10201	M10 x 20 x 1mm
9828-M10202	M10 x 20 x 2mm
9828-M1216	M12 x 16 x 1.5mm
9828-M1218	M12 x 18 x 1.5mm
9828-M1418	M14 x 18 x 1.5mm
9828-M1420	M14 x 20 x 1.5mm
9828-M16	M16 x 20 x 1.5mm
9828-M17	M17 x 21 x 1.5mm
9828-M21	M21 x 25 x 1mm
9828-M22	M22 x 27 x 1mm

Ref.9829 COMMON RAIL DIESEL INJECTOR COPPER WASHER ASSORTMENT

150 PC SET



CONTENTS
M13.85 x 7.3 x 1.4mm x 10 PCS.
M14.6 x 7.5 x 1.3mm x 10 PCS.
M14.6 x 7.5 x 3.0mm x 10 PCS.
M15 x 7.0 x 2.0mm x 10 PCS.
M15 x 7.5 x 1.0mm x 10 PCS.
M15 x 7.5 x 1.5mm x 10 PCS.
M15 x 7.5 x 2.0mm x 10 PCS.
M15 x 7.5 x 2.5mm x 10 PCS.
M15 x 7.5 x 3.0mm x 10 PCS.
M15.5 x 7.5 x 2.0mm x 10 PCS.
M16 x 7.5 x 1.5mm x 10 PCS.
M16 x 7.5 x 1.7mm x 10 PCS.
M16 x 7.5 x 2.0mm x 10 PCS.
M16.4 x 7.4 x 2.0mm x 10 PCS.
M20 x 9.4 x 0.9mm x 10 PCS.

You can purchase the breakdown of this consumable in packages of 10 PCS.

PACKS (10 PC)
INDIVIDUAL SIZES FROMRef.9829

REF.	CONTENTS
9829-M1371	M13.85 x 7.3 x 14mm
9829-M1471	M14.6 x 7.5 x 1.3mm
9829-M1473	M14.6 x 7.5 x 3.0mm
9829-M15572	M15 x 7.5 x 2.0mm
9829-M1571	M15 x 7.5 x 1.0mm
9829-M15715	M15 x 7.5 x 1.5mm
9829-M1572	M15 x 7.0 x 2.0mm
9829-M15720	M15 x 7.5 x 2.0mm
9829-M15725	M15 x 7.5 x 2.5mm
9829-M1573	M15 x 7.5 x 3.0mm
9829-M16472	M16.4 x 7.4 x 2.0mm
9829-M1671	M16 x 7.5 x 1.5 mm
9829-M16717	M16 x 7.5 x 1.7mm
9829-M1672	M16 x 7.5 x 2.0mm
9829-M2090	M20 x 9.4 x 0.9mm

Ref.9830 OIL DRAIN PAN COPPER WASHER ASSORTMENT

100 PC SET



CONTENTS
M10.5 x 17 x 1.5mm x 10 PCS
M11 x 17 x 1.5mm x 10 PCS
M12 x 10 x 1.5mm, x 10 PCS
M12.5 x 20 x 1.5mm x 10 PCS
M14 x 18 x 1.0mm x 10 PCS
M14 x 20 x 1.5mm, x 10 PCS
M15 x 20 x 2.0mm x 10 PCS
M16 x 24 x 2.0mm x 10 PCS
M16 x 22 x 2.0mm x 10 PCS
M17.5 x 24 x 2.0mm x 5 PCS
M18 x 24 x 2.0mm x 5 PCS

You can purchase the breakdown of this consumable in packages of 10 PCS.

PACKS (10 PC.)
INDIVIDUAL SIZES FROM Ref.9830

REF.	CONTENTS
9830-10517	M10.5 x 17 x 1.5mm
9830-1117	M11 x 17 x 1.5mm
9830-1210	M12 x 10 x 1.5mm
9830-12520	M12.5 x 20 x 1.5mm
9830-1418	M14 x 18 x 1mm
9830-1420	M14 x 20 x 1.5mm
9830-1520	M15 x 20 x 2mm
9830-1622	M16 x 22 x 2 mm
9830-1624	M16 x 24 x 2mm
9830-17524	M17.5 x 24 x 2mm
9830-1824	M18 x 24 x 2mm

Ref.9814 AUTOMOTIVE FUSE ASSORTMENT

120 PC SET



01	3A x 15 PCS.	04	3A x 15 PCS.	06	3A x 15 PCS.
02	5A x 15 PCS.	05	5A x 15 PCS.	07	5A x 15 PCS.
03	7.5A x 15 PCS.				

You can purchase the breakdown of this consumable in packages of 10 PCS.

PACKS (10 PCS.)
INDIVIDUAL SIZES FROM Ref.9814

REF.	CONTENTS
9814-3A	Standard Automotive Fuse 3A
9814-5A	Standard Automotive Fuse 5A
9814-7.5A	Standard Automotive Fuse 7.5A
9814-10A	Standard Automotive Fuse 10A
9814-15A	Standard Automotive Fuse 15A
9814-20A	Standard Automotive Fuse 20A
9814-30A	Standard Automotive Fuse 30A

Ref.9815 AUTOMOTIVE MINI-FUSE ASSORTMENT

100 PC SET



01	2A x 10 PCS.	05	7.5A x 10 PCS.	08	20A x 10 PCS.
02	3A x 10 PCS.	06	10A x 10 PCS.	09	25A x 10 PCS.
03	4A x 10 PCS.	07	15A x 10 PCS.	10	30A x 10 PCS.
04	5A x 10 PCS.				

You can purchase the breakdown of this consumable in packages of 10 PCS.

PACKS (10 PCS.)
INDIVIDUAL SIZES FROM Ref.9815

REF.	CONTENTS
9815-2A	Mini Automotive Fuse 2A
9815-3A	Mini Automotive Fuse 3A
9815-4A	Mini Automotive Fuse 4A
9815-5A	Mini Automotive Fuse 5A
9815-7.5A	Mini Automotive Fuse 7.5A
9815-10A	Mini Automotive Fuse 10A
9815-15A	Mini Automotive Fuse 15A
9815-20A	Mini Automotive Fuse 20A
9815-25A	Mini Automotive Fuse 25A
9815-30A	Mini Automotive Fuse 30A

Ref.9816 AUTOMOTIVE MAXI-FUSE ASSORTMENT

36 PC SET



01	20A x 6 PCS.	04	50A x 6 PCS.	07	80A x 3 PCS.
02	30A x 6 PCS.	05	60A x 3 PCS.	08	100A x 30 PCS.
03	40A x 6 PCS.	06	70A x 3 PCS.		

You can purchase the breakdown of this consumable in packages of 10 PCS.

PACKS (10 PCS.)
INDIVIDUAL SIZES FROM Ref.9816

REF.	CONTENTS
9816-20A	Maxi Automotive Fuse 20A
9816-30A	Maxi Automotive Fuse 30A
9816-40A	Maxi Automotive Fuse 40A
9816-50A	Maxi Automotive Fuse 50A
9816-60A	Maxi Automotive Fuse 60A
9816-70A	Maxi Automotive Fuse 70A
9816-80A	Maxi Automotive Fuse 80A
9816-100A	Maxi Automotive Fuse 100A



Ref.9835 GLASS FUSE ASSORTMENT

120 PC SET



CONTENTS			
	5A x 20 PCS.		20A x 20 PCS.
	10A x 20 PCS.		25A x 20 PCS.
	15A x 20 PCS.		30A x 20 PCS.

Ref.9985 CABLE TIE ASSORTMENT SET

250 PC SET



CONTENTS	
	100 x 2.5mm (x 160 PCS.)
	200 x 4.6mm (x 40 PCS.)
	200 x 7.5mm (x 10 PCS.)
	300 x 4.7mm (x 30 PCS.)
	300 x 7.8mm (x 10 PCS.)

INDIVIDUAL SIZE CABLE TIES



REF.	CONTENTS	PVP
9986	4,8 x 250mm (x 50 PCS.)	**3,50€**
9987	8,0 x 400mm (x 50 PCS.)	**4,50€**
9988	4,8 x 380mm (x 50 PCS.)	**3,95€**
9989	2,5 x 100mm (x 100 PCS.)	**1,75€**

Ref.9827 GREASE NIPPLE ASSORTMENT

120 PC SET



CONTENTS - STRAIGHT	
	M6 x 1mm (x 10 PCS.)
	M8 x 1mm (x 10 PCS.)
	M8 x 1.25 (x 10 PCS.)
	M10 x 1mm (x 10 PCS.)

CONTENTS - 45º	
	M6 x 1mm (x 10 PCS.)
	M8 x 1mm (x 10 PCS.)
	M8 x 1.25 (x 10 PCS.)
	M10 x 1mm (x 10 PCS.)

CONTENTS - 90º	
	M6 x 1mm (x 10 PCS.)
	M8 x 1mm (x 10 PCS.)
	M8 x 1.25 (x 10 PCS.)
	M10 x 1mm (x 10 PCS.)

Ref.9824 EXTENSION & COMPRESSION SPRING ASSORTMENT

200 PC SET



CONTENTS - EXTENSION	
	4.0 x 79.5(x 12 PCS.)
	4.5 x 44.5(x 8 PCS.)
	5.0 x 25 (x 10 PCS.)
	5.5 x 25.5 (x 10 PCS.)
	6.5 x 22 (x 10 PCS.)
	7.0 x 38 (x 10 PCS.)
	7.0 x 51 (x 12 PCS.)
	8.0 x 28.5 (x 8 PCS.)
	8.0 x 31.5 (x 10 PCS.)
	8.0 x 44.5 (x 12 PCS.)
	8.5 x 36.5 (x 12 PCS.)
	8.5 x 47 (x 12 PCS.)

CONTENTS - COMPRESSION	
	5.5 x 17.5 (x 10 PCS.)
	5.5 x 38 (x 10 PCS.)
	6.5 x 10 (x 10 PCS.)
	7.0 x 12.5 (x 10 PCS.)
	7.0 x 19 (x 10 PCS.)
	9.0 x 35(x 10 PCS.)
	9.5 x 16 (x 10 PCS.)
	9.5 x 19 (x 12 PCS.)

Ref.9834 TERMINAL ASSORTMENT

160 PC SET



CONTENTS	
	RV5.5-5 (x 4 PCS.)
	RV5.5-8 (x 4 PCS.)
	RV5.5-10 (x 4 PCS.)
	MDD5-250 (x 5 PCS.)
	FDD5-250 (x 5 PCS.)
	BV5 (x 12 PCS.)
	RV1.25-4L (x 8 PCS.)
	FG2 (x 4 PCS.)
	BV2 (x 18 PCS.)
	BV1 (x 12 PCS.)
	FG1 (x 4 PCS.)
	RV2-6 (x 10 PCS.)
	RV2-5L (x 10 PCS.)
	RV2-4L (x 10 PCS.)
	MPD2-156 (x 10 PCS.)
	FRD2-156 (x 10 PCS.)
	FDD2-250 (x 10 PCS.)
	SV2-4M (x 10 PCS.)
	MDD2-250 (x 10 PCS.)

Ref.9832 HEAT SHRINK TUBE ASSORTMENT

100 PC SET



CONTENTS	
	1.5 x 100mm (x 30 PCS.)
	2.5 x 100mm (x 30 PCS.)
	4.0 x 100mm (x 20 PCS.)
	6.0 x 100mm (x 10 PCS.)
	10 x 100mm (x 6 PCS.)
	13 x 100mm (x 4 PCS.)

Ref.9831 HEAT SHRINK TUBE ASSORTMENT

127 PC SET



CONTENTS	
	2.0 x 40mm (x 30 PCS.)
	2.5 X 40mm (x 25 PCS.)
	3.5 x 40mm (x 20 PCS.)
	5.0 x 40mm (x 20 PCS.)
	7.0 x 80mm (x 16 PCS.)
	10 x 80mm (x 8 PCS.)
	13 x 85mm (x 8 PCS.)

Ref.9833 BRANCH CONNECTOR ASSORTMENT

50 PC SET



CONTENTS	
	1.5 - 2.5mm (Azul) (x 25 PCS.)
	0.5 - 1.5mm (Rojo) (x 25 PCS.)

Ref.9820 INTERNAL CIRCLIP ASSORTMENT

300 PC SET



CONTENTS			
	Ø 5 mm (x 25 PCS.)		Ø 20 mm (x 15 PCS.)
	Ø 6 mm (x 25 PCS.)		Ø 22 mm (x 20 PCS.)
	Ø 8 mm (x 15 PCS.)		Ø 24 mm (x 15 PCS.)
	Ø 10 mm (x 20 PCS.)		Ø 25 mm (x 15 PCS.)
	Ø 11 mm (x 15 PCS.)		Ø 28 mm (x 15 PCS.)
	Ø 12 mm (x 15 PCS.)		Ø 30 mm (x 10 PCS.)
	Ø 13 mm (x 25 PCS.)		Ø 32 mm (x 5 PCS.)
	Ø 14 mm (x 15 PCS.)		Ø 35 mm (x 5 PCS.)
	Ø 16 mm (x 20 PCS.)		Ø 38 mm (x 5 PCS.)
	Ø 1 8 mm (x 20 PCS.)		

Ref.9821 EXTERNAL CIRCLIP ASSORTMENT

300 PC SET



CONTENTS			
	Ø 5 mm (x 25 PCS.)		Ø 20 mm (x 15 PCS.)
	Ø 6 mm (x 25 PCS.)		Ø 22 mm (x 20 PCS.)
	Ø 8 mm (x 15 PCS.)		Ø 24 mm (x 15 PCS.)
	Ø 10 mm (x 20 PCS.)		Ø 25 mm (x 15 PCS.)
	Ø 11 mm (x 15 PCS.)		Ø 28 mm (x 15 PCS.)
	Ø 12 mm (x 15 PCS.)		Ø 30 mm (x 10 PCS.)
	Ø 13 mm (x 25 PCS.)		Ø 32 mm (x 5 PCS.)
	Ø 14 mm (x 15 PCS.)		Ø 35 mm (x 5 PCS.)
	Ø 16 mm (x 20 PCS.)		Ø 38 mm (x 5 PCS.)
	Ø 1 8 mm (x 20 PCS.)		

Ref.9822 E-CLIP ASSORTMENT

300 PC SET



CONTENTS			
	1.5mm (x 20 PCS.)		19mm (x 20 PCS.)
	2.3mm (x 20 PCS.)		22mm (x 20 PCS.)
	3mm (x 20 PCS.)		
	4mm (x 20 PCS.)		
	5mm (x 30 PCS.)		
	6mm (x 30 PCS.)		
	8mm (x 30 PCS.)		
	12mm (x 30 PCS.)		
	10mm (x 40 PCS.)		
	15mm (x 20 PCS.)		

Ref.9819 R-CLIP ASSORTMENT

150 PC SET



CONTENTS	
	2,4 x 31 mm (x 40 PCS.)
	2,0 x 33 mm (x 30 PCS.)
	2,0 x 40 mm (x 25 PCS.)
	2,8 x 42 mm (x 25 PCS.)
	3,5 x 45 mm (x 20 PCS.)
	4,0 x 75 mm (x 10 PCS.)

Ref.9823 SPLIT PIN ASSORTMENT

555 PC SET



CONTENTS	
	1.6 x 25mm (x 150 PCS.)
	2.4 x 25mm (x 150 PCS.)
	2.4 x 38mm (x 100 PCS.)
	3.2 x 32mm (x 50 PCS.)
	3.2 x 50mm (x 50 PCS.)
	4.0 x 64mm (x 30 PCS.)
	5.0 x 64mm (x 25 PCS.)

Ref.9825 ROLL PIN ASSORTMENT

300 PC SET



CONTENTS	
	2 x 20mm (x 40 PCS.)
	2.5 x 25mm (x 20 PCS.)
	2.5 x 40mm (x 20 PCS.)
	3 x 30mm (x 40 PCS.)
	3 x 40mm (x 20 PCS.)
	4 x 30mm (x 30 PCS.)
	4 x 50mm (x 30 PCS.)
	5 x 30mm (x 20 PCS.)
	5 x 40mm (x 20 PCS.)
	6 x 40mm (x 20 PCS.)
	8 x 25mm (x 20 PCS.)
	8 x 55 mm(x 20 PCS.)

Ref.9843 HOSE CLAMP ASSORTMENT

26 PC SET



CONTENTS			
	16mm (x 8 PCS.)		28mm (x 2 PCS.)
	22mm (x 6 PCS.)		35mm (x 2 PCS.)
	25mm (x 4 PCS.)		40mm (x 4 PCS.)

Ref.9841 METRIC SCREW & WASHER ASSORTMENT

240 PC SET



CONTENTS
M4x12mm (x 10 PCS.)
M4x20mm (x 10 PCS.)
M5 x 25mm (x 10 PCS.)
M5 x 16mm (x 10 PCS.)
M6 x 20mm (x 10 PCS.)
M6 x 30mm (x 10 PCS.)
M8 x 25mm (x 5 PCS.)
M8 x 40mm (x 5 PCS.)
M10 x16mm (x 5 PCS.)
M10 x40mm (x 5 PCS.)
M4mm (x 20 PCS.)
M5mm (x 20 PCS.)
M6mm (x 20 PCS.)
M8mm (x 10 PCS.)
M10mm (x 10 PCS.)
Ø4mm (x 20 PCS.)
Ø5mm (x 20 PCS.)
Ø6mm (x 20 PCS.)
Ø8mm (x 10 PCS.)
Ø10mm (x 10 PCS.)

Ref.9840 METRIC NYLON LOCK NUT ASSORTMENT

300 PC SET



CONTENTS			
M4x0.7 (x 50 PCS.)		M8x1.25 (x 50 PCS.)	
M5x0.8 (x 75 PCS.)		M10x1.50 (x 30 PCS.)	
M6x1.0 (x 75 PCS.)		M12x1.75 (x 20 PCS.)	

Ref.9839 METRIC NUT ASSORTMENT

300 PC SET



CONTENTS			
M4x0.7 (x 50 PCS.)		M8x1.25 (x 50 PCS.)	
M5x0.8 (x 75 PCS.)		M10x1.50 (x 30 PCS.)	
M6x1.0 (x 75 PCS.)		M12x1.75 (x 20 PCS.)	

Ref.9842 WOODRUFF KEY ASSORTMENT

80 PC SET



CONTENTS			
3 x 5 x 13mm (x 10 PCS.)		4 x 7.5 x 19mm (x 10 PCS.)	
3 x 6.5 x 16mm (x 10 PCS.)		5 x7.5 x 19mm (x 10 PCS.)	
4 x 5 x 13mm (x 10 PCS.)		5x9x22mm (x 10 PCS.)	
4x6.5x16mm (x 10 PCS.)		6x9x22mm (x 10 PCS.)	

Ref.9844 GRUB SCREW ASSORTMENT

200PC SET



CONTENTS			
M4x8mm (x 25 PCS.)		M8x8mm (x 25 PCS.)	
M5x5mm (x 25 PCS.)		M8x10mm (x 25 PCS.)	
M6x6mm (x 25 PCS.)		M8x12mm (x 25 PCS.)	
M6x10mm (x 25 PCS.)		M10x10mm (x 25 PCS.)	

Ref.9845 SET SCREW ASSORTMENT

250 PC SET



CONTENTS			
M4x25mm (x 50 PCS.)		M8x40mm (x 20 PCS.)	
M5x25mm (x 50 PCS.)		M10x40mm (x 25 PCS.)	
M6x25mm (x 50 PCS.)		M12x40mm (x 25 PCS.)	
M8x25mm (x 30 PCS.)			

Ref.11052 NUT RIVET ASSORTMENT

150 PC SET



CONTENTS			
M3 x 0.5 (x 25 PCS.)		M6 x 1.0 (x 25 PCS.)	
M4 x 0.7 (x 25 PCS.)		M8 x 1.25 (x 25 PCS.)	
M5 x 0.8 (x 25 PCS.)		M10x 1.5 (x 25 PCS.)	

Ref.9837 ALUMINIUM RIVET ASSORTMENT

500 PC SET



CONTENTS	
	2.4 x 6.4mm (x 125 PCS.)
	3.2 x 6.4mm (x 125 PCS.)
	4.0 x 6.4mm (x 125 PCS.)
	4.8 x 6.4mm (x 125 PCS.)



16

TRIM CLIPS

Catalogue 2025

www.thetoolhub.co.uk

Ref.11743 NYLON TRIM CLIP ASSORTMENT FOR VAG GROUP

110 PC SET





Individual Trim Clips (10 PC SET) - Ref.11743

Ref.	Applications	OEM
11401	VW, Audi, BMW, GM	N90201601H, 6998849, 51471904317, 2207713
11402	VW, Audi	1H0868243B
11403	VW, Audi	3A0853575A
11404	VW, Audi	3B0853576
11405	VW	443853909A
11406	VW, Audi	191941142

Ref.	Applications	OEM
11407	VW, Audi, Ford, PSA	N0385501
11408	VW , Audi	N90833801
11409	VW , Audi	4A0853825A
11410	VW	1H0819055B01C
11411	VW, , Audi, Mercedes	171885767, A0019944145

Ref.11745 ASSORTED NYLON TRIM CLIPS FOR MERCEDES

120 PC SET





Individual Trim Clips (10 PC SET) - Ref.11745

Ref.	Applications	OEM
11418	Mercedes, BMW, Renault, PSA,Fiat, Ford,TATA	51447780135, 7701397195, 7703074022, 1089880027, 51311802258, ZC961983U, 4229652 ,637628, 13H2475L, A108980027
11419	Mercedes	019882981, A0019882981
11420	Mercedes	0019888081, A0019888081
11421	Mercedes Benz, Land Rover	DYQ100320, A9904692
11422	Mercedes, Chrysler	0019880325, A0019880325, 68009867AA
11423	Mercedes	A0019885081
11424	Mercedes	A1269900392, A1239900592
11425	Mercedes	A1249900492
11426	Mercedes	A1249880492

Ref.	Applications	OEM
11427	Mercedes	0009908492, A0009908492
11428	Mercedes	A1406980260
11429	Mercedes	0019884481, A0019884481

Ref.11744 ASSORTED NYLON TRIM CLIPS FOR BMW

60 PC SET





Individual Trim Clips (10 PC SET) - Ref.11744

Ref.	Applications	OEM
11412	BMW	51118174185
11413	BMW	51311802258
11414	BMW	51481938725, 51481915464

Ref.	Applications	OEM
11415	BMW	703867299, 823867299
11416	BMW	51131804205
11417	BMW	51131960054

Ref.11746 NYLON TRIM CLIP ASSORTMENT FOR VAG GROUP

110 PC SET







Individual Trim Clips (10 PC SET) - Ref.11746

Ref.	Applications	OEM
11430	Audi, VW	3B0868243
11402	Audi, VW	1H0868243B
11431	Audi, Skoda, VW	113853585C
11432	Audi, VW	3B0853575
11409	Audi, VW	4A0853825A
11433	VW	1H0867199AU71, 1H0867199A

Ref.	Applications	OEM
11434	Audi, VW	1H0867199A
11435	Audi, VW	3A0853575
11403	Audi, VW	3A0853575A
11436	VW	4A0853825C
11437	Audi, VW	1H0819055C01C



Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

www.thetoolhub.co.uk

Ref.11747 ASSORTED NYLON TRIM CLIPS FOR FORD

180 PC SET





Individual Trim Clips (10 PC SET) - Ref.11747

Ref.	Applications	OEM
11438	LandRover, Mercedes-Benz, Ford	388577S, W70558300, 6030441, 15958694, 1605396, 11569768, 09620024*
11439	Mazda, Ford	G0306888538, F22Z16774A, GA2A56694, G03068885B
11440	Mazda, Ford	F1CZ16774A, F1CZ16674A, B45556741
11441	Ford	N806289S
11442	Ford	N387496S
11443	Ford, Chrysler	N803170S, 5017410AA, 6501544
11444	Ford	W706713S300
11445	Ford	N387944S
11446	Ford	N808048S, W705532S300

Ref.	Applications	OEM
11447	Nissan, Ford, Greatwall	6384401A00, MNA0156145, NA0156145, 09640018*
11448	Ford	1673046
11449	Ford	N8011925S
11450	Ford	N379830S
11451	GM, Chrysler	16500308, 6500787
11542	Ford	W704958S300
11453	Ford	N388246S
11454	Ford	N805231S
11455	Ford	W710250S300

Ref.11748 ASSORTED NYLON TRIM CLIPS FOR PSA

120 PC SET





Individual Trim Clips (10 PC SET) - Ref.11748

Ref.	Applications	OEM
11456	Mercedes, BMW, Fiat, Chrysler, Peugeot	0009903492, A0009903492, 51161881149, 51722681, N10259301 ,07149807127 ,0009909992 ,A0009909992,5073327AA ,1L0853934, 7903072116
11457	Peugeot	6991.W4
11458	Fiat, Renault, PSA	14188380, 7703077059, 699143
11459	Universal	16.1mm x 15.5mm x 6,7
11460	PSA	743707
11461	PSA	6995X3
11462	PSA	8565.35

Ref.	Applications	OEM
11418	Mercedes, BMW, Renault, PSA, Fiat, Ford, TATA	51447780135, 7701397195, 7703074022, 1089880027, 51311802258, ZC961983U, 4229652 ,637628, 13H2475L, A108980027
11463	Mercedes	019882981, A0019882981
11464	PSA	694143
11465	PSA	699502.
11466	PSA	699645.

Ref.11749 ASSORTED NYLON TRIM CLIPS FOR FIAT



120 PC SET



Individual Trim Clips (10 PC SET) - Ref.11749

Ref.	Applications	OEM
11467	Fiat.	4292906, 14591487
11468	Fiat.	1300433650.
11469	Fiat, Renault, PSA	82456515, 82456516
11470	Fiat.	14592387.
11471	Fiat.	14591687
11472	Fiat.	83468473
11473	Fiat.	14593487, 82450771
11474	BMW, Fiat.	51138166675, 71717421
11475	Mercedes	5757139.

Ref.	Applications	OEM
11476	Fiat.	046306526, 60507749*
11477	Fiat.	14592087
11478	Fiat.	7677865.

Ref.11750 ASSORTED NYLON TRIM CLIPS FOR HONDA



180 PC SET



Individual Trim Clips (10 PC SET) - Ref.11750

Ref.	Applications	OEM
11479	Honda	75103SJ4003
11480	Honda	90675SB003
11481	Honda	91566SP0003
11482	Honda	91530ST5003
11483	Honda	91620SR2003
11484	Honda	38529689A6300, 91515SM4003
11485	Honda	906876710030, 90687671003
11486	Honda	90687SA50030, 90687SA5003
11487	Honda	91534SE0000, 91534SE00000
11488	Honda, GM	91502SP0003, 0940909303, 94530624

Ref.	Applications	OEM
11489	Honda, Toyota	90672671003, 9046708156
11490	Honda	91513SE003
11491	Honda	91550SH3003
11492	Honda	91578SV4003
11493	Honda, GM, Mitsubishi	91512SX0003, MU000319, MR220501, 11519949
11494	Honda, Nissan	90683SA5003, 0155301203, 0155303573, 9046706153, 9040906319
11495	Honda	91808SM4000
11496	Honda	34355SD2003

Ref.11751 ASSORTED NYLON TRIM CLIPS FOR MAZDA

180 PC SET





Individual Trim Clips (10 PC SET) - Ref.11751

Ref.	Applications	OEM
11497	Mazda	2042301
11498	Mazda	B0016830200
11499	Mazda	9926-40-543A
11500	Mazda, Ford	E92Z17C756C, GJ2150034
11501	Mazda, Ford, Hyundai	B09251833, M45556143, W705845S300, 8659028000
11502	Mazda, Toyota, Nissan	9046709139, 0155303803
11503	Mazda	992780405
11504	Mazda	99249051B
11505	Mazda	BC1DSA145
11506	Mazda, Mitsubishi	MB023930, 999100402

Ref.	Applications	OEM
11507	Mazda, Honda, Toyota, Subaru	2345957, 90321122
11508	Ford, Chrysler	7703077117, 0155300QAC
11509	Mazda	B1016825200
11510	Mazda, Toyota, Ford, Hyundai	G03158762, 6786889101, 6786728030, 6786789103, C1D58762, E7GZ6120586B, 864382B000
11511	Ford, Mazda, Subaru, Mitsubishi, Hyundai	E7GZ17A904B, BF6750033, 81910TA100, MR114963, MBF6750033
11512	Mazda	992780404
11440	Ford, Mazda	F1CZ16774A, F1CZ16674A, B45556741
11513	Mazda, Nissan	992640531, 6892901R00, 992640531B

Ref.11752 ASSORTED NYLON TRIM CLIPS FOR LAND ROVER

100 PC SET





Individual Trim Clips (10 PC SET) - Ref.11752

Ref.	Applications	OEM
11514	Land Rover, GM, Ford, Chrysler, GM, VW, Renault, TATA	21030249, N807389S, 6503598, 1039463, 8E0825267*, 7701049271, ANR2224*
11515	Land Rover, GM, Ford, Chrysler, GM, TATA	RYQ500070*, AWR3994, N804570S, 15773445, 20452072, 20664092, 4638136
11516	Land Rover, GM, Volvo	AFU 1075, 12681763, 1104882, 1268176
11517	Land Rover, TATA	MXC1800
11518	Land Rover, TATA, Ford	DKP5279L, W701194S300*, 6696122*
11519	Land Rover, GM, Renault, TATA	3176656, 4414720, DYC101420, 7703077368*, 7701050734

Ref.	Applications	OEM
11520	Land Rover, Honda Subaru, GM, BMW, Subaru, Changan	91503SP0003, 57728AC060, 94530623, 07130702966, 57728AC060, '0940910403C2011083000, 7887508000, DYQ100230
11521	Land Rover, Mercedes Benz	MWC9134
11522	Land Rover	MWC3136
11523	Land Rover	AP3476P

Ref.11753 ASSORTED NYLON TRIM CLIPS FOR RENAULT

60 PC SET





Individual Trim Clips (10 PC SET) - Ref.11753

Ref.	Applications	OEM
11524	Renault, Mercedes	0019886081, A0019886081
11458	Fiat, Renault, PSA	14188380, 7703077059, 699143
11525	Renault	7703081147*
11418	BMW, Renault, BMW, PSA, Fiat, Ford, TATA	51447780135, 7701397195, 7703074022, 1089880027, 51311802258, ZC961983U, 4229652, 637628, 13H2475L

Ref.	Applications	OEM
11526	Iveco, Volvo, GM, Renault	500326896, 7701470779, 4412053*, 4409693*, 93160023*, 7703077421, 91169650
11527	Renault	Length 36.5mm x Ancho 25.1mm

Ref.11754 ASSORTED NYLON TRIM CLIPS FOR OPEL

60 PC SET





Individual Trim Clips (10 PC SET) - Ref.11754

Ref.	Applications	OEM
11528	Mercedes, Opel, Ford	0119887678, 1591426
11529	GM	90218614, 2208843
11530	GM	2240582, 2240587
11407	GM, VW	N0385501

Ref.	Applications	OEM
11531	VW, Renault, Dacia, Opel, Mercedes, Ford, Renault	7L5853994, 7701053516, 7701057715, 7L5853994 (Audi), 7701053516, 7701057715 (Dacia, Renault), 6099218, E865063S (Ford), A0009911498, A0109882478 (Mercedes-Benz), 2345959, 90457899 (Vauxhall)
11532	GM, Ford	90413589, 180942





Visit **www.thetoolhub.co.uk** or scan the QR code and discover the fastest and easiest way to access all our catalogues, ready to be saved and viewed without an internet connection.

www.thetoolhub.co.uk

Ref.11755 ASSORTED NYLON TRIM CLIPS FOR LEXUS

180 PC SET





Individual Trim Clips (10 PC SET) - Ref.11755

Ref.	Applications	OEM
11533	Toyota	9046709006
11534	Toyota, Nissan, Honda, Mazda	9018906010, 96706P0105, 755216110000, 999100601
11535	Toyota, GM	9046711063, 88970493
11536	Toyota	9046707138
11537	Toyota	9046709138
11538	Toyota	9046709093
11539	Toyota	7503933060
11540	Toyota, Mazda	9046709143
11541	Toyota	9046709096
11542	Nissan, Toyota, Mitsubishi, Nissan	0128100231, 9018906001, M098145, M088341, MS480013, 0128100023

Ref.	Applications	OEM
11543	Mazda	9017905060
11544	Toyota	7539533030
11545	Toyota	9046707117
11546	Toyota	9046709101, 5253135010C0, 52531350100, 9046709181A1
11547	Toyota	7504933010
11548	Toyota	Diámetro cabeza x Length: 18,0 mm x 14,0 mm; para adaptarse al tamaño del orificio: 9,0 mm
11549	Toyota	9046708124
11550	Toyota, GM, Great wall	9046709050, 9046709118, 90467A0003, 88970747, 94858509, 8402013S08*

Ref.11757 ASSORTED NYLON TRIM CLIPS FOR VOLVO

120 PC SET





Individual Trim Clips (10 PC SET) - Ref.11757

Ref.	Applications	OEM
11566	Nissan, Toyota, Suzuki, Mitsubishi, Volvo	8099905N07, 8099946N20, 9046707043, 09409073215PK, MR108759, MR108760, M683156, M683157, M683158, M683159, M683160, MR417323, 987789
11554	Honda, Nissan, Subaru, Honda, Volvo	91545SE00030W, 6384801G00, 63848WA000, 91059FC010, 91545SE0003W1, 3541113
11467	Fiat, Volvo	4292906, 14591487, 4292906
11567	Volvo	91334177
11568	Volvo	91330738, 9133073
11569	Volvo	327207532746 2A
11570	Volvo, GM y BMW	1400806, 90508809, 1400806, 5111964

Ref.	Applications	OEM
11416	BMW, Volvo	51131804205, 740760
11516	Volvo, GM	12681763, 1104882, 1268176
11571	Volvo	591740
11572	Volvo	327207532746 2B
11573	Volvo	3923712

Ref.11756 ASSORTED NYLON TRIM CLIPS FOR TOYOTA / LEXUS

170 PC SET





Individual Trim Clips (10 PC SET) - Ref.11756

Ref.	Applications	OEM
11551	Toyota/Lexus, Nissan	9046707050, 0155300172, 9046708008
11534	Toyota/Lexus, Nissan, Honda, Mazda	9018906010, 96706P0105, 755216110000, 999100601
11552	Nissan, Honda, Isuzu, Toyota/ Lexus ,Suzuki	1099830880, 90684SA5003, 8942981190, 5578552020, 0940906319
11553	Toyota/Lexus Honda, Nissan	90667SA70030, 90667SA7003YN, 90667SA7003F7, 90667SA7003YG, 90667SA7003Z, 90667SA7003ZT, 90667SA7003YW, 90667SA7003, 8942798070
11554	Honda, Nissan, Subaru, Honda, Toyota/Lexus	91545SE00030W, 6384801G00, 63848WA000, 91059FC010, 91545SE0003W1
11555	Nissan, Toyota/Lexus	62869N4700
11556	Nissan, Toyota/Lexus	7688257A00
11557	Nissan, Toyota/Lexus	6387801E10, 0155304183

Ref.	Applications	OEM
11558	Mitsubishi, Nissan, Mazda, Toyota/Lexus	24405739, 7703077478
11559	Nissan, Toyota/Lexus	68425H5000
11447	Nissan, Ford, Greatwall, Toyota/Lexus	90560163
11560	Mazda, Nissan, Toyota/Lexus	BF8250233, 0155301393
11561	Nissan, Honda, Toyota/Lexus	78856R4301, 906836930000, '90683693000
11562	Nissan, Toyota/Lexus	76906T3000
11563	Nissan, Toyota/Lexus	62380U7400, 62325R8000
11564	Nissan, Toyota/Lexus	6684101G00
11565	Nissan, Toyota/Lexus	63848D4000, 63848D4001

Ref.11758 UNIVERSAL TRIM CLIP ASSORTMENT

120 PC SET





Individual Trim Clips (10 PC SET) - Ref.11758

Ref.	Applications	OEM
11438	UNIVERSAL	388577S, W705589S300, 6030441, 15958694, 1605396, 11569768, 09620024*
11574	GM, Chrysler	6003423
11575	GM, Chrysler	20699808, 6502328
11508	Ford, Chrysler	7703077117, 0155300QAC
11576	BMW	52201964201
11577	Renault	7703077435
11578	Universal Bumper Clip	17.6mm x 15.5mm x 7mm

Ref.	Applications	OEM
11579	Ford, Chrysler	385661S, 6003349, 6032363, N989022
11580	GM, Ford, Chrysler	1631564, N804379S, 34202787, W706358S300
11581	GM, Ford, Chrysler	16674629, N806113S, 6503943
11401	VW, Ford, BMW, GM	N90201601H, 6998849, 51471904317, 2207713
11582	Nissan, Renault	0153301781, 7703077080

Ref.11759 UNIVERSAL NYLON RIVET ASSORTMENT



120 PC SET



Ref.11641 INDIVIDUAL NYLON RIVET FOR BMW.

10 PC SET



OEM
07147293278

Individual Trim Clips (10 PC SET) - Ref.11759

Ref.	Applications	OEM
11583	GM, Chrysler	6500898, 15718794
11584	GM, Chrysler	25524005, 6506007AA*
11585	GM	10036503
11586	Ford	N804583S
11587	GM, Ford, Chrysler, BMW	14063981, N803043S, 6500911, 06500911, 07142151750, 6504700
11588	GM	14070914
11589	BMW	51717002953, 51777171004
11590	GM, Chrysler	20465395, 6004212, 92231490
11591	GM	12337915, 10109689

Ref.	Applications	OEM
11592	GM, VW, Chrysler, Ford	20432975, 17585357701C, 6503800, N804343S
11593	GM	15506827
11594	Chrysler, Ford, BMW	4370138, 6503860, N804675S, 07149140786

Ref.11760 ASSORTED NYLON TRIM CLIPS FOR VAG GROUP



170 PC SET



Individual Trim Clips (10 PC SET) - Ref.11760

Ref.	Applications	OEM
11595	VAG	WHT005560
11596	VAG, Ford	N10415903, W507122S451*
11597	VAG, BMW, Daewoo, Ford, GM, Mercedes, Volvo	16186729901C, 1916670, 94530507, E8440525, 1104880, 91138810, A0009902992, 35126242
11598	VAG	N90974701
11599	VAG	WHT000425
11600	VAG	07147169847, WHT003207, 50504884*, 07147166870*
11601	VAG, BMW, Fiat	6N0809966A, WHT003737*, N90833801
11602	Audi, VW	N10621301, 07147429950

Ref.	Applications	OEM
11603	VAG	N10009110, N10009104, N90949101, N90949102
11604	VAG	N90959101
11605	VAG	N90993603
11606	VAG	3C0853586
11607	VAG	WHT005348
11608	VAG	3C0853585
11609	VAG	N90698606
11610	VAG	WHT005263
11611	VAG	N90757901

Ref.11761 ASSORTED NYLON TRIM CLIPS FOR VAG GROUP

170 PC SET





Individual Trim Clips (10 PC SET) - Ref.11761

Ref.	Applications	OEM
11598	VAG	N90974701
11611	VAG	N90757901
11601	VAG, BMW, Fiat	6N0809966A, WHT003737*, N90833801
11612	VAG, BMW, Mercedes	51498166702, 9640855880, N105835019B9, A0009917240
11603	VAG	N10009110, N10009104, N90949101, N90949102
11613	BMW	51127020321, N10516801
11614	VAG	8V0868243, 8V0868243B
11615	VAG	8T0853107, L8T0853107
11616	VAG, Ford	N90796501, N90796502, 6715468
11617	VAG	8K0805163A, 4F0805163
11618	VAG	811807577C, 357809966

Ref.	Applications	OEM
11619	VAG	4A0867276B
11620	VAG	N90829803
11621	VAG	N90536901
11622	VAG	4D0611715B
11623	VAG	N90070306
11610	VAG	WHT005263

Ref.11762 ASSORTED NYLON TRIM CLIPS FOR VAG GROUP

110 PC SET





Individual Trim Clips (10 PC SET) - Ref.11762

Ref.	Applications	OEM
11623	VAG	N90070306
11598	VAG	N90974701
11601	VAG, BMW, Fiat	6N0809966A, WHT003737*, N90833801
11602	Audi, VW	N10621301, 07147429950
11604	VAG	N90959101
11621	VAG	N90536901
11628	VAG	N10318001
11625	VAG	5J0867276
11626	VAG	3AA868243A

Ref.	Applications	OEM
11627	VAG	N91018901

Ref.11763 ASSORTED NYLON TRIM CLIPS FOR BMW BODYWORK

160 PC SET





Individual Trim Clips (10 PC SET) - Ref.11763

Ref.	Applications	OEM
11629	BMW, Mercedes	51471911992, A2019900292, 51470146782, 51470390017, A23099000929C75
11613	BMW, VW, Geely	51127020321, N10516801, N10541201*, JQ399H08
11632	BMW	7146976114
11456	Mercedes, BMW, Fiat, VW, Chrysler Peugeot	0009903492, A0009903492, 5116188114 9, 51722681, N10259301, 07149807127, 0009909992, A0009909992, 5073327AA, 1L0853934, 7903072116
11635	BMW	51148209932
11630	BMW	07147311312
11639	BMW	51489119216, 51487273379
11634	BMW	07147213303
11600	BMW, VW, Fiat	07147169847, WHT003207, 50504884*, 07147166870*
11631	BMW	07147306224

Ref.	Applications	OEM
11638	BMW	51711958025
11633	BMW	07147378241
11640	BMW	51488126849
11589	BMW	51717002953, 51777171004
11636	BMW	07147122912
11637	BMW	51717066226

Ref.11764 ASSORTED NYLON TRIM CLIPS FOR BMW INTERIOR

80 PC SET





Individual Trim Clips (10 PC SET) - Ref.11764

Ref.	Applications	OEM
11642	BMW	07147443710*, 07142754954
11643	BMW	51417325082
11412	BMW	51118174185
11644	BMW	51418224768, 51410407984
11645	BMW	52208133466
11646	BMW	51437001491

Ref.	Applications	OEM
11647	BMW	90230846, 2240802, 94515248, 63121374075
11648	BMW	51717154520

Ref.11765 ASSORTED NYLON TRIM CLIPS FOR MERCEDES



170 PC SET



Individual Trim Clips (10 PC SET) - Ref.11765

Ref.	Applications	OEM
11422	Mercedes, Chrysler	0019880325, A0019880325, 68009867AA
11649	Mercedes, BMW, VW, GM	A0009905492, 1400804, 51111908077, 51111964186, 0009905492, A0009909051, N90359101*
11651	Mercedes	A0029973386
11652	Mercedes	0009917398, A0009917398
11653	Mercedes	0009917498, A0009917498
11654	Mercedes	A2059910071
11657	Mercedes	A2019972281
11456	Mercedes, BMW, Fiat, VW, Chrysler, Peugeot	0009903492, A0009903492, 51161881149, 51722681, N10259301, 07149807127, 0009909992, A0009909992, 5073327AA, 1L0853934, 7903072116
11659	Mercedes	A0009912895

Ref.	Applications	OEM
11528	Mercedes	0119887678, 1591426
11425	Mercedes	A1249900492
11660	Mercedes	A0009907892
11650	Mercedes	A0009914140
11656	Mercedes	A0009918698
11661	BMW, Mercedes	16131176747, A0039900251, 0039900251
11658	Mercedes	A0009914795
11655	Mercedes	A0009918698

Ref.11766 ASSORTED NYLON TRIM CLIPS FOR NISSAN



150 PC SET



Individual Trim Clips (10 PC SET) - Ref.11766

Ref.	Applications	OEM
11661	Nissan	16131176747, A0039900251, 0039900251
11662	Nissan	0155309321, MR328954, MR598954
11663	Nissan	0155305933, 015532FR0A
11664	Nissan	0155305933, 015532FR0A
11665	Nissan	768820M000
11666	Nissan	0155330001, 015532DT0A*
11667	Nissan	84953AU100
11668	Nissan	0128100441
11669	Nissan	74816AX000

Ref.	Applications	OEM
11670	Nissan	0128100111
11671	Nissan	638465V000
11672	Nissan	0155309791
11673	Nissan	76848JG00A
11674	Nissan	85284JD00A
11675	Nissan	0155309241, 57728AC090
11676	Nissan	65832F5000, 6584630F00

Ref.11767 ASSORTED NYLON TRIM CLIPS FOR TOYOTA

100 PC SET





Individual Trim Clips (10 PC SET) - Ref.11767

Ref.	Applications	OEM
11550	Toyota, GM, Great wall	9046709050, 9046709118, 90467A0003, 88970747, 94858509, 8402013S08*
11677	Toyota, GM	9046708004, 9046708011, 9008046010*, 94842841, 94849113
11678	Toyota	9018906193, 9018906237
11679	Toyota	9046705170, TF80
11680	Toyota	5385747011
11681	Toyota	9054109124
11682	Toyota ,Subaru, Honda, Mitsubishi, Great wall	6786712150, 909120023, 909120028, 90651S4N00, MR380850, MU481283, 6107103XKZ16A, 6786802020
11683	Toyota	9046707215, 90467A0037

Ref.	Applications	OEM
11684	Toyota, GM	5216116010, 5216102020, 52161440100, 521610K040,5216102030, 94858560
11685	Toyota	9018906013

Ref.11768 ASSORTED NYLON TRIM CLIPS FOR HONDA

110 PC SET





Individual Trim Clips (10 PC SET) - Ref.11768

Ref.	Applications	OEM
11686	Honda	91501TR0003
11687	Honda	91501SWA003, TF60
11688	Honda	91504TBAA01
11689	Honda	91518S10003
11690	Honda	91560SZW003
11691	Honda	90651TP8003, 91568TR0003
11692	Honda	90666SDAA01
11693	Honda	90682SEA003
11694	Honda	90682SDAA01

Ref.	Applications	OEM
11695	Honda	91512SED003
11696	Honda	91512SJK003

Ref.11769 ASSORTED NYLON TRIM CLIPS FOR HYUNDAI/ KIA

140 PC SET





Individual Trim Clips (10 PC SET) - Ref.11769

Ref.	Applications	OEM
11501	Ford, Hyundai, Mazda, Ford, KIA	W705845S300, 8659028000, 0G0325007A, B09251833, MB45556143
11697	Hyundai, KIA	864384A100
11698	Hyundai, KIA	1491005000
11699	Hyundai, KIA	865952T500,1420608250B
11700	Hyundai, KIA	823152P000,833152S000
11701	Hyundai, KIA	823152W000
11702	Hyundai, KIA	877563E500
11703	Hyundai, KIA	8775927000
11704	Hyundai, KIA	877583L000/87756-D3000

Ref.	Applications	OEM
11705	Hyundai, KIA	8112637010,8112637000
11706	Hyundai, KIA	9255236000,8231536000
11707	Hyundai, KIA	8684822000
11708	Hyundai, KIA	8231538000
11709	Hyundai, Honda, KIA	9751922000, 8614021000, 9889021000, 8714031000, 9751902000, 906726718110M, 90674SB0000

Ref.11770 ASSORTED NYLON TRIM CLIPS FOR FORD

110 PC SET





Individual Trim Clips (10 PC SET) - Ref.11770

Ref.	Applications	OEM
11449	Ford	N8011925S
11438	Ford, Land Rover, Mercedes	388577S, W705588S300, 6030441, 15958694, 1605396, 11569768, 09620024*
11710	GM, Chrysler, Ford	20510029, 34202672, N803362S
11711	Ford	379830S
11712	Ford	W701380SSW, 1629082
11713	GM, Chrysler, Ford, PSA	*11589289, 4811301, 6508863AA, 4855809, W713610S300, 0940906401 CD1011222600, YQ00159480*
11714	GM, Ford, Chrysler	11589293, 1816589, W712196S300, 68003844AA
11715	Ford	W701054S300, 01028521

Ref.	Applications	OEM
11716	Ford	6150260
11717	Ford	N803857S
11718	Ford	N804448

Ref.11771 ASSORTED NYLON TRIM CLIPS FOR BMW

50 PC SET





Individual Trim Clips (10 PC SET) - Ref.11771

Ref.	Applications	OEM
11719	PSA, Renault	856553, 1609267280, 7703072416
11720	VW, PSA, TATA, Mercedes	7L6868307, 6555LE*, ESR567*, A0009916640
11721	PSA	6997TZ, 699783
11722	PSA	7950,59
11723	Toyota, Mitsubishi, PSA	9046707166, MU000262, 6822NK*

Ref.11772 ASSORTED NYLON TRIM CLIPS FOR RENAULT

80 PC SET





Individual Trim Clips (10 PC SET) - Ref.11772

Ref.	Applications	OEM
11724	Renault, PSA	6001549265, 699156, 8200700969
11725	Renault, Nissan	054000001R, 0151500Q0C
11726	Renault	7703081056
11727	Renault, PSA	7701044547, 6990E0*
11728	Renault	7701061797
11729	Renault, PSA	7703077476, 9345ZN*, 95508766*
11508	Renault, Nissan	7703077117, 0155300QAC
11577	Renault	7703077435

Ref.11773 ASSORTED NYLON TRIM CLIPS FOR OPEL

100 PC SET





Individual Trim Clips (10 PC SET) - Ref.11770

Ref.	Applications	OEM
11529	GM (Opel)	90218614, 2208843
11507	GM (Opel)	2345957, 90321122
11597	GM (Opel, Mercedes, PSA, VAG)	16186729901C, N0385491, N0385494, 1618672999, N90112201, N90112202, 90087290, 697334*, A0009902992
11558	GM (Opel), Renault	24405739, 7703077478
11663	GM (Opel), Mercedes, Volvo	90138810, 13350726, 94530507* ,1719245, 1104882, 0009902992, ,0009906092, 0019901692, 1149900192, A0009902992, A0009906092, A0019901692,A1149900192, 9133417, 1268642

Ref.	Applications	OEM
11447	GM (Opel)	90560163
11532	GM (Opel), Ford	90413589, 180942
11424	GM (Opel)	13252118, 7231991
11570	GM (Opel)	1400806, 90508809, 1400806
11714	GM (Opel), Chrysler, Ford	11589293, 1816589, W712196S300, 68003844AA



www.thetoolhub.co.uk

"Looking for the fastest and most efficient way to access our catalogues? **Visit www.thetoolhub.co.uk or scan the QR code** and discover how to optimize your time. Access complete catalogs, with detailed information and intuitive search tools, all in one place.
Download our catalogues and eliminate waiting and the need for an internet connection. Have all the information available instantly, no matter where you are.
At **www.thetoolhub.co.uk**, we understand the value of your time. That's why, through www.toolhub.es, you can access the information you need quickly and easily.
Discover the new way to explore our catalogues and optimize your time with the information you need, when you need it.

REFERENCIA	PÁGINA
0001	211
0002	230
0003	230
0005	230
0006	232
0008	232
0009	232
0010	211
0012	231
0016	211
0018	230
0020	231
0021	231
0022	231
0024	230
0024-TJ	230-234
0030	229
0034	230
0035	13
0050	228
0087	104
0092	230
0220	231
0221	231
0222	231
0419	246
1001	82
1002	82
1003	82
1004	115
1005	115
1007	63
1008	63
1009	128
1010	128
1011	68
1012	0
1013	63
1014	75
1015	75
1016	75
1018	56
1019	63
1020	57
1022	111
1023	41
1024	67-133-163
1027	75
1028	29
1029	136
1030	136
1031	149
1032	149
1033	149
1034	138
1035	67, 133, 163
1036	133, 163
1037	158, 167
1038	141
1039	148
1040	148
1041	148
1042	182
1043	157
1044	170, 174, 180
1045	150, 178, 184

REFERENCIA	PÁGINA
1046	183, 185
1047	186
1048	186
1049	185
1050	68
1051	169, 174
1052	172
1056	115
1057	109
1058	233
1062	172
1063	171
1064	171
1065	168, 173
1066	144
1067	143
1068	183
1069	181
1070	180
1071	180, 184
1072	143
1073	136
1074	166,176,181
1075	151, 170
1076	140
1079	135
1080	155
1081	32,38
1082	62
1083	43
1084	87
1085	128
1086	81
1087	106
1089	101
1090	102
1092	108
1093	48
1094	48
1095	48
1096	97
1098	38
1099	44,102
1101	32
1102	125
1103	229
1104	77
1105	135
1106	42
1107	116
1108	120
1110	67, 132
1111	40
1112	115
1113	115
1123	125
1124	128
1126	119
1127	104
1128	67
1129	73
1131	56
1132	64
1134	141
1137	166,171,177
1138	161, 174

REFERENCIA	PÁGINA
1139	170
1141	188
1142	59
1143	70
1144	115
1147	144
1148	144
1149	144
1151	125
1152	71
1153	142, 188
1154	112
1155	95
1156	39
1157	74
1161	115
1163	180
1164	171, 182
1165	133
1166	99
1167	212
1169	31
1172	81
1174	32
1175	32
1176	32
1177	32
1179	79
1182	172
1183	172
1184	170
1185	170
1187	172
1188	124
1189	141
1190	176
1191	61
1192	115
1193	115
1194	115
1198	138
1317	109
2023	56
2024	0
2116	90
2393	120
2611	48
2713	213
2800	188
2807	99
2840	233
2869	139,157,184
3057	102, 111
3060	99
3065	106
3066	106
3346	81, 112
3378	115
3379	115
3457	41
3523	80
3616	63
3829	108
3847	115
3946	41
3967	108

REFERENCIA	PÁGINA
3969	62
3981	15
3983	76
4003	104
4004	104
4085	188
4267	233
4270	216
4294	95
4318	216
4422	95
4449	90
5014	92
5114	188
5122	91
5127	104
5235	75
5236	75
5532	106
6015	211
6017	211
6020	211
6032	216
6033	216
6257	77
6282	63
6321	106
6324	95
6336	92
6428	80
6486	80
6494	93
6511	214
6538	55
6554	106
6662	41
6722	95
6806	76
6860	182
6963	214
7010	75
7167	111
7191	72
7231	89
7232	79
7234	213
7386	108
7532	74
7669	233
8000	89
8012	48
8013	48
9001	214
9004	61
9005	82
9006	77
9007	60,239
9015	56
9016	106
9020	59
9022	59
9023	13
9060	238
9061	64
9062	13
9063	99

REFERENCIA	PÁGINA
9069	216
9070	57
9071	199
9072	199
9073	105
9074	56
9077	141
9078	57
9079	112
9080	108
9081	110
9082	115
9083	108
9086	212
9090	39
9091	39
9093	39
9094	39
9096	88
9097	233
9100	112
9101	112
9102	113
9103	112
9105	233
9106	87
9107	38
9108	38
9113	105
9114	48, 201
9115	95
9116	26
9117	26
9118	237
9119	45
9120	71
9121	71
9123	84
9124	16
9125	216
9126	108
9127	92
9128	77
9129	124
9130	120
9132	59
9133	92
9134	162
9135	148
9136	155, 162
9137	176
9138	149
9139	160, 170
9140	132
9141	157
9142	135, 176
9143	139, 169
9144	57
9145	113
9146	60,233
9148	115
9150	80
9151	58
9152	213
9154	141
9155	141

REFERENCIA	PÁGINA
9156	62
9157	141
9158	135
9159	133, 163
9161	43
9162	43
9163	43
9164	84
9165	84
9168	108
9172	188
9173	76
9174	76
9175	55
9176	76
9177	76
9179	139
9180	215
9183	62
9186	75
9187	75
9188	72
9189	151,159,163
9190	62
9191	128
9192	28
9193	65
9194	79
9195	90
9197	77
9199	45
9200	113
9201	35
9202	82
9203	106
9204	95
9205	212
9206	56
9207	26
9208	27
9210	77
9212	16
9213	16
9214	16
9215	16
9242	22
9243	22
9244	22
9245	22
9246	22
9247	0
9248	0
9249	0
9250	0
9251	0
9252	0
9253	0
9254	0
9255	0
9256	0
9285	18
9286	16
9305	128
9323	22
9324	22
9325	22

REFERENCIA	PÁGINA
9326	22
9328	16
9337	128
9378	22
9379	22
9380	22
9381	22
9382	22
9389	18
9390	16
9395	16
9396	16
9397	16
9398	16
9399	125
9402	90
9403	128
9404	214
9405	212
9406	100
9407	100
9408	45
9409	31
9411	232
9412	71
9413	106
9416	82
9417	82
9418	100
9419	100
9420	37
9421	120
9422	39
9423	42
9424	60,239
9425	60,239
9426	35
9427	40
9428	124
9429	34
9430	38
9431	38
9432	102
9433	120
9436	212
9438	154,165,170,175
9439	169
9440	136
9442	121
9443	121
9444	29
9445	29
9448	168, 179
9449	164
9450	104
9451	47
9452	47
9453	47
9454	84
9455	84
9456	81
9457	128
9458	68
9459	69
9461	15
9462	211

REFERENCIA	PÁGINA
9463	80
9464	120
9466	65
9467	24
9468	73
9469	63
9470	73
9471	72
9472	79
9475	87
9476	205, 206
9477	205, 206
9478	198
9479	198
9480	198
9481	204, 206
9482	202,206
9483	202,206
9484	205, 206
9485	205, 206
9486	204, 206
9487	204, 206
9488	204, 206
9489	202,206
9490	206
9491	206
9492	206
9493	204, 206
9494	205, 206
9495	205, 206
9496	205, 206
9497	191
9498	190
9499	198
9500	190
9501	203
9502	200
9503	204, 206
9504	205, 206
9505	69
9506	193
9507	190
9508	190
9509	200
9510	191
9511	193
9512	195
9513	196
9514	56,195
9515	56,195
9516	56,195
9517	198
9519	72
9520	81
9521	81
9522	112
9523	41
9524	95
9525	92
9526	238
9527	56
9528	56
9529	100
9530	232
9531	109
9532	64

REFERENCIA	PÁGINA
9533	42
9536	18
9537	12
9538	12
9539	68
9541	125
9542	237
9544	104
9548	57
9550	202,206
9551	202,206
9552	202,206
9553	202,206
9554	202,206
9555	204, 206
9556	190
9557	139
9558	139
9562	105
9564	231
9565	52
9566	52
9567	239
9568	132
9569	175, 181
9570	188
9571	181
9572	160
9573	237
9574	211
9576	146
9578	91
9579	72
9580	164
9581	70
9582	137
9583	190
9584	190
9585	107
9586	190
9587	15
9588	151
9589	167
9590	137
9591	137
9592	134
9593	134
9594	137
9595	91
9596	91
9598	111
9599	111
9600	107
9601	109
9602	74
9603	106
9604	126
9605	119
9606	99
9608	131
9609	99
9610	105
9611	199
9613	119
9614	125
9615	215

REFERENCIA	PÁGINA
9616	215
9617	215
9618	215
9619	215
9620	215
9621	107
9623	98
9624	98
9625	222
9626	68
9627	68
9629	78, 196
9630	98
9631	83, 236
9632	83, 236
9633	89
9634	89, 196
9635	57
9636	232
9637	60,239
9638	201
9639	90
9640	213
9641	218, 239
9642	218, 239
9643	218, 239
9644	121
9645	84
9646	84
9647	84
9648	84
9649	97
9650	97
9651	234
9652	143
9653	140
9655	216
9656	100
9657	216
9658	125
9659	166
9660	70
9661	71
9662	69
9663	216
9664	121
9665	71
9666	87
9667	87
9668	68
9669	73
9670	67
9671	129
9672	81
9673	65
9674	119
9675	67,90,192
9676	29, 201
9677	87, 196
9678	120
9679	213
9680	87
9681	35
9682	57
9683	84
9684	50

REFERENCIA	PÁGINA
9685	35,52
9686	39
9687	39
9688	143
9689	216
9690	35
9691	35
9692	35
9694	120
9695	100
9696	214
9697	215
9698	105
9700	69
9701	69
9702	87
9703	69
9704	92
9705	188
9706	215
9707	102
9708	38
9709	80
9710	42
9711	111
9712	126
9713	126
9714	125
9715	18
9716	39
9717	146
9720	63
9721	187
9722	187
9724	42
9725	15
9726	15
9727	16
9728	16
9729	48
9730	48
9731	80
9732	98
9733	98, 233
9734	229
9735	76
9736	59
9737	62
9738	102
9739	164,167
9740	145
9741	170
9742	160, 167
9743	152,159,171
9744	58
9745	84
9746	145
9747	78
9748	86
9749	213
9750	69
9751	187
9752	212
9753	111
9756	233
9757	188
9758	108
9759	106
9760	66, 157
9761	187
9762	18
9763	100
9765	232
9767	229
9769	119
9771	28
9772	28
9773	28
9774	28
9775	27
9776	27
9777	27
9778	27
9779	22
9780	22
9781	28
9782	28
9783	28
9784	43
9785	43
9786	43
9787	43
9788	43
9789	43,73
9790	43,73
9791	43,73
9792	43,73,76
9794	50
9795	50
9800	224
9801	224
9802	223
9803	223
9805	224
9807	223
9809	45
9810	51
9811	32
9812	32
9813	32
9814	126, 248
9815	126, 248
9816	126, 248
9817	246
9818	246
9819	250
9820	250
9821	250
9822	250
9823	250
9824	249
9825	250
9826	246
9827	238, 249
9828	247
9829	247
9830	247
9831	127, 249
9832	127, 249
9833	127, 249
9834	127, 249
9835	126, 248
9836	246
9837	40,251
9838	246
9839	251
9840	251
9841	251
9842	251
9843	250
9844	251
9845	251
9847	171, 182
9848	172
9849	154,165,170
9850	171
9851	139
9852	145
9853	132
9854	63,174
9855	67
9857	150, 169
9858	153
9859	151
9860	182
9861	179
9863	183
9864	160, 167
9865	159
9866	65
9867	176
9868	180, 186
9869	143
9870	66, 140
9871	67, 161
9872	88, 142
9873	109
9874	82
9875	82
9876	57
9877	111
9878	222
9879	31
9880	92
9881	119
9882	119
9883	22
9884	119
9885	22
9886	22
9887	22
9888	27
9889	27
9890	27
9891	32
9892	139
9893	215
9894	213
9895	69
9896	43
9897	194
9898	98
9899	101, 193
9900	109
9901	111
9902	188
9908	214
9909	42
9910	78
9912	15
9913	196
9914	190
9915	190
9916	206, 207
9917	206, 207
9918	206
9919	206
9920	195
9921	206
9923	108
9924	70
9925	77
9926	217
9927	57
9928	93
9929	69
9930	69
9931	185
9932	193
9933	193
9934	193
9935	193
9936	193
9937	238
9938	90
9939	60, 240
9940	60, 240
9941	12
9942	120
9943	120
9944	100
9945	115
9946	109
9947	105
9948	212
9950	243
9951	243
9952	243
9953	243
9954	243
9955	243
9956	243
9957	243
9958	243
9959	243
9960	243
9961	243
9962	244
9963	244
9964	244
9965	244
9966	244
9967	244
9968	244
9969	244
9970	244
9971	244
9972	244
9973	244
9974	245
9975	245
9976	245
9977	245
9978	245
9979	245
9980	245
9981	58
9983	150
9984	77
9985	248
9986	248
9987	248
9988	248
9989	248
9991	75
9993	86
9994	134
9995	136
9996	137
9997	135
9998	131
9999	137, 165
10000	138
10001	112
10002	138
10003	88, 153
10004	88, 150, 153
10005	152
10006	152
10007	152
10008	152
10009	144
10010	149
10011	107
10012	140
10013	77
10014	77
10015	61
10016	61
10017	64
10018	74
10019	59
10020	99
10021	216
10022	212
10023	213
10024	52
10025	93
10026	121
10027	93
10028	205, 206
10029	194
10030	195
10031	193
10032	194
10033	191
10034	198
10035	194
10036	199
10037	199
10038	199
10039	107
10040	190
10041	195
10042	67, 177
10043	134, 160
10044	98
10045	78
10046	70
10047	84

REFERENCIA	PÁGINA
10048	82
10049	146
10050	63
10051	58
10052	181
10053	147
10054	148,166,176,181
10055	154, 162
10056	69
10057	84
10058	107
10059	215
10060	74
10061	153
10062	71
10063	216
10064	177
10065	88, 162
10066	38
10067	66, 181
10068	87
10069	15
10070	15
10076	105
10078	58
10079	58
10080	58
10081	9
10082	9
10083	9
10084	9
10085	9
10086	9
10087	9
10088	9
10089	9
10090	9
10091	9
10092	9
10093	9
10094	9
10095	9
10096	9
10097	9
10098	9
10099	9
10100	9
10101	9
10102	9
10103	9
10104	9
10105	9
10106	9
10107	9
10108	9
10109	9
10110	9
10111	9
10112	9
10113	9
10114	9
10115	9
10116	10
10117	10
10118	10
10119	10

REFERENCIA	PÁGINA
10120	10
10121	10
10122	10
10123	10
10124	10
10125	10
10126	10
10127	10
10128	10
10129	10
10130	10
10131	10
10132	10
10133	10
10134	10
10135	10
10136	10
10137	10
10138	10
10139	10
10140	10
10141	10
10142	10
10143	10
10144	11
10145	11
10146	11
10147	11
10148	11
10149	11
10150	11
10151	11
10152	11
10153	11
10154	11
10155	11
10156	11
10157	11
10158	11
10159	11
10160	11
10161	11
10162	11
10163	11
10164	11
10165	11
10166	11
10167	11
10168	11
10169	11
10170	11
10171	11
10172	11
10173	11
10174	11
10175	11
10176	11
10177	11
10178	11
10179	11
10180	11
10181	11
10182	12
10183	12
10184	12
10185	12

REFERENCIA	PÁGINA
10186	12
10187	12
10188	12
10189	12
10190	12
10191	9
10192	43,73
10193	43,73
10194	43,73
10195	43,73
10196	229
10197	60,239
10199	229
10200	82
10202	11
10204	128
10206	50
10207	50
10208	50,93
10209	52
10210	51
10211	15
10212	15
10213	14
10214	14
10215	14
10216	14
10217	14
10218	14
10219	89
10220	195
10221	204, 206
10222	195
10223	195
10224	194
10225	194
10226	73
10227	115
10228	86
10229	88, 162
10230	109
10231	132, 181
10232	62
10233	79,152,160
10234	85
10235	75
10236	134
10237	105
10239	155
10240	157
10241	113
10242	156, 173
10243	175
10244	86
10245	66, 140
10247	138
10248	118
10249	108
10250	108
10251	91
10252	91
10253	30
10254	30
10255	30
10256	30
10257	30

REFERENCIA	PÁGINA
10258	30
10259	30
10260	30
10261	30
10262	30
10263	30
10264	30
10265	30
10266	30
10267	30
10268	30
10269	30
10270	30
10271	30
10272	30
10273	30
10274	30
10275	30
10276	30
10277	30
10278	30
10279	30
10280	30
10281	31,127
10282	78
10283	31,127
10284	31,127
10285	228
10286	228
10288	51
10289	51
10293	12
10294	91
10296	194
10297	194
10298	99
10300	228
10302	228
10303	172
10304	154
10305	16
10306	187
10307	161
10308	66, 161
10309	143
10310	131
10311	132
10312	121
10314	145
10315	132
10316	132
10317	136
10318	176
10319	66, 154
10320	164
10321	132
10322	132
10323	138
10324	152
10325	200
10326	200
10327	107
10328	115
10329	115
10330	115
10331	115

REFERENCIA	PÁGINA
10332	115
10333	115
10334	115
10335	115
10336	115
10337	115
10338	115
10339	115
10340	115
10341	115
10342	115
10343	115
10345	169
10346	85
10347	57
10348	57
10349	71
10350	86
10351	61
10352	183
10353	154
10354	64
10355	79,153,170
10356	85
10357	85
10358	71
10359	70
10360	166
10361	82
10362	92
10363	149
10364	149
10365	149
10366	144
10367	186
10368	133
10369	156
10370	156
10371	156
10372	158
10373	142
10374	166
10375	166
10376	155, 162
10377	160, 167
10378	73
10379	73
10380	165
10382	170
10383	186
10384	78
10385	84
10386	84
10387	88, 142
10388	182
10389	104
10390	131
10391	152
10392	153
10393	160, 167
10394	158
10395	153,163,165,170,176
10396	238
10397	180
10398	165
10399	157

REFERENCIA	PÁGINA
10400	138
10401	145
10402	175
10403	164
10405	232
10406	163
10407	163
10408	161
10409	131
10410	98
10411	55
10412	161
10413	185
10414	147
10415	148
10416	148
10417	185
10418	146
10420	147
10421	147
10422	149
10423	176
10424	172
10425	183
10426	183
10427	183
10428	81
10429	113
10430	148
10431	146
10432	17
10433	17
10434	17
10435	18
10436	17
10437	17
10438	17
10439	17
10440	17
10441	17
10442	17
10443	17
10444	17
10445	17
10446	17
10447	17
10448	17
10449	20
10450	20
10451	20
10452	20
10453	21
10454	21
10455	21
10456	21
10457	21
10458	21
10459	21
10460	21
10461	19
10462	19
10463	19
10464	19
10465	19
10466	19
10467	19

REFERENCIA	PÁGINA
10468	19
10469	19
10470	19
10471	19
10472	19
10473	19
10474	19
10475	19
10476	19
10477	19
10478	19
10479	13
10480	19
10481	19
10482	19
10483	19
10484	19
10485	19
10486	19
10487	19
10488	19
10489	19
10490	19
10491	19
10492	19
10493	19
10494	19
10495	19
10496	19
10497	19
10498	19
10499	19
10500	19
10501	19
10502	19
10503	19
10504	19
10505	19
10506	19
10507	19
10508	19
10509	19
10510	19
10511	19
10512	19
10513	19
10514	19
10515	19
10516	19
10517	19
10518	19
10519	19
10520	19
10521	19
10522	19
10523	19
10524	19
10525	19
10526	19
10527	19
10528	19
10529	19
10530	19
10531	19
10532	19
10533	19

REFERENCIA	PÁGINA
10534	19
10535	19
10536	19
10537	19
10538	19
10539	19
10540	19
10541	19
10542	19
10543	19
10544	19
10545	19
10546	19
10547	19
10548	19
10549	19
10550	19
10551	19
10552	19
10553	19
10554	19
10555	19
10556	19
10557	19
10558	19
10559	19
10560	19
10561	19
10562	19
10563	19
10564	19
10565	19
10566	19
10567	19
10568	19
10569	19
10570	19
10571	19
10572	19
10573	19
10574	19
10575	19
10576	19
10577	19
10578	19
10579	19
10580	19
10581	20
10582	20
10583	20
10584	20
10585	20
10586	20
10587	20
10588	20
10589	20
10590	20
10591	20
10592	20
10593	20
10594	20
10595	20
10596	20
10597	20
10598	20
10599	20

REFERENCIA	PÁGINA
10600	20
10601	20
10602	20
10603	20
10604	20
10605	20
10606	20
10607	20
10608	20
10609	20
10610	20
10611	20
10612	20
10613	20
10614	20
10615	20
10616	20
10617	20
10618	20
10619	20
10620	20
10621	20
10622	20
10623	20
10624	20
10625	20
10626	20
10627	20
10628	20
10629	20
10630	20
10631	20
10632	20
10633	20
10634	20
10635	20
10636	20
10637	20
10638	20
10639	20
10640	20
10641	20
10642	20
10643	20
10644	20
10645	20
10646	20
10647	20
10648	20
10649	20
10650	20
10651	20
10652	20
10653	20
10654	20
10655	20
10656	20
10657	20
10658	20
10659	20
10660	20
10661	20
10662	20
10663	20
10664	20
10665	20

REFERENCIA	PÁGINA
10666	20
10667	20
10668	20
10669	20
10670	20
10671	20
10672	20
10673	20
10674	20
10675	20
10676	75
10677	75
10678	75
10679	121
10680	58
10681	58
10682	58
10683	58
10684	148
10685	37
10686	98
10687	98
10688	98
10689	98
10690	228
10691	228
10692	99, 121
10693	20
10694	139
10695	151, 185
10696	104, 230
10697	147
10698	75
10699	118
10700	89
10701	118
10702	140
10703	147
10704	180
10706	59,24
10707	27
10708	150
10709	153
10710	122
10711	58
10712	97
10715	79
10716	110
10717	110
10718	110
10719	110
10720	110
10721	110
10722	110
10723	118
10724	118
10725	112
10726	101, 193
10727	101
10728	101
10729	101
10730	101
10731	101
10732	101
10733	150
10734	150

REFERENCIA	PÁGINA
10735	31
10736	101
10737	101
10738	101
10739	101
10740	101
10741	101
10742	101
10743	101
10744	101
10745	101
10746	101
10747	101
10748	101
10749	101
10750	101
10751	101
10752	101
10753	101
10754	147
10755	79
10756	79
10757	85
10758	60,239
10772	206, 207
10773	206
10774	206
10775	206
10776	206
10777	206
10778	206
10779	206
10780	206
10781	206
10782	204, 206
10783	201
10784	206, 207
10785	206, 207
10786	206, 207
10787	197
10788	197
10789	197
10790	197
10791	203
10792	200
10793	201
10794	201
10795	203
10796	198
10797	203
10798	204, 206
10799	204, 206
10800	198
10801	203
10802	203, 206
10803	203
10804	203
10805	202,206
10806	207
10807	202,206
10808	202,206
10809	202,206
10810	201
10812	192
10813	192
10814	194
10815	192
10817	200
10818	197
10819	191
10820	199
10821	199
10822	199
10823	199
10824	205, 206
10825	197
10827	193
10829	200
10830	190
10831	199
10832	195
10833	197
10834	196
10835	193
10836	200
10837	191
10838	200
10839	197
10840	191
10841	193
10842	192
10843	192
10844	192
10845	194
10846	191
10847	198
10848	201
10849	206
10850	206
10851	206
10852	191
10853	192
10854	192
10855	192
10857	207
10858	206
10859	206
10860	206
10862	196
10863	205, 206
10864	205, 206
10865	207
10867	198
10871	158
10872	218
10873	218
10875	35
10876	199
10877	113
10878	237
10879	85
10880	79
10881	105
10882	224
10883	224
10884	224
10885	224
10886	224
10887	223
10888	223
10889	223
10890	175
10891	159
10892	146
10893	140
10894	142
10895	224
10896	97
10897	158
10898	218
10899	83, 236
10900	159
10901	159
10902	94, 237
10903	237
10904	94
10906	94, 237
10907	94, 237
10909	97
10910	85
10911	129
10913	109
10914	109
10915	86
10916	86
10918	90
10920	93
10921	93
10922	93
10923	93
10924	94
10925	90
10926	196
10927	109
10928	129
10929	68
10930	107
10931	129
10932	57
10934	193
10935	71
10936	85
10937	142
10938	107
10939	107
10940	129
10942	187
10944	229
10945	158
10946	187
10947	58
10948	61
10949	38
10950	188
10951	85
10952	111
10953	129, 214
10954	129, 214
10955	177
10957	102
10958	78
10959	198
10960	141
10961	163
10965	45
10966	45
10967	150
10968	158
10969	142
10970	61
10971	218
10972	125
10973	66, 177
10974	134
10975	124
10976	14
10977	14
10978	14
10979	14
10980	65
10981	15
10982	15
10983	15
10984	97
10985	232-220
10986	125, 234
10987	234, 238
10989	78
10990	98
10991	159
10992	145
10993	40
10994	40
10995	234, 240
10996	234, 240
10997	234, 240
10998	232,238,238
10999	234, 240
11000	234, 240
11001	234, 240
11002	191
11003	105
11004	238
11005	58
11006	58
11007	58
11008	234
11009	217
11010	51
11011	8,226
11012	8,13,226
11013	8,226
11014	8,226
11015	8,226
11016	8,226
11017	217
11018	51
11019	98
11020	36
11021	36
11022	36
11023	15
11024	15
11025	15
11026	125
11027	32
11028	36
11029	36
11030	36
11031	36
11032	36
11033	36
11034	36
11035	12
11036	12
11037	12
11038	12
11039	36
11040	217
11041	129
11044	105
11045	44
11046	44
11047	44
11048	44
11049	44
11050	44
11051	93
11052	40,251
11053	41
11054	41
11055	41
11056	41
11057	41
11058	220
11059	220
11060	220
11061	221
11062	221
11063	221
11064	222
11065	41
11066	41
11067	41
11068	41
11069	121
11070	38
11072	36
11073	36
11074	36
11075	36
11076	36
11077	104
11078	32,38,217
11079	218
11080	115
11081	115
11082	97
11083	218
11084	104
11085	122
11086	122
11087	122
11088	122
11089	122
11090	122
11091	122
11092	122
11093	122
11094	122
11095	76
11096	175
11097	45,102
11098	56
11099	122
11100	122
11101	188
11102	76
11103	98
11104	121

REFERENCIA	PÁGINA
11105	245
11106	211
11107	211
11108	12
11109	12
11110	12
11111	12
11112	55,230,238
11113	222, 238
11114	53
11115	53
11116	53
11117	53
11118	121
11119	221
11120	227
11121	37
11122	37
11123	37
11124	37
11125	37
11126	222
11127	23, 11, 208
11128	23, 11, 208
11129	23, 11, 208
11130	23, 11, 208
11131	23, 11, 208
11132	23, 11, 208
11133	23, 11, 208
11134	23, 11, 208
11135	23, 11, 208
11136	23, 11, 208
11137	23, 11, 208
11138	23, 11, 208
11139	23, 11, 208
11140	23, 11, 208
11141	23, 11, 208
11142	23, 11, 208
11143	23, 11, 208
11144	23, 11, 208
11145	23, 11, 208
11146	23, 11, 208
11147	23, 11, 208
11148	23, 11, 208
11149	23, 11, 208
11150	23, 11, 208
11151	23, 11, 208
11152	23, 11, 208
11153	23, 11, 208
11154	23, 11, 208
11155	23, 11, 208
11156	23, 11, 208
11157	23, 11, 208
11158	23, 11, 208
11159	23, 11, 208
11160	23, 11, 208
11161	23, 11, 208
11162	23, 11, 208
11163	23, 11, 208
11164	23, 11, 208
11165	23, 11, 208
11166	23, 11, 208
11167	23, 11, 208
11168	23, 11, 208
11169	23, 11, 208
11170	23, 11, 208

REFERENCIA	PÁGINA
11171	23, 11, 208
11172	23, 11, 208
11173	23, 11, 208
11174	23, 11, 208
11175	23, 11, 208
11176	24, 117, 208
11177	24, 117, 208
11178	24, 117, 208
11179	24, 117, 208
11180	24, 117, 208
11181	24, 117, 208
11182	24, 117, 208
11183	24, 117, 208
11184	24, 117, 208
11185	24, 117, 208
11186	24, 117, 208
11187	24, 117, 208
11188	24, 117, 208
11189	24, 117, 208
11190	24, 117, 208
11191	24, 117, 208
11192	24, 117, 208
11193	24, 117, 208
11194	24, 117, 208
11195	24, 117, 208
11196	24, 117, 208
11197	24, 117, 208
11198	24, 117, 208
11199	24, 117, 208
11200	24, 117, 208
11201	24, 117, 208
11202	24, 117, 208
11203	24, 117, 208
11204	24, 117, 208
11205	24, 117, 208
11206	24, 117, 208
11207	24, 117, 208
11208	24, 117, 208
11209	24, 117, 208
11210	24, 117, 208
11211	24, 117, 208
11212	24, 117, 208
11213	24, 117, 208
11214	24, 117, 208
11215	24, 117, 208
11216	24, 117, 208
11217	24, 117, 208
11218	24, 117, 208
11219	24, 117, 208
11220	24, 117, 208
11221	24, 117, 208
11222	24, 117, 208
11223	24, 117, 208
11224	24, 117, 208
11225	24, 117, 208
11226	24, 117, 208
11227	24, 117, 208
11228	24, 117, 208
11229	24, 117, 208
11230	24, 117, 208
11231	24, 117, 208
11232	25, 117, 208
11233	25, 117, 208
11234	25, 117, 208
11235	25, 117, 208
11236	25, 117, 208

REFERENCIA	PÁGINA
11237	25, 117, 208
11238	25, 117, 208
11239	25, 117, 208
11240	25, 117, 208
11241	25, 117, 208
11242	25, 117, 208
11243	25, 117, 208
11244	25, 117, 208
11245	25, 117, 208
11246	25, 117, 208
11247	25, 117, 208
11248	25, 117, 208
11249	25, 117, 208
11250	25, 117, 208
11251	25, 117, 208
11252	25, 117, 208
11253	25, 117, 208
11254	25, 117, 208
11255	25, 117, 208
11256	25, 117, 208
11257	25, 117, 208
11258	25, 117, 208
11259	25, 117, 208
11260	25, 117, 208
11261	25, 117, 208
11262	25, 117, 208
11263	25, 117, 208
11264	25, 117, 208
11265	25, 117, 208
11266	25, 117, 208
11267	25, 117, 208
11268	25, 117, 208
11269	25, 117, 208
11270	25, 117, 208
11271	25, 117, 208
11272	25, 117, 208
11273	25, 117, 208
11274	25, 117, 208
11275	25, 117, 208
11276	25, 117, 208
11277	25, 117, 208
11278	25, 117, 208
11279	25, 117, 208
11280	25, 117, 208
11281	25, 117, 208
11282	25, 117, 208
11283	25, 117, 208
11284	25, 117, 208
11285	25, 117, 208
11286	25, 117, 208
11287	25, 117, 208
11288	25, 117, 208
11289	25, 117, 208
11290	25, 117, 208
11291	25, 117, 208
11292	25, 117, 208
11293	25, 117, 208
11294	25, 117, 208
11295	25, 117, 208
11296	25, 117, 208
11297	25, 117, 208
11298	25, 117, 208
11299	25, 117, 208
11300	25, 117, 208
11301	25, 117, 208
11302	25, 117, 208

REFERENCIA	PÁGINA
11303	25, 117, 208
11304	25, 117, 208
11305	25, 117, 208
11306	23, 116, 209
11307	23, 116, 209
11308	23, 116, 209
11309	23, 116, 209
11310	23, 116, 209
11311	23, 116, 209
11312	25, 116, 209
11313	25, 116, 209
11314	25, 209
11315	33
11316	33
11317	33
11318	33
11319	33
11320	33
11321	33
11322	33-120
11323	33
11324	33
11325	33
11326	33
11327	34
11328	34
11329	34
11330	34
11331	34
11332	34
11333	34
11334	34
11335	33
11336	53
11337	53
11338	53
11339	53
11340	53
11341	53
11342	53
11343	53
11344	53
11345	34
11346	33
11347	33
11348	33
11350	44,238
11351	44,238
11352	37
11353	37
11354	37
11361	17
11362	17
11363	17
11364	17
11365	36
11366	36
11367	36
11368	36
11369	36
11370	36
11371	36
11372	217
11373	217
11374	90
11384	175

REFERENCIA	PÁGINA
11385	175
11386	78
11388	220
11389	122
11390	122
11391	217
11392	122
11393	122
11394	122
11395	122
11396	93
11397	34,129
11398	146
11399	154
11400	151
11401	253
11402	253
11731	227
11732	227
11733	227
11743	253
11744	254
11745	253
11746	254
11747	255
11748	255
11749	256
11750	256
11751	257
11752	257
11753	258
11754	258
11755	259
11756	260
11757	259
11758	260
11759	261
11760	261
11761	262
11762	262
11763	263
11764	263
11765	264
11766	264
11767	265
11768	265
11769	266
11770	266
11771	267
11772	267

CATALOGUE 2025

Official Distributor

We reserve the right to make changes to technical specifications, images, product prices, and/or promotions without prior notice.
The validity of the features and prices of the promotions is subject to stock availability.
The information provided about the products is for guidance only and does not constitute an exhaustive description.

All images in this catalog and in any TOOLHUB® promotional materials are copyrighted.
Reproduction, distribution, modification, or any other use of these images without the express written consent of TOOLHUB® is strictly prohibited.
Failure to comply with this warning may result in legal action. To request permission to use any image, please contact our communications department at marketing@toolhub.es.

Tool Hub Ltd Building D Dorset Business Park Blandford Forum DT11 9AS - T. +44 01258 446242